



Accessory catalogue

CONTENT

1. Breathing Systems and Accessories	5
2. Monitoring Accessories	81
3. Perinatal Care Accessories	183
4. Sensors Flow/Oxygen	285
5. Soda Lime	291
6. Ward Equipment	297
Index	383

CONTENT

BREATHING SYSTEMS

1. Disposable Breathing Circuits/Sets and related accessories	9	2.4 Single breathing hoses	39
1.1 Breathing Circuits	9	2.4.1 Single breathing hoses with long sleeves	39
1.2 Breathing Bag Sets	12	2.4.2 Single breathing hoses with standard sleeves	39
1.3 Anesthesia Sets	13	2.4.3 Pediatric single breathing hoses with standard sleeves	40
1.4 Heated Breathing Circuits	14	2.4.3.1 Sleeves 10 mm/10 mm (0.4 in/0.4 in)	40
1.5 Device dedicated Breathing Circuits	15	2.4.3.2 Sleeves 22 mm/22 mm (0.9 in/0.9 in)	40
1.5.1 Oxylog® 1000	15	2.4.3.3 Sleeves 10 mm/22 mm (0.4 in/0.9 in)	40
1.5.2 Oxylog® 2000	15	2.5 Y-pieces	41
1.5.3 Oxylog® 2000 plus and Oxylog® 3000	15	2.6 Connectors	42
1.5.4 Oxylog® 3000 plus	16	2.7 Breathing bags	43
1.5.5 Carina®	17	2.7.1 Silicone breathing bags	43
1.5.6 Resuscitaire	17	2.7.2 Latex breathing bags	43
1.6 Infinity® ID Breathing Circuits	18	2.7.3 Chloroprene breathing bags	44
1.7 Infinity® ID Breathing Bag Set	20	2.8 Test lungs	45
1.8 Infinity® ID Heated Breathing Circuits	21	2.9 Breathing circuits accessories	45
1.9 Tradeware Breathing Circuits	21		
1.10 Disposable Breathing Bags	22		
2. Reusable Breathing Circuits/Sets and related accessories	23	3. Dräger Disposable Breathing System Filters and HMEs	47
2.1 Anesthesia Sets	23	3.1 Filter/HME TwinStar®	47
2.1.1 Anesthesia Sets for Zeus®	26	3.2 Filter SafeStar®	48
2.2 Breathing Sets	30	3.3 Filter CareStar®	49
2.2.1 Breathing Sets for Babylog® 2000	32	3.4 HME HumidStar®	50
2.2.2 Breathing Sets for Oxylog® 1000	33		
2.2.3 Breathing Sets for Oxylog® 2000/3000	34	4. Catheter mounts and airway connectors	51
2.3 Heated Breathing Circuits	35		
2.3.1 Heated Breathing Circuits for Babylog® 8000/Babylog® VN 500	37		

CONTENT

5. Breathing masks	53
5.1 Non-invasive ventilation masks	53
5.1.1 ClassicStar® non-invasive ventilation (NIV) mask series	53
5.1.2 NovaStar® non-invasive ventilation (NIV) mask series	55
5.2 Anesthesia and ventilation face masks	56
5.2.1 LiteStar® face masks	56
5.2.2 ComfortStar® face masks	57
5.2.3 All-Round face masks	59
5.2.4 Foregger face masks	59
5.2.5 Rendell-Baker face masks	60
5.2.6 Silicone face masks	61
5.3 Aerosol and oxygen (O ₂) therapy masks	62
5.4 Mask accessories	63
5.4.1 Mask headgears	63
5.4.2 Mask sizing gauges	64
5.4.3 Mask clips, connectors, hook rings, etc.	65
6. Filters	67
6.1 Bacterial filter	67
6.2 Microbial filter	67
6.3 Anesthetic filter	67
6.4 Accessories	67

VENTILATION ACCESSORIES	
7. Device related accessories	68
7.1 Evita® disposable expiration valve	68
7.2 Savina® expiratory valve	68
7.3 Carina® expiratory & leak valve	68
7.4 CO ₂ cuvettes	69
8. Humidification	71
8.1 Components for Aquapor EL/Aquamod	71
8.2 Fisher & Paykel humidification	73
8.2.1 Humidification Chamber	73
8.2.2 Mounting sets	74
8.2.3 Other accessories	74
8.3 Nebulizer	77
8.4 Aeroneb Pro	78


DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1. DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1.1 BREATHING CIRCUITS

With VentStar® Family Dräger offers a wide range of disposable breathing circuits for different applications as well as for different patient groups (neo, ped, adult). Customers can choose between various kinds of materials. All disposable breathing circuits are made of high quality material and all gas leading components are PVC-free (no harm through softeners like e.g. DEHP). Special focus at Dräger is – additionally to CE – the interaction between Dräger device and related breathing circuit what is documented in our declarations of system compatibility. Declarations of system compatibility underlie intensive testing in various scenarios which are based on our long-time experience concerning interaction of device with accessory. With respect to the newest device generation we enlarged our portfolio with ID breathing circuits which support the Infinity® ID functionality of the relevant Dräger devices.

A Vent Set Basic	MP00300
Disposable breathing circuit, consisting of 2 hoses, Y-piece and LuerLock elbow. Length: 150 cm (59 in). Latex free. Packing unit: 25 pcs.	
B VentStar® Basic 180	MP00349
Disposable breathing circuit, consisting of 2 hoses, Y-piece and LuerLock elbow. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	
C VentStar® Basic 250	MP00350
Disposable breathing circuit, consisting of 2 hoses, Y-piece and LuerLock elbow. Length: 250 cm (98 in). Latex free. Packing unit: 10 pcs.	
D VentStar® Basic (P) 150 without LuerLock	MP00338
Disposable pediatric breathing circuit, consisting of 2 hoses (Ø 15 mm), Y-piece and elbow. This breathing circuit may also be used on the Zeus®. Length: 150 cm (59 in). Latex free. Packing unit: 25 pcs.	
E VentStar® Basic (P) 180	MP00351
Disposable pediatric breathing circuit, consisting of 2 hoses (Ø 15 mm), Y-piece and LuerLock elbow. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	



BREATHING CIRCUITS

A	VentStar® Watertrap 180 without LuerLock	MP00334
	Disposable breathing circuit with watertraps, consisting of 2 hoses with watertraps, Y-piece and elbow. This breathing circuit may also be used on the Zeus®. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	
B	VentStar® Watertrap 180	MP00337
	Disposable breathing circuit with watertraps, consisting of 2 hoses with watertraps, Y-piece and LuerLock elbow. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	
C	VentStar® Watertrap (P) 180	MP00361
	Disposable pediatric breathing circuit, consisting of 2 hoses (Ø 15 mm) with watertraps, Y-piece and LuerLock elbow. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	
D	VentStar® Watertrap (P) 180 without LuerLock	MP00362
	Disposable pediatric breathing circuit, consisting of 2 hoses (Ø 15 mm) with watertraps, Y-piece and elbow. This breathing circuit may also be used on the Zeus®. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	
E	VentStar® Watertrap (N) 180	MP00363
	Disposable neonatal breathing circuit, consisting of 2 hoses (Ø 10 mm) with watertraps, angled Y-piece with LuerLock. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	



BREATHING CIRCUITS

A	Vent Set Flex	MP00305
	Disposable breathing circuit, consisting of 2 extendable hoses, Y-piece and LuerLock elbow. Length: up to 180 cm (70 in). Latex free. Packing unit: 25 pcs.	
B	VentStar® Flex 220	MP00355
	Disposable breathing circuit, consisting of 2 extendable hoses, Y-piece and LuerLock elbow. Length: up to 220 cm (86,61 in). Latex free. Packing unit: 25 pcs.	
C	Vent Set Coax	MP00315
	Disposable coaxial breathing circuit with LuerLock elbow. Length: 150 cm (59 in). Latex free. Packing unit: 20 pcs.	
D	Vent Set Coax with holder	MP00316
	Disposable coaxial breathing circuit with LuerLock elbow and hose holder (for fixation at a hinged arm with ball holder). Length: 150 cm (59 in). Latex free. Packing unit: 20 pcs.	
E	VentStar® Coax 180	MP00356
	Disposable coaxial breathing circuit with LuerLock elbow. Length: 180 cm (70 in). Latex free. Packing unit: 20 pcs.	
F	VentStar® MRI 300	MP00327
	Disposable breathing circuit, consisting of 2 smoothbore hoses, Y-piece and LuerLock elbow. Suitable for use in MRI environment. Length: 300 cm (118 in). Latex free. Packing unit: 10 pcs.	
	VentStar® MRI (N) 300	MP00329
	Disposable neonatal breathing circuit, consisting of 2 smoothbore hoses (Ø 10 mm), angled Y-piece with LuerLock. Suitable for use in MRI environment. Length: 300 cm (118 in). Latex free. Packing unit: 10 pcs.	



BREATHING BAG SETS

1.2 BREATHING BAG SETS

A	VentStar® Bag Set	MP00222
	Disposable breathing bag system for use with anesthesia devices, consisting of bag hose, connector, fastening ring and 2 l latex free breathing bag. Length: 80 cm (31 in). Latex free. Packing unit: 25 pcs.	
B	VentStar® Bag Set 120	MP00380
	Disposable breathing bag system for use with anesthesia devices, consisting of bag hose, connector, fastening ring and 2 l latex free breathing bag. Length: 120 cm (48 in). Latex free. Packing unit: 25 pcs.	
B	VentStar® Bag Set 150	MP00381
	Disposable breathing bag system for use with anesthesia devices, consisting of bag hose, connector, fastening ring and 2 l latex free breathing bag. Length: 150 cm (59 in). Latex free. Packing unit: 25 pcs.	
C	VentStar® Bag Set (P) 110	MP00384
	Disposable pediatric breathing bag system for use with anesthesia devices, consisting of bag hose (Ø 15 mm), connector, fastening ring and 1 l latex free breathing bag. Length: 110 cm (43 in). Latex free. Packing unit: 25 pcs.	
	VentStar® Bag Set (N) 110	MP00383
	Disposable neonatal breathing bag system for use with anesthesia devices, consisting of bag hose (Ø 10 mm), connector, fastening ring and 0.5 l latex free breathing bag. Length: 110 cm (43 in). Latex free. Packing unit: 25 pcs.	



ANESTHESIA SETS

1.3 ANESTHESIA SETS


A	Anesthesia Set Basic, latex free	MP00301
	Disposable anesthesia set, consisting of 2 hoses, Y-piece, LuerLock elbow and bag hose, connector, fastening ring, 2 l latex free breathing bag. Length: 150 cm (59 in)/80 cm (31 in). Latex free. Packing unit: 25 pcs.	
B	Anesthesia Set Basic, latex	MP00302
	Disposable anesthesia set, consisting of 2 hoses, Y-piece, LuerLock elbow and bag hose, connector, 2 l latex breathing bag. Length: 150 cm (59 in)/80 cm (31 in). Packing unit: 25 pcs.	
C	Anesthesia Set Flex, latex free	MP00303
	Disposable anesthesia set, consisting of 2 hoses, Y-piece, LuerLock elbow and extendable bag hose, connector, fastening ring, 2 l latex free breathing bag. Length: up to 180 cm (70 in)/up to 80 cm (31 in). Latex free. Packing unit: 25 pcs.	
D	Anesthesia Set Flex, latex	MP00304
	Disposable anesthesia set, consisting of 2 hoses, Y-piece, LuerLock elbow and extendable bag hose, connector, fastening ring, 2 l latex breathing bag. Length: up to 180 cm (70 in)/up to 80 cm (31 in). Packing unit: 25 pcs.	
E	VentStar® Anesthesia without LuerLock	MP00330
	Disposable anesthesia set, consisting of 2 hoses, Y-piece, elbow and bag hose, connector, fastening ring, 2 l latex free breathing bag. This anesthesia set may also be used with the Zeus®. Length: 150 cm (59 in)/80 cm (31 in). Latex free. Packing unit: 25 pcs.	
F	VentStar® Anesthesia (P) without LuerLock	MP00331
	Disposable pediatric anesthesia set, consisting of 2 hoses (Ø 15 mm), Y-piece, elbow and bag hose (Ø 15 mm), connector, fastening ring, 1 l latex free breathing bag. This anesthesia set may also be used with the Zeus®. Length: 150 cm (59 in)/110 cm (43 in). Latex free. Packing unit: 25 pcs.	
G	VentStar® Anesthesia (N)	MP00333
	Disposable neonatal anesthesia set, consisting of 2 hoses (Ø 10 mm), angled Y-piece with LuerLock and bag hose (Ø 10 mm), connector, fastening ring, 0.5 l latex free breathing bag. Length: 180 cm (70 in)/110 cm (43 in). Latex free. Packing unit: 25 pcs.	



HEATED BREATHING CIRCUITS

1.4 HEATED BREATHING CIRCUITS

A	VentStar® dual heated	MP00306
	Disposable dual heated breathing circuit with humidifier chamber for active humidification with a Fisher & Paykel MR850 humidifier. Length: 150 cm (59 in). Latex free. Packing unit: 10 pcs.	
B	VentStar® heated	MP00307
	Disposable inspiratory heated breathing circuit with humidifier chamber for active humidification with a Fisher & Paykel MR850 humidifier. Length: 150 cm (59 in). Latex free. Packing unit: 10 pcs.	
C	VentStar® heated (N)	MP00308
	Disposable neonatal inspiratory heated breathing circuit with humidifier chamber for active humidification with a Fisher & Paykel MR850 humidifier. Suitable for HFO. Length: 120 cm (48 in). Latex free. Packing unit: 10 pcs.	
D	VentStar® heated (N) Basic	MP00309
	Disposable neonatal inspiratory heated breathing circuit for active humidification with a Fisher & Paykel MR850 humidifier. Attention: without humidifier chamber. Suitable for HFO. Length: 120 cm (48 in). Latex free. Packing unit: 10 pcs.	
E	VentStar® humidifier chamber	MP00234
	Disposable humidifier chamber for use with a Fisher & Paykel MR850 humidifier to complete e.g. MP00309. Packing unit: 10 pcs.	



DEVICE DEDICATED BREATHING CIRCUITS

1.5 DEVICE DEDICATED BREATHING CIRCUITS

1.5.1 OXYLOG® 1000

A VentStar® Oxylog® 1000, 180	2M86837
Disposable breathing circuit kit for Oxylog® 1000, consisting of breathing circuit and expiration valve. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	



1.5.2 OXYLOG® 2000

B Breathing Tube SU 180	2M86841
Disposable breathing circuit kit for Oxylog® 2000, consisting of breathing circuit, expiration valve, flow sensor, measurement lines and elbow. Length: 180 cm (70 in). Latex free. Packing unit: 5 pcs.	



1.5.3 OXYLOG® 2000 PLUS AND OXYLOG® 3000

C VentStar® Oxylog® 3000F 2000+, 150	5703041
Disposable breathing circuit kit for Oxylog® 3000 Family and Oxylog® 2000 plus, consisting of breathing circuit, expiration valve, flow sensor, measurement lines and double swivel elbow. Length: 150 cm (59 in). Latex free. Packing unit: 5 pcs.	
D VentStar® Oxylog® 3000F 2000+, 300	MP00335
Disposable breathing circuit kit for Oxylog® 3000 Family and Oxylog® 2000 plus, consisting of breathing circuit, expiration valve, flow sensor, measurement lines and double swivel elbow. Length: 300 cm (118 in). Latex free. Packing unit: 5 pcs.	



DEVICE DEDICATED BREATHING CIRCUITS

1.5.4 OXYLOG® 3000 PLUS

A	VentStar® Oxylog® 3000F 2000+, 150 Disposable breathing circuit kit for Oxylog® 3000 Family and Oxylog® 2000 plus, consisting of breathing circuit, expiration valve, flow sensor, measurement lines and double swivel elbow. Length: 150 cm (59 in). Latex free. Packing unit: 5 pcs.	5703041
B	VentStar® Oxylog® 3000F 2000+, 300 Disposable breathing circuit kit for Oxylog® 3000 Family and Oxylog® 2000 plus, consisting of breathing circuit, expiration valve, flow sensor, measurement lines and double swivel elbow. Length: 300 cm (118 in). Latex free. Packing unit: 5 pcs.	MP00335
C	VentStar® Oxylog® 3000+ (P) 190 Disposable pediatric breathing circuit kit for Oxylog® 3000 plus, consisting of breathing circuit (Ø 15 mm), expiration valve, flow sensor, measurement lines and double swivel elbow. Length: 190 cm (75 in). Latex free. Packing unit: 5 pcs.	5704964



DEVICE DEDICATED BREATHING CIRCUITS


1.5.5 CARINA®

A VentStar® Carina® LeakV

MP00312

Disposable breathing circuit for Carina®, consisting of hose and leakage valve (SyncVent).
Length: 150 cm (59 in). Latex free.
Packing unit: 5 pcs.

A



MT-2010-2008

B VentStar® Carina® ExpV

MP00313

Disposable breathing circuit for Carina®, consisting of hose, expiration valve and measurement line.
Length: 150 cm (59 in). Latex free.
Packing unit: 5 pcs.

B



MT-9633-2006

1.5.6 RESUSCITAIRE

C VentStar® Resuscitaire CEU

MP00310

Disposable breathing circuit for resuscitation with the user option of manually setting the ventilation frequency and the PEEP. No AutoBreath.
Length: 102 cm (40 in). Latex free.
Packing unit: 25 pcs.

C




D-19278-2009

D VentStar® Resuscitaire

MP00311

Disposable breathing circuit with pressure measurement line for resuscitation with the user option of manually setting the ventilation frequency and the PEEP. No AutoBreath.
Length: 102 cm (40 in). Latex free.
Packing unit: 25 pcs.

D



D-10103-2009

DEVICE DEDICATED BREATHING CIRCUITS

1.6 INFINITY® ID BREATHING CIRCUITS

A	Infinity® ID Breathing Circuit Basic 250	MP01348
	Disposable ID breathing circuit, consisting of 2 hoses, Y-piece and LuerLock elbow. Equipped with RFID tag to support the Infinity® ID functionality. Length: 250 cm (98 in). Latex free. Packing unit: 10 pcs.	
B	Infinity® ID Breathing Circuit Basic (P) 180	MP01340
	Disposable pediatric ID breathing circuit, consisting of 2 hoses (Ø 15 mm), Y-piece and LuerLock elbow. Equipped with RFID tag to support the Infinity® ID functionality. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	
C	Infinity® ID Breathing Circuit Watertrap 180	MP01326
	Disposable ID breathing circuit with watertraps, consisting of 2 hoses with watertraps, Y-piece and LuerLock elbow. Equipped with RFID tag to support the Infinity® ID functionality. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	
	Infinity® ID Breathing Circuit Watertrap (P) 180	MP01341
	Disposable pediatric ID breathing circuit with watertraps, consisting of 2 hoses (Ø 15 mm) with watertraps, Y-piece and LuerLock elbow. Equipped with RFID tag to support the Infinity® ID functionality. Length: 180 cm (70 in). Latex free. Packing unit: 25 pcs.	
D	Infinity® ID Breathing Circuit Coaxial	MP00342
	Disposable coaxial ID breathing circuit with LuerLock elbow. Equipped with RFID tag to support the Infinity® ID functionality. Length: 160 cm (63 in). Latex free. Packing unit: 20 pcs.	
E	Infinity® ID Breathing Circuit Smoothbore	MP00340
	Disposable ID breathing circuit, consisting of 2 smoothbore hoses, Y-piece and LuerLock elbow. Equipped with RFID tag to support the Infinity® ID functionality. Length: 160 cm (63 in). Latex free. Packing unit: 25 pcs.	

RFID: Radio Frequency Identification.



DEVICE DEDICATED BREATHING CIRCUITS

A	Infinity® ID Breathing Circuit Smoothbore 300	MP01325
	Disposable ID breathing circuit, consisting of 2 smoothbore hoses, Y-piece and LuerLock elbow. Equipped with RFID tag to support the Infinity® ID functionality. Length: 300 cm (118 in). Latex free. Packing unit: 10 pcs.	
B	Infinity® ID Breathing Circuit Flex 220	MP01347
	Disposable ID breathing circuit, consisting of 2 extendable hoses, Y-piece and LuerLock elbow. Equipped with RFID tag to support the Infinity® ID functionality. Length: up to 220 cm (86 in). Latex free. Packing unit: 25 pcs.	

RFID: Radio Frequency Identification.



DEVICE DEDICATED BREATHING CIRCUITS

1.7 INFINITY® ID BREATHING BAG SET

A	Infinity® ID Breathing Bag Set	MP00341
	Disposable ID breathing bag system for use with anesthesia devices, consisting of bag hose, connector, fastening ring and 2 l latex free breathing bag. Equipped with RFID tag to support the Infinity® ID functionality. Length: 120 cm (48 in). Latex free. Packing unit: 25 pcs.	
B	Infinity® ID Breathing Bag Set 150	MP01330
	Disposable ID breathing bag system for use with anesthesia devices, consisting of bag hose, connector, fastening ring and 2 l latex free breathing bag. Equipped with RFID tag to support the Infinity® ID functionality. Length: 150 cm (59 in). Latex free. Packing unit: 25 pcs.	
C	Infinity® ID Breathing Bag Set (P) 110	MP01343
	Disposable pediatric ID breathing bag system for use with anesthesia devices, consisting of bag hose (Ø 15 mm), connector, fastening ring and 1 l latex free breathing bag. Equipped with RFID tag to support the Infinity® ID functionality. Length: 110 cm (43 in). Latex free. Packing unit: 25 pcs.	
D	Infinity® ID Breathing Bag Set (N) 110	MP01329
	Disposable neonatal ID breathing bag system for use with anesthesia devices, consisting of bag hose (Ø 10 mm), connector, fastening ring and 0.5 l latex free breathing bag. Equipped with RFID tag to support the Infinity® ID functionality. Length: 110 cm (43 in). Latex free. Packing unit: 25 pcs.	

RFID: Radio Frequency Identification.



DEVICE DEDICATED BREATHING CIRCUITS

1.8 INFINITY® ID HEATED BREATHING CIRCUITS

A	Infinity® ID Breathing Circuit Dual Heated	MP00344
Disposable dual heated ID breathing circuit with humidifier chamber for active humidification with a Fisher & Paykel MR850 humidifier. Equipped with RFID tag to support the Infinity® ID functionality. Length: 150 cm (59 in). Latex free. Packing unit: 10 pcs.		
B	Infinity® ID Breathing Circuit Heated	MP00345
Disposable inspiratory heated ID breathing circuit with humidifier chamber for active humidification with a Fisher & Paykel MR850 humidifier. Equipped with RFID tag to support the Infinity® ID functionality. Length: 150 cm (59 in). Latex free. Packing unit: 10 pcs.		
C	Infinity® ID Breathing Circuit Heated (N)	MP00343
Disposable neonatal inspiratory heated ID breathing circuit with humidifier chamber for active humidification with a Fisher & Paykel MR850 humidifier. Equipped with RFID tag to support the Infinity® ID functionality. Length: 120 cm (48 in). Latex free. Packing unit: 10 pcs.		

RFID: Radio Frequency Identification.

1.9 TRADEWARE BREATHING CIRCUITS

Fisher & Paykel Hose set for MR 850 (RT 212)	8414991
Disposable breathing hose set, inspiratory heated, inclusive disposable chamber. Packing unit: 10 pcs.	
Fisher & Paykel Hose set for MR 850 (RT 225)	8414994
Disposable breathing hose set for infants, inspiratory heated, inclusive disposable chamber. Packing unit: 10 pcs.	



DISPOSABLE BREATHING BAGS

1.10 DISPOSABLE BREATHING BAGS


Medbag, 0.25 l (8.7 fl oz.)	MX50030
Latex free.	
Medbag, 3 l (105.5 fl oz.)	MX50034
Latex free.	
Contour bag, 2 l (70 fl oz.)	MX50041
Rainbow bag, 0.5 l (17.5 fl oz.)	MX50031
Colored breathing bags, well accepted by children, latex free.	
Rainbow bag, 1 l (35 fl oz.)	MX50032
Colored breathing bags, well accepted by children, latex free.	

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

2. REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


2.1 ANESTHESIA SETS

A Breathing hose set	M30146
Complete set for standard anesthesia ventilation. Latex free.	
Consists of:	
① Breathing hose, adult, 1.5 m (4.9 ft)	2166046
Silicone breathing hose (adult) with long sleeves 22 mm/22 mm (0.9 in/0.9 in).	
② Breathing hose, adult, 1.1 m (3.6 ft)	2166038
Silicone breathing hose (adult) with long sleeves 22 mm/22 mm (0.9 in/0.9 in).	
③ Silicone breathing bag, 2.3 l (81 fl oz.)	2166062
④ Y-piece, adult, with angled LuerLock	M33278
⑤ ISO-22 double connector	M25647




ANESTHESIA SETS

A	Pediatric hose set	M33681
	Complete set for standard anesthesia ventilation.	
	Consists of:	
1	Breathing hose, pediatric, 1.5 m (4.9 ft)	2165961
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
2	Breathing hose, pediatric, 1.1 m (3.6 ft)	2165678
	Silicone breathing hose (pediatric) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in).	
3	Latex breathing bag, 0.5 l (17.5 fl oz.)	2165686
4	ISO-22 double connector	M25647
5	Y-piece, child, 90°	8403075
6	Y-connector, 5 mm (0.2 in)	2M12754
7	Corrugated bellows, children	8410079
8	Set of caps	8402953
9	Standard connector, size 2.5, plastic	M19334
9	Standard connector, size 3, plastic	M19335
9	Standard connector, size 3.5, plastic	M19336
9	Standard connector, size 4.5, plastic	M19338
10	Hose 4 x 1.5	1190520
11	LuerLock angled probe for neonates	M34568



ANESTHESIA SETS

A	Hose set for pediatric circle system	M27542
	Complete set for standard anesthesia ventilation.	
	Consists of:	
1	Breathing hose, pediatric, 1.5 m (4.9 ft)	2165961
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
2	Breathing hose, pediatric, 1.1 m (3.6 ft)	2165678
	Silicone breathing hose (pediatric) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in).	
3	Latex breathing bag, 0.5 l (17.5 fl oz.)	2165686
4	ISO-22 double connector	M25647
5	Y-piece, child, 90°	8403075
6	Y-piece, child, straight	M27077
7	LuerLock angled probe for neonates	M34568
8	Set of caps	8402953



ANESTHESIA SETS FOR ZEUS®

2.1.1 ANESTHESIA SETS FOR ZEUS®

A Reusable ventilation hose set Zeus® for youth and adults

MK04248

Tidal volume from 100 ml (3.5 fl oz.).

Consists of:

1 Breathing hose, adult, 60 cm (23.6 in)

2166011

Silicone breathing hose (adult) with
long sleeves 22 mm/22 mm (0.9 in/0.9 in).

2 Breathing hose, adult, 1.1 m (3.6 ft)

2166038

Silicone breathing hose (adult) with
long sleeves 22 mm/22 mm (0.9 in/0.9 in).

3 ISO-22 double connector

M25647

4 Watertrap

8404985

Watertrap for adult hoses.

5 Y-piece

8412888


6 Elbow connector

M25649

7 Silicone breathing bag, 2.3 l (81 fl oz.)

2166062



ZEUS®
ZEUS® IE



ANESTHESIA SETS FOR ZEUS®

A Reusable ventilation hose set Zeus® for children		MK04249
Tidal volume up to 200 ml (7 fl oz.).		
Consists of:		
1 Breathing hose, pediatric, 60 cm (23.6 in)		2165848
Silicone breathing hose (pediatric) with standard sleeves 10 mm/10 mm (0.4 in/0.4 in).		
2 Breathing hose, pediatric, 1.1 m (3.6 ft)		2165678
Silicone breathing hose (pediatric) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in).		
3 Breathing hose, pediatric, 60 cm (23.6 in)		2165821
Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).		
4 ISO-22 double connector		M25647
5 Watertrap 10		8409627
Watertrap for neonatal hoses.		
6 Chloroprene breathing bag, 0.5 l (17.5 fl oz.)		MX50045
7 Y-piece, child, straight		M27077
8 T-piece		8600224
9 Filter for T-piece		8600225
B Reusable ventilation hose set Zeus® for neonates		MK02935
Tidal volume up to 200 ml (7 fl oz.).		
Consists of:		
1 Breathing hose 15/22, 1.5 m (4.9 ft)		AM00354
Breathing hose (pediatric) with standard sleeves 15 mm/22 mm (0.6 in/0.9 in).		
2 Breathing hose, pediatric, 1.1 m (3.6 ft)		2165678
Silicone breathing hose (pediatric) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in).		
3 ISO-22 double connector		M25647
4 Y-piece		AM00209
5 LuerLock connector		AM00202
6 LuerLock elbow connector		AM00201

Not all articles are available worldwide.

ZEUS®
ZEUS® IE

ANESTHESIA SETS FOR ZEUS®

A Ventilation hose set for Zeus® For youth and adults for use with Alveon®. Tidal volume from 100 ml (3.5 fl oz.).	MK02933
Consists of:	
① Breathing hose, adult, 1.1 m (3.6 ft) Silicone breathing hose (adult) with long sleeves 22 mm/22 mm (0.9 in/0.9 in).	2166038
② Breathing hose, adult, 60 cm (23.6 in) Silicone breathing hose (adult) with long sleeves 22 mm/22 mm (0.9 in/0.9 in).	2166011
③ ISO-22 double connector	M25647
④ Watertrap Watertrap for adult hoses.	8404985



ANESTHESIA SETS FOR ZEUS®

- A Ventilation hose set for Zeus®, pediatric** **MK02934**
For neonates and children for use with Alveon®.
Tidal volume up to 200 ml (7 fl oz.).

Consists of:

- 1 Breathing hose, pediatric, 1.1 m (3.6 ft)** **2165678**
Silicone breathing hose (pediatric) with
standard sleeves 22 mm/22 mm (0.9 in/0.9 in).

- 2 Breathing hose, pediatric, 60 cm (23.6 in)** **2165821**
Silicone breathing hose (pediatric) with
standard sleeves 10 mm/22 mm (0.4 in/0.9 in).

- 3 Watertrap 10** **8409627**
Watertrap for neonatal hoses.

- 4 ISO-22 double connector** **M25647**


Optional:

- Elbow connector** **M25649**

- Angled connector, 90° (transparent)** **8412235**

- Chloroprene breathing bag, 0.5 l (17.5 fl oz.)** **MX50045**


- Chloroprene breathing bag, 1 l (35 fl oz.)** **MX50046**



BREATHING SETS


2.2 BREATHING SETS

A	Aquapor hose set, adult	8412092
	Complete set for active humidification with Aquapor.	
	Consists of:	
1	Hose clips	8403566
	Clips to hold the tube.	
2	Connector for tracheal tube, size 12.5	M23840
3	Corrugated hose	8402041
	Catheter mount.	
4	Elbow connector	M25649
5	Y-piece for Dräger temperature sensor	8405435
6	Breathing hose, adult, 60 cm (23.6 in)	2165627
	Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in).	
7	Watertrap	8404985
8	Set of caps	8402918
9	Set of connectors for tracheal tube, adult, size 6-12.5	8403685
10	Breathing hose, adult, 35 cm (13.8 in)	2165619
	Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in).	
11	ISO-22 double connector	M25647
12	Adapter, adult	8403076



BREATHING SETS

A	Aquapor EL hose set, pediatric	8412344
	Complete set for active humidification with Aquapor.	
	Consists of:	
1	Y-piece, child, 90°	8403075
2	Corrugated hose, 14 cm (5.5 in)	8403333
3	Adapter for thermometer	8403056
4	Watertrap close to patient, 10	8404760
5	Breathing hose, pediatric, 60 cm (23.6 in)	2165848
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/10 mm (0.4 in/0.4 in).	
6	Watertrap 10	8409627
	Watertrap for neonatal hoses.	
7	Cap, 7 mm (0.3 in), 5 pcs.	8401645
8	Cone 22 A	8405752
9	Breathing hose, pediatric, 40 cm (15.8 in)	2165856
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
10	Breathing hose, pediatric, 60 cm (23.6 in)	2165821
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	




BREATHING SETS

BREATHING SETS FOR BABYLOG® 2000

A	HME hose set	8412860
	High quality silicone hose set without watertraps.	
	Consists of:	
①	Breathing hose, adult, 1.5 m (4.9 ft)	2165643
②	Y-piece	8412888

2.2.1 BREATHING SETS FOR BABYLOG® 2000

Babylog® 2000 hose set for ward use	8411352
Babylog® 2000 hose set for use in Transport Incubator TI 5400	8411353
Babylog® 2000/Aquapor hose set	8411471
With reusable hoses of silicone and diverse connectors.	
Babylog® 2000/F&P MR 730	8411472
Accessories set, complete.	
With reusable hoses of silicone and diverse connectors.	



BREATHING SETS FOR OXYLOG® 1000

2.2.2 BREATHING SETS FOR OXYLOG® 1000

A	Ventilation hose, 1.5 m (4.9 ft)	2M86511
	Ventilation hose of silicone elastomer.	
	Ventilation hose, 3 m (9.8 ft)	2112760
	Ventilation hose of silicone elastomer.	
B	Respiration valve	2M86800
	Respiration valve for the emergency ventilator Oxylog® 1000.	
	PEEP valve (10 mbar)	8407475
	PEEP valve (Ambu PEEP) to connect with the emergency ventilator Oxylog® 1000. PEEP adjustable from 0 up to 10 mbar.	
	Disposable PEEP Valve	2M86832
	To connect to respiration valve, PEEP adjustable 5-20 mbar.	
	Set of connectors for tracheal tube, adult, size 6-12.5	8403685
	12 pcs.	



BREATHING SETS FOR OXYLOG® 2000/3000

2.2.3 BREATHING SETS FOR OXYLOG® 2000/3000


A	Ventilation hose with flow measurement hose, 1.5 m (4.9 ft)	8412068
	For use with Oxylog® 2000/3000 family.	
	Consists of:	
	Breathing hose, adult, 1.5 m (4.9 ft)	2165643
	Measuring hose, 2 pcs.	8410929
A	Ventilation hose with flow measurement hose, 3 m (9.8 ft)	8412913
	For use with Oxylog® 2000/3000 family.	
	Consists of:	
	Ventilation hose, 3 m (9.8 ft)	2112760
	Measuring hose, 2 pcs.	8413293
B	Ventilation valve, complete	8412001
	For use with Oxylog® 2000/3000 family. Breathing valve complete for Oxylog® 2000/3000 family. Including: Cap, Membrane, Valve.	
C	Pressure difference flow sensor	8412034
	For use with Oxylog® 2000/3000 family. Flow sensor for Oxylog® 2000/3000 family.	
D	Angled connector, 90° (transparent)	8412235
	For use with Oxylog® 2000/3000 family. 90° angled connector for Oxylog® 2000/3000 family, flow sensor.	



HEATED BREATHING CIRCUITS


2.3 HEATED BREATHING CIRCUITS

A	Hose set for Fisher & Paykel MR 850, adult	8414986
	Reusable hose set for MR 850 incl. hose heater, for adult.	
	Consists of:	
1	Breathing hose, adult, 1.1 m (3.6 ft)	2165635
	Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in).	
2	Hose clips	8403566
	Clips to hold the tube.	
3	Breathing hose, adult, 60 cm (23.6 in)	2165627
	Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in).	
4	Adapter, adult	8403076
5	Watertrap	8404985
6	ISO-22 double connector	M25647
7	Set of connectors for tracheal tube, adult, size 6-12.5	8403685
8	Connector for tracheal tube, size 12.5	M23840
9	Cap, 11 mm (0.43 in)	8401644
10	Corrugated hose	8402041
	Catheter mount.	
11	Y-piece	8412888
11	Temperature sensor adapter 900 MR 532	MP01007
12	Elbow connector	M25649
13	Hose heater, 1.1 m (3.6 ft)	8411045
14	Breathing hose, adult, 35 cm (13.8 in)	2165619
	Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in).	



HEATED BREATHING CIRCUITS


A Hose set for Fisher & Paykel MR 850, pediatric	8414987
Reusable hose set for MR 850 incl. hose heater, for children.	
Consists of:	
1 Breathing hose, pediatric, 1.1 m (3.6 ft)	2165651
Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
2 Breathing hose, pediatric, 60 cm (23.6 in)	2165848
Silicone breathing hose (pediatric) with standard sleeves 10 mm/10 mm (0.4 in/0.4 in).	
3 Corrugated hose	8409634
Catheter mount. Silicone hose, length: 13 cm (5 in), Ø 10 mm (0.4 in). 2 pcs.	
4 Breathing hose, pediatric, 40 cm (15.8 in)	2165856
Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
5 Watertrap 10	8409627
Watertrap for neonatal hoses.	
6 Hose heater, 1.1 m (3.6 ft)	8414993
7 Cap, 7 mm (0.3 in), 5 pcs.	8401645
8 Y-piece, child, 90°	8403075
9 Connector for tracheal tube, size 11	M19351
10 T-piece adapter	8411044
Connector with hole for temperature sensor, e.g. for F&P.	
11 Double cone 11A	8409897
12 Test lung, complete (bellows)	8409742
13 Breathing hose, pediatric, 60 cm (23.6 in)	2165821
Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	



HEATED BREATHING CIRCUITS FOR BABYLOG® 8000/BABYLOG® VN 500


2.3.1 HEATED BREATHING CIRCUITS FOR BABYLOG® 8000/BABYLOG® VN 500

A	Hose set for Fisher & Paykel	8411041
	Hose sets with reusable hoses of silicone.	
	Consists of:	
1	Breathing hose, pediatric, 1.1 m (3.6 ft)	2165651
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
2	Silicone hose, pediatric, 1 m (3.3 ft)	8403080
3	Silicone hose, pediatric, 35 cm (13.8 in)	8403070
4	Test lung, complete (bellows)	8409742
5	Watertrap 10	8409627
	Watertrap for neonatal hoses.	
6	F&P Adapter	8409625
7	Double cone 11A	8409897
8	Connector for tracheal tube, size 11	M19351
9	T-piece adapter	8411044
	Connector with hole for temperature sensor, e.g. for F&P.	
10	Hose heater, 1.1 m (3.6 ft)	8411045
11	Corrugated hose, flexible, 20 cm (7.9 in)	8410709
12	Silicone hose, pediatric, 50 cm (19.7 in)	8418458



HEATED BREATHING CIRCUITS FOR BABYLOG® 8000/BABYLOG® VN 500

A HFV hose set for Fisher & Paykel	8411153
Hose set high frequency (HFV) for F&P with autoclavable, lightweight hoses of Hytrel with shorter lifespan and specifically recommended for use of Babylog® 8000 HFV.	
Consists of:	
1 Hose, lightweight, 70 cm (29.5 in)	8418404
2 Hose, lightweight, 65 cm (25.6 in)	8410814
3 Test lung, complete (bellows)	8409742
4 Adapter 900 MR 533	8418407
5 Adapter 900 MR 830	8418455
6 Connector for tracheal tube, size 11	M19351
7 Watertrap 10	8409627
Watertrap for neonatal hoses.	
8 F&P Adapter	8409625
9 Hose heater, 70 cm (27.6 in), HFV	8411154
10 Hose, lightweight, 40 cm (15.7 in)	8410816
11 T-piece adapter	8418405
For F&P temperature sensor.	
Aquamod hose set, pediatric	8410813
Hose set pediatric Aquamod, complete with hoses of silicone and accessories.	
Aquamod HFV hose set	8411148
Hose set with autoclavable, lightweight hoses of Hytrel with shorter life span and specifically recommended for use in high frequency ventilation.	
Babylog® 8000/Aquapor hose set	8411040
Hose set for Aquapor incl. thermometer, for Babylog® 8000.	



SINGLE BREATHING HOSES

2.4. SINGLE BREATHING HOSES

2.4.1 SINGLE BREATHING HOSES WITH LONG SLEEVES

- A** Silicone breathing hose (adult) with long sleeves 22 mm/22 mm (0.9 in/0.9 in)

Breathing hose, adult, 60 cm (23.6 in)	2166011
--	---------

Breathing hose, adult, 1.1 m (3.6 ft)	2166038
---------------------------------------	---------

Breathing hose, adult, 1.5 m (4.9 ft)	2166046
---------------------------------------	---------

2.4.2 SINGLE BREATHING HOSES WITH STANDARD SLEEVES

- B** Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in)

Breathing hose, adult, 35 cm (13.8 in)	2165619
--	---------

Breathing hose, adult, 60 cm (23.6 in)	2165627
--	---------

Breathing hose, adult, 85 cm (33.5 in)	8603839
--	---------

Breathing hose, adult, 1.1 m (3.6 ft)	2165635
---------------------------------------	---------

Breathing hose, adult, 1.5 m (4.9 ft)	2165643
---------------------------------------	---------



PEDIATRIC SINGLE BREATHING HOSES WITH STANDARD SLEEVES

2.4.3 PEDIATRIC SINGLE BREATHING HOSES WITH STANDARD SLEEVES

2.4.3.1 SLEEVES 10 MM/10 MM (0.4 IN/0.4 IN)

- A** Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

① Breathing hose, pediatric, 60 cm (23.6 in) **2165848**

① Breathing hose, pediatric, 1.1 m (3.6 ft) **2165600**

2.4.3.2 SLEEVES 22 MM/22 MM (0.9 IN/0.9 IN)

- A** Silicone breathing hose (pediatric) with standard sleeves 22 mm (0.9 in) on both sides and 10 mm (0.4 in) inner diameter

② Breathing hose, pediatric, 60 cm (23.6 in) **2165902**

② Breathing hose, pediatric, 1.1 m (3.6 ft) **2165678**

2.4.3.3 SLEEVES 10 MM/22 MM (0.4 in/0.9 in)

- B** Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

Breathing hose, pediatric, 40 cm (15.8 in) **2165856**

Breathing hose, pediatric, 60 cm (23.6 in) **2165821**

Breathing hose, pediatric, 1.1 m (3.6 ft) **2165651**



Breathing hose, pediatric, 1.5 m (4.9 ft) **2165961**



Y-PIECES

2.5 Y-PIECES

A Y-piece, adult, straight	M25650
Polyamide. Straight. For masks with ISO connectors.	
B Y-piece, child, straight	M27077
Polysulfone. Reusable Y-piece for pediatric hose sets.	
C Y-piece, adult, 90°	M25682
Polyamide. Without LuerLock connector, with 22 mm (0.9 in) socket connector.	
D Y-piece, adult, with angled LuerLock	M33278
Polyamide. For sampling test gas near the patient, connection can be rotated through 360°, electrically conductive, for masks with ISO connections and standard connectors.	
E Y-piece, with temperature tap	M30543
Polyamide. For Dräger patient monitors. For masks with ISO connectors and standard connectors, with 22 mm (0.9 in) socket connector.	
F Y-piece	8412888
For masks with ISO connectors and standard connectors usable with temperature sensor (MP01007).	
G Temperature sensor adapter 900 MR 532	MP01007
H Y-piece for Dräger temperature sensor	8405435
Y-piece for temperature sensor.	
H Y-piece, 90°	8403077
Child Y-piece.	
H Y-piece, 22 mm (0.9 in), 10 pcs.	AM00203
Disposable Y-pieces with 22 mm (0.9 in) connector.	
H Y-piece, 15 mm (0.6 in), 10 pcs.	AM00209
Disposable Y-pieces with 15 mm (0.6 in) connector.	



Y-PIECES CONNECTORS

A	Y-piece, child, 90°	8403075
	For masks with ISO connectors and standard connectors, with 10 mm (0.4 in) socket connectors and suction opening.	
	Cap, 7 mm (0.3 in)	8401645
	To close the suction opening at Y-piece, child (8403075). 5 pcs.	
B	LuerLock angled probe for neonates	M34568
	LuerLock connector for child Y-piece, child (8403075).	
2.6 CONNECTORS		
C	Elbow connector	M25649
	Suitable for Y-piece or mask with ISO connectors.	
D	ISO-22 double connector	M25647
	Polyamide. Double connector, with two 22 mm (0.9 in) connectors. To connect e.g. breathing hose to breathing hose.	
E	Patient adapter	8290285
	Adapter with LuerLock, 15 mm (0.6 in) and 22 mm (0.9 in) diameter.	
F	T-piece for sample gas	8600224
	For sidestream measurement in combination with Y-piece.	
G	Filter for T-piece	8600225
	In combination with T-piece (8600224).	



BREATHING BAGS

2.7 BREATHING BAGS

2.7.1 SILICONE BREATHING BAGS

- A** Transparent breathing bags of silicone elastomer, latex free

1 Silicone breathing bag, 0.5 l (17.5 fl oz.)	2166054
2 Silicone breathing bag, 1.5 l (52.8 fl oz.)	2166127
3 Silicone breathing bag, 2.3 l (81 fl oz.)	2166062
4 Silicone breathing bag, 3.0 l (105.5 fl oz.)	2166070

2.7.2 LATEX BREATHING BAGS

- B** Latex breathing bags

1 Latex breathing bag, 0.5 l (17.5 fl oz.)	2165686
Latex breathing bag, 1.5 l (52.8 fl oz.)	2165953
Latex breathing bag, 2.0 l (70 fl oz.)	2165694
2 Latex breathing bag, 2.3 l (81 fl oz.)	2165708
Latex breathing bag, 3.0 l (105.5 fl oz.)	2165716
Latex breathing bag, 5.0 l (176 fl oz.)	2165724

- C** Latex breathing bags with a hole.
For anesthetic set Kuhn type.

1 Latex breathing bag, 0.5 l (17.5 fl oz.), with hole	2165763
Latex breathing bag, 1.5 l (52.8 fl oz.), with hole	2165775
2 Latex breathing bag, 2.5 l (88 fl oz.), with hole	2165783




BREATHING BAGS

2.7.3 CHLOROPRENE BREATHING BAGS

A Chloroprene breathing bags for use as reservoir e.g. on anesthesia devices

① Chloroprene breathing bag, 0.5 l (17.5 fl oz.)	MX50045
② Chloroprene breathing bag, 1 l (35 fl oz.)	MX50046
③ Chloroprene breathing bag, 2 l (70 fl oz.)	MX50047
④ Chloroprene breathing bag, 3 l (105.5 fl oz.)	MX50048



TEST LUNGS AND BREATHING CIRCUITS ACCESSORIES

2.8 TEST LUNGS

A	SelfTestLung	MP02400
	Testlung for device check of Dräger ventilators. Latex free, max. 1,000 ml, autoclavable max. 134° C.	
	SelfTestLung – spare part set	MP02401
	Spare part set for Dräger SelfTestLung. Consists of locking brace and attachment bolt.	
A	SmartLung	MP02405
	Demolung adult with changeable compliance and resistance. Additional possibility to demonstrate a system leakage. Latex free.	
	Test lung, bag	8403201
	To test CPAP function, latex, 2 l (70 fl oz.).	
B	Test lung, complete (bellows)	8409742
	Simple test lung with fixed compliance and resistance, latex free.	



2.9 BREATHING CIRCUITS ACCESSORIES

	PEEP valve (10 mbar)	8407475
	PEEP valve (Ambu PEEP) to connect with the emergency ventilator Oxylog® 1000; PEEP adjustable from 0 up to 10 mbar.	
	PEEP valve with holder	8409646
	Autoclavable, adjustable PEEP valve with range of 0 to 10 mbar. For CF 800.	

DRÄGER DISPOSABLE BREATHING SYSTEMS FILTERS AND HMEs

3. DRÄGER DISPOSABLE BREATHING SYSTEMS FILTERS AND HMEs

3.1 FILTER/HME TWINSTAR®

The TwinStar® filter/HME from Dräger Medical is a combination of an efficient HME and a high-performance airway filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance airway filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color-coding for quick identification.

A	Filter/HME TwinStar® 90	MP01800
	Resistance 1.0 mbar (1.0 cm H ₂ O) at 30 l/min, internal volume 90 ml. Packaging unit: 50 pcs.	
B	Filter/HME TwinStar® 65A	MP01810
	Resistance 1.1 mbar (1.1 cm H ₂ O) at 30 l/min, internal volume 65 ml. Packaging unit: 50 pcs.	
C	Filter/HME TwinStar® 55	MP01805
	Resistance 0.9 mbar (0.9 cm H ₂ O) at 30 l/min, internal volume 55 ml. Packaging unit: 50 pcs.	
D	Filter/HME TwinStar® 25	MP01815
	Resistance 1.3 mbar (1.3 cm H ₂ O) at 15 l/min, internal volume 25 ml. Packaging unit: 50 pcs.	
E	Filter/HME TwinStar® 10A	MP01825
	Resistance 0.4 mbar (0.4 cm H ₂ O) at 5 l/min, internal volume 10 ml. Packaging unit: 50 pcs.	
F	Filter/HME TwinStar® 8	MP01820
	Resistance 0.6 mbar (0.6 cm H ₂ O) at 5 l/min, internal volume 8 ml. Packaging unit: 50 pcs.	
G	Filter/HME TwinStar® HEPA	MP01801
	Resistance 1.3 mbar (1.3 cm H ₂ O) at 30 l/min, internal volume 55 ml. Packaging unit: 50 pcs.	

Not all articles are available worldwide.



DRÄGER DISPOSABLE BREATHING SYSTEMS FILTERS AND HMEs

3.2 FILTER SAFESTAR®

The SafeStar® mechanical high performance breathing system filter shows excellent retention rates, thereby significantly contributing to infection prophylaxis in anesthesia and ventilation treatment.

- High-performance mechanical HEPA filter
- High hydrophobicity
- Patient-side or device-side use
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color-coding for quick identification.

A	Filter SafeStar® 80	MP01785
	Resistance 1.4 mbar (1.4 cm H ₂ O) at 30 l/min, internal volume 80 ml. Packaging unit: 50 pcs.	
B	Filter SafeStar® 60A	MP01795
	Resistance 1.5 mbar (1.5 cm H ₂ O) at 30 l/min, internal volume 60 ml. Packaging unit: 50 pcs.	
C	Filter SafeStar® 55	MP01790
	Resistance 1.3 mbar (1.3 cm H ₂ O) at 30 l/min, internal volume 55 ml. Packaging unit: 50 pcs.	



DRÄGER DISPOSABLE BREATHING SYSTEMS FILTERS AND HMEs

3.3 FILTER CARESTAR®

The CareStar® breathing system filter significantly contributes to infection prophylaxis in anesthesia and ventilation treatment through high retention rates.

- High-performance electrostatic filter
- Patient-side or device-side use
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color-coding for quick identification.

A	Filter CareStar® 45	MP01755
	Resistance 0.7 mbar (0.7 cm H ₂ O) at 30 l/min, internal volume 45 ml. Packaging unit: 50 pcs.	
B	Filter CareStar® 40A	MP01765
	Resistance 1.0 mbar (1.0 cm H ₂ O) at 30 l/min, internal volume 40 ml. Packaging unit: 50 pcs.	
C	Filter CareStar® 30	MP01770
	Resistance 0.6 mbar (0.6 cm H ₂ O) at 30 l/min, internal volume 30 ml. Packaging unit: 50 pcs.	

A

MT-4387-2007



B

MT-4747-2007



C

MT-0011-2007



DRÄGER DISPOSABLE BREATHING SYSTEMS FILTERS AND HMEs

3.4 HME HUMIDSTAR®

HumidStar® heat and moisture exchangers from Dräger Medical partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color-coding for quick identification.

A	HME HumidStar® 55	MP01730
	Resistance 0.4 mbar (0.4 cm H ₂ O) at 30 l/min, internal volume 55 ml. Packaging unit: 50 pcs.	
B	HME HumidStar® 25	MP01735
	Resistance 0.2 mbar (0.2 cm H ₂ O) at 15 l/min, internal volume 25 ml. Packaging unit: 50 pcs.	
C	HME HumidStar® 10A	MP01740
	Resistance 0.1 mbar (0.1 cm H ₂ O) at 5 l/min, internal volume 10 ml. Packaging unit: 50 pcs.	
D	HME HumidStar® 2	MP01745
	Resistance 0.5 mbar (0.5 cm H ₂ O) at 5 l/min, internal volume 2 ml. Packaging unit: 50 pcs.	
E	HME HumidStar® Trach	MP01750
	Resistance 0.2 mbar (0.9 cm H ₂ O) at 30 l/min, internal volume 8 ml. Packaging unit: 50 pcs.	



CATHETER MOUNTS AND AIRWAY CONNECTORS

4. CATHETER MOUNTS AND AIRWAY CONNECTORS

- Smoothbore products provide low resistance to flow while external coil reduces kinks and blockages
- Extendable product provides a lightweight and flexible solution
- Double swivel connector increases ease of use
- Double cap to maintain PEEP during suctioning or bronchoscopy
- Each catheter mount and airway connector is equipped with a red safety cap so that the system is completely closed and protected until directly prior to use on the patient
- 22F/15M connector on device side as a two-in-one solution
- Standardized connectors for safe connection to other components
- LuerLock port for gas sampling
- Disposable convenience enhances workflow
- PVC-free design of gas leading components eliminates risk of softeners such as DEHP.

A	ErgoStar® CM 40 Length 0.10 m (3.9 in), smoothbore, double-swivel-double-cap. Packaging unit: 50 pcs.	MP01840
B	ErgoStar® CM 45 Length 0.15 m (5.9 in), smoothbore, double-swivel-double-cap. Packaging unit: 50 pcs.	MP01845
C	ErgoStar® CM 50 Length 0.10-0.16 m (3.9-6.3 in), extendable, double-swivel-double-cap. Packaging unit: 50 pcs.	MP01850
D	ErgoStar® CM 55 Length 0.15 m (5.9 in), smoothbore, straight. Packaging unit: 50 pcs.	MP01855
E	ErgoStar® CM 60 Length 0.10 m (3.9 in), smoothbore, low internal volume. Packaging unit: 50 pcs.	MP01860
F	ErgoStar® AC 90 Double-swivel-double-cap. Packaging unit: 100 pcs.	MP01890
G	ErgoStar® AC 95 Airway connector with LuerLock. Packaging unit: 100 pcs.	MP01895



NON-INVASIVE VENTILATION MASKS

5. BREATHING MASKS

5.1 NON-INVASIVE VENTILATION MASKS

5.1.1 CLASSICSTAR® NON-INVASIVE VENTILATION (NIV) MASK SERIES

FULL-FACE MASKS WITH STANDARD ELBOW (SE)

ClassicStar® NIV full-face mask covers the nose and mouth of the patient. Therefore, it provides effective therapy even in case of mouth breathing.

The mask design ensures high patient comfort combined with anatomical fit and effective seal due to individually adjustable mask cushion. The 6-point headgear provides a stable and secure fixation. Adjustable forehead support and forehead pad allow for distributing the pressure from the bridge of nose towards the forehead for more patient comfort. The mask is equipped with standard elbow for use with ventilators with integral safety valve.

ClassicStar® non-invasive ventilation mask with SE is compatible with Dräger ventilators with NIV option such as Evita® Series, Savina®, Carina® hospital use¹, Oxylog® 3000 (plus)².

All ClassicStar® NIV masks are for single patient use.

Sizing gauges for easy mask size identification as well as a pumpball are available individually (cf. Mask accessories).



A ClassicStar® SE, full-face mask for non-invasive ventilation, size S, 1 pc.	MP01573
A ClassicStar® SE, full-face mask for non-invasive ventilation, size M, 1 pc.	MP01574
A ClassicStar® SE, full-face mask for non-invasive ventilation, size L, 1 pc.	MP01575

¹Only in combination with Dräger VentStar® Carina® LeakV or ExpV circuits.

²Only in combination with Dräger VentStar® Oxylog® 3000f and 2000 circuits. ClassicStar® NIV mask, full-face with Anti-Asphyxia Valve is in developmental process.



NON-INVASIVE VENTILATION MASKS

NASAL MASKS, NON-VENTED AND VENTED

Nasal masks are often chosen if NIV has to be prolonged due to the improved comfort and reduced complications associated with full-face masks. Nasal masks are mostly preferred for patients where mouth breathing is not a significant problem. Similar to ClassicStar® full-face mask, the nasal mask cushion can be individually adjusted to the patient's face providing high patient comfort and effective seal. The 4-point-headgear ensures a stable and secure fixation reducing mask displacement. The non-vented mask (A) is designed for ventilators with integral safety valve. The non-vented version is compatible with Dräger ventilators with NIV option such as Evita® Series, Savina®, Carina® hospital use.¹ The vented mask (B) includes an exhalation port to provide adequate air flow to wash out exhaled CO₂ and is suitable for ventilators with continuous positive airway pressure without active exhalation system. All ClassicStar® NIV masks are for single patient use. Sizing gauges for easy mask size identification as well as a pumpball are available individually (cf. Mask accessories).

A	ClassicStar® non-vented, nasal mask for non-invasive ventilation, size S, 1 pc.	MP01623
A	ClassicStar® non-vented, nasal mask for non-invasive ventilation, size M, 1 pc.	MP01624
A	ClassicStar® non-vented, nasal mask for non-invasive ventilation, size L, 1 pc.	MP01625
B	ClassicStar® vented, nasal mask for non-invasive ventilation, size S, 1 pc.	MP01620
B	ClassicStar® vented, nasal mask for non-invasive ventilation, size M, 1 pc.	MP01621
B	ClassicStar® vented, nasal mask for non-invasive ventilation, size L, 1 pc.	MP01622

¹Only in combination with Dräger VentStar® Carina® LeakV or ExpV circuits.



NON-INVASIVE VENTILATION MASKS

5.1.2 NOVASTAR® NON-INVASIVE VENTILATION (NIV) MASK SERIES

FULL-FACE MASKS WITH STANDARD ELBOW (SE) AND ANTI-ASPHYXIA VALVE (AAV)

NovaStar® NIV full-face masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing. The NovaStar® NIV masks have very soft silicone-gel filled mask cushion. In combination with the pliable ring embedded inside the flexible, clear mask body, – which allows the mask to be bent and adjusted individually to the patient's face ('customized fit'), – the masks provide ultimate comfort and effective seal. The forehead support and forehead pad can be adapted gradually to the patient's forehead providing stable mask position and enhanced comfort. The unique magnetic clips support fast and easy fixation.

The SE version (A) is for use with ventilators with integral safety valve and is compatible with Dräger ventilators with NIV option such as Evita® Series, Savina®, Carina® hospital use.¹, Oxylog® 3000 (plus)².

The AAV version (B) includes an Anti-Asphyxia Valve and exhalation ports in order to provide adequate air flow to wash out exhaled CO₂. It is suitable for ventilators with continuous positive airway pressure without active exhalation system. According to the re-processing methods in the Cleaning and Disinfecting Instructions, all NovaStar® NIV masks are for multi-patient use.

Sizing gauges for easy mask size identification as well as replacement headgears and clips are available individually (cf. Mask accessories).



A	NovaStar® SE, full-face mask for non-invasive ventilation, size S, 1 pc.	MP01579
A	NovaStar® SE, full-face mask for non-invasive ventilation, size M, 1 pc.	MP01580
A	NovaStar® SE, full-face mask for non-invasive ventilation, size L, 1 pc.	MP01581
B	NovaStar® AAV, full-face mask for non-invasive ventilation, size S, 1 pc.	MP01576
B	NovaStar® AAV, full-face mask for non-invasive ventilation, size M, 1 pc.	MP01577
B	NovaStar® AAV, full-face mask for non-invasive ventilation, size L, 1 pc.	MP01578

¹Only in combination with Dräger VentStar® Carina® LeakV or ExpV circuits

²Only in combination with Dräger VentStar® Oxylog® 3000f and 2000 circuits.

NovaStar® NIV masks, nasal, non-vented and vented are in developmental process.

ANESTHESIA AND VENTILATION FACE MASKS

5.2 ANESTHESIA AND VENTILATION FACE MASKS

5.2.1 LITESTAR® FACE MASKS

LiteStar® anesthesia face mask is for disposable use.

The teardrop shape of the mask supports an anatomical fit. The transparent mask body allows for continuous observation of the patient's condition.

The white reinforcing ring placed around the mask connector provides stable connection with breathing circuit systems (sizes 3-6).

Additional disposable hook rings and disposable headgears for fixation are available (cf. Mask accessories).



A LiteStar® anesthesia face mask, disposable, without hook ring

① size 1, neonate, 30 pcs.	MP01501
② size 2, infant, 30 pcs.	MP01502
③ size 3, toddler, 30 pcs.	MP01503
④ size 4, small adult, 30 pcs.	MP01504
⑤ size 5, medium adult, 30 pcs.	MP01505
⑥ size 6, large adult, 30 pcs.	MP01506

ANESTHESIA AND VENTILATION FACE MASKS

5.2.2 COMFORTSTAR® FACE MASKS


Patient comfort and ease of use were the top priorities when developing the Dräger disposable ComfortStar® anesthesia face mask portfolio. Patient comfort is supported by teardrop or round-shaped masks and adjustable (inflatable) mask cushion which provide anatomical fit with effective seal. Non-slip ridges (sizes 4-6) and a flexible mask body provide healthcare professionals an easy and comfortable grip.

ComfortStar® scented anesthesia face masks have the same excellent benefits of the ComfortStar® standard masks, but in addition, they have added aromas. The appropriate color scheme provides optical stimulation and is intended to reduce pre-operative anxiety in patients.

All masks are pre-equipped with 'Traffic Light' colored hook rings. They are color coded for easier size identification. Smaller sizes (0-1) have reddish color, mid-sizes (2-3) yellowish color and large sizes (4-6) greenish color.

All ComfortStar® masks are compatible with all Dräger anesthesia devices.

Pumpball as well as different headgears for fixation are available (cf. Mask accessories).



A ComfortStar® anesthesia face mask, disposable, standard, with hook ring

① size 0, neonate, 20 pcs.	MP01510
② size 1, new born, 20 pcs.	MP01511
③ size 2, infant, 20 pcs.	MP01512
④ size 3, toddler, 20 pcs.	MP01513
⑤ size 4, small adult, 20 pcs.	MP01514
⑥ size 5, medium adult, 20 pcs.	MP01515
⑦ size 6, large adult, 20 pcs.	MP01516

ANESTHESIA AND VENTILATION FACE MASKS

A ComfortStar® anesthesia face mask, disposable, strawberry scented, with hook ring



① size 1, new born, 20 pcs.	MP01521
② size 2, infant, 20 pcs.	MP01522
③ size 3, toddler, 20 pcs.	MP01523
④ size 4, small adult, 20 pcs.	MP01524

B ComfortStar® anesthesia face mask, disposable, bubble gum scented, with hook ring

① size 1, new born, 20 pcs.	MP01531
② size 2, infant, 20 pcs.	MP01532
③ size 3, toddler, 20 pcs.	MP01533
④ size 4, small adult, 20 pcs.	MP01534

C ComfortStar® anesthesia face mask, disposable, mint scented, with hook ring

① size 3, toddler, 20 pcs.	MP01543
② size 4, small adult, 20 pcs.	MP01544
③ size 5, medium adult, 20 pcs.	MP01545
④ size 6, large adult, 20 pcs.	MP01546



ANESTHESIA AND VENTILATION FACE MASKS

5.2.3 ALL-ROUND FACE MASKS

All-Round masks can be adjusted to the patient's face by increasing or decreasing the air in the mask cushion. Thus, the mask provides enhanced patient comfort and effective seal. The All-Round masks are for application on pediatrics and adults. They are reusable.

A All-Round face mask, reusable

① size 1, small, 1 pc.	2165732
② size 2, medium, 1 pc.	2165740
③ size 3, large, 1 pc.	2165759

Sealing plug for All-Round masks	M14737
----------------------------------	--------



5.2.4 FOREGGER FACE MASKS

R. Foregger, a chemist and manufacturer of anesthesia equipment, participated in and contributed to numerous practical and scientific endeavors that have been benefitted the development of anesthesiology throughout the world during the first half of the 20th century. The Foregger anesthesia masks have become well-known for the application of anesthetics in pediatrics as well as in adults. They are reusable.

B Foregger face mask, reusable

size 1, petite, 1 pc.	2165910
size 2, small, 1 pc.	2166097
size 3, medium, 1 pc.	2166100
size 4, large, 1 pc.	2166119

ANESTHESIA AND VENTILATION FACE MASKS

5.2.5 RENDELL-BAKER FACE MASKS

L. Rendell-Baker, one of the leading anesthetists in the U.K. and U.S., developed together with D. Soucek a face mask especially for newborns and pediatrics, which increased patient safety in the operation rooms in the '60s. Since then, the Rendell-Baker mask has become a worldwide standard for the application of anesthetics in newborns and pediatrics. The Rendell-Baker masks are reusable.

A Rendell-Baker face mask, reusable

size 0, neonate, 1 pc.	M22764
size 1, newborn, 1 pc.	M14631
size 2, toddler, 1 pc.	M14632
size 3, infant (with hook ring), 1 pc.	M14633

A

MT-0731-2008



ANESTHESIA AND VENTILATION FACE MASKS

5.2.6 SILICONE FACE MASKS

The new silicone masks are made of medical grade silicone because this is generally considered the material of choice for its superior ability to conform to the patient's anatomy.

There are different mask designs available. The smaller sizes have a rather round shape in order to provide comfortable fit and effective seal for infants; the bigger sizes have an anatomically formed teardrop shape to ensure convenient fit and seal to more adult patient's facial characteristics.

The silicone masks are reusable.


A Silicone face mask, reusable

① size 0, small infant, 1 pc.	MP01610
② size 1, large infant, 1 pc.	MP01611
③ size 2, small child, 1 pc.	MP01612
④ size 3, large child, 1 pc.	MP01613
⑤ size 4, small adult, 1 pc.	MP01614
⑥ size 5, large adult, 1 pc.	MP01615

B Silicone face mask, reusable

① size 0, small infant, 1 pc.	2121018
② size 1, large infant, 1 pc.	2121026
③ size 2, small child (round form), 1 pc.	2121034
④ size 2, small adult (teardrop form), 1 pc.	2120194
⑤ size 5, large adult, 1 pc.	2120186

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).



AEROSOL AND OXYGEN (O₂) THERAPY MASKS

5.3 AEROSOL AND OXYGEN (O₂) THERAPY MASKS

Oxygen therapy is the administration of oxygen at a concentration higher than in ambient air.

The purpose is to prevent and/or treat the symptoms and manifestation of hypoxia. Aerosol therapy is used to administer medicine in the patient airways/lungs in order to reduce inflammation caused by different respiratory conditions. The aerosol and oxygen therapy masks are for disposable use.

A	Oxygen mask with tubing (2.1 m/6.9 ft), medium concentration, adult, 50 pcs.	MX30101
B	Oxygen mask with tubing (2.1 m/6.9 ft) and reservoir, high concentration, adult, 50 pcs.	MX30108
C	Aerosol mask, adult, 30 pcs.	2M85911



MASK ACCESSORIES



5.4 MASK ACCESSORIES

More comfort and safety is continued through additional mask accessories.

5.4.1 MASK HEADGEARS

There are three different headgears in small and large designs offering patients and physicians a soft, elastic, lightweight fixation of disposable and/or reusable anesthesia/ventilation masks.

A	① Headgear, reusable, silicone, small, 1 pc.	MP01557
	② Headgear, reusable, silicone, large, 1 pc.	MP01558
B	① Headgear, disposable, soft fabric, small, 1 pc.	MP01559
	② Headgear, disposable, soft fabric, large, 1 pc.	MP01560
C	① Headgear, disposable, soft rubber, small, 1 pc.	MP01561
	② Headgear, disposable, soft rubber, large, 1 pc.	MP01562
Furthermore, replacement headgears are offered for NovaStar® full-face non-invasive ventilation (NIV) masks.		
D	Headgear for NovaStar® SE, full-face masks for non-invasive ventilation, 1 pc.	MP01583
E	Headgear for NovaStar® AAV, full-face masks for non-invasive ventilation, 1 pc.	MP01584






MASK ACCESSORIES

5.4.2 MASK SIZING GAUGES

The Dräger sizing gauges help to choose the right NIV mask size – there is no need to open the mask bag. Sizing gauges are included in every NIV mask package; they can also be separately ordered as a set of 3 pcs.

- | | | |
|----------|--|----------------|
| A | Sizing gauge for ClassicStar® (SE),
full-face masks for non-invasive ventilation, 3 pcs. | MP01592 |
| B | Sizing gauge for ClassicStar® (non-vented and vented),
nasal masks for non-invasive ventilation, 3 pcs. | MP01632 |
| C | Sizing gauge for NovaStar® (SE and AAV),
full-face masks for non-invasive ventilation, 3 pcs. | MP01591 |



MASK ACCESSORIES

5.4.3 MASK CLIPS, CONNECTORS, HOOK RINGS, ETC.

A Hook ring for LiteStar® anesthesia face masks, disposable

- ① With 15 mm (0.6 in) OD connector,
for LiteStar® anesthesia face masks, size 1-2, 30 pcs. **MP01551**

- ② With 22 mm (0.9 in) ID connector,
for LiteStar® anesthesia face masks, size 3-6, 30 pcs. **MP01552**

B Hook ring for Silicone face masks, reusable

- ① With 15 mm (0.6 in) OD connector,
for Silicone face masks, size 0-1, 10 pcs. **MP01617**

- ② With 22 mm (0.9 in) ID connector,
for Silicone face masks, size 2-5, 10 pcs. **MP01618**



Hook springring (with fixation),
fits All-Round and Foregger face masks **M11044**

C Angled connector for CPAP application, disposable **8409683**

D Magnetic clips for NovaStar® headgear, 4 pcs. **MP01585**

E Two-sided pumpball for air management, 1 pc. **MP01590**

The pumpball is used with ClassicStar® NIV masks (full-face/nasal). It can also be used with the ComfortStar® face masks. The pumpball helps to increase/decrease the air in the mask cushion.



FILTERS

6. FILTERS

6.1 BACTERIAL FILTER

A	Bacterial filter	8402868
	Bacterial filter to protect Dräger patient monitors.	

6.2 MICROBIAL FILTER

B	Microbial filter 654, 5 pcs.	6733895
	Reusable filter to protect the patient and the device against bacterial contamination during anesthesia and ventilation. Lifespan: the filter can be sterilized at 134°C for a maximum number of 24 times.	

6.3 ANESTHETIC FILTER

C	Anesthetic filter 633, 5 pcs.	6724492
	Activated charcoal filter for the aspiration of anesthetic vapors, such as Halothane, Enflurane, Isoflurane, Desflurane from the excess gas from inhalation anesthetic machines.	

6.4 ACCESSORIES

D	Connection set for bacterial filter	8410230
	Without filter.	



DEVICE RELATED ACCESSORIES

7. DEVICE RELATED ACCESSORIES

7.1 EVITA® DISPOSABLE EXPIRATION VALVE

A **Evita® disposable expiration valve, 10 pcs.** **8414776**

The disposable expiration valve is designed for single patient use. It can be used with Evita® 2, Evita 2 dura®, Evita® 4 and Evita® XL for adult ventilation, offering the same performance like the reusable valve for the Evita® family.

B **Infinity® ID expiratory valve, single use, 10 pcs.** **MP01060**

The disposable ID expiratory valve is designed for single patient use. It can be used with the Evita® Infinity V500 providing the ID functionalities compatibility and exchange control.

7.2 SAVINA® EXPIRATORY VALVE

C **Savina® expiratory valve, single use, 10 pcs.** **MP01061**

The disposable expiratory valve is designed for single patient use. It can be used with the Savina® ventilators.

7.3 CARINA® EXPIRATORY & LEAK VALVE

D **Carina® expiratory valve, 1 pc.** **MP00220**

To be used for invasives ventilation with the Carina® ventilator. Providing a maximum pressure of 50 mbar. It should be used in patient profiles where a higher pressure is essential.

E **Carina® SyncVent, 5 pcs.** **MP00224**

The disposable SyncVent allows accurate calculation and adjustment of volumes and support optimally the leakage compensation capabilities of the Carina®.



DEVICE RELATED ACCESSORIES

7.4 CO₂ CUVETTES

CO₂ cuvettes are designed for the monitoring of CO₂ concentration during patient ventilation.

A	CO₂ cuvette, reusable, adults	6870279
	Reusable CO ₂ cuvette for adults to be used with the CO ₂ sensor 6871500, 6870300 or 6871950.	
B	CO₂ cuvette, reusable, pediatric	6870280
	Reusable CO ₂ cuvette for infants to be used with the CO ₂ sensor 6871500, 6870300 or 6871950.	
C	CO₂ cuvette, disposable, adults	MP01062
	Disposable CO ₂ cuvette for adults to be used with the CO ₂ sensor 6871500, 6870300 or 6871950. Packaging unit: 10 pcs.	
D	CO₂ cuvette, disposable, pediatric	MP01063
	Disposable CO ₂ cuvette for infants to be used with the CO ₂ sensor 6871500, 6870300 or 6871950. Packaging unit: 10 pcs.	
	Sensor, 1 pc.	6871500
	Fits to Evita 2 dura®, Evita® 4 edition and Evita® XL.	
	Sensor, 1 pc.	6871950
	Fits to Evita Infinity® V500, Infinity® M540 and Oxylog® 3000 plus.	




AQUAPOR EL/AQUAMOD HUMIDIFICATION

8. HUMIDIFICATION

8.1 COMPONENTS FOR AQUAPOR EL/AQUAMOD

A	Patient part for Aquapor EL, complete	8405029
B	Filling kit for Aquapor EL	8405031
C	Set of clamps for Aquapor EL To mount the Aquapor EL on a standardised rail system.	8403345
D	Aquamod humification module, 20 pcs.	8410600
E	Aquamod temperature sensor	8408647
F	Water hose for Aquamod	8418289



AQUAPOR EL/AQUAMOD HUMIDIFICATION

	Module holder, Incubator 8000	8410535
	Aquamod module support for Incubator 8000, for fixing the module outside the incubator.	
A	Module holder, Incubator 7520 and non Dräger	8410536
	Aquamod module support for Incubator 7520 or other incubators.	
B	Pump aggregate, complete	8409840
	Complete Pump aggregate, for Aquamod.	
C	Thermometer	2M13259
	Simple temperature monitoring.	
D	Temperature sensor for Aquapor EL	8405371

A

MT-2-1059-94



B

MT-2674-2004



C

D-1532-2009



D

MT-48924




FISHER & PAYKEL HUMIDIFICATION

8.2 FISHER & PAYKEL HUMIDIFICATION

8.2.1 HUMIDIFICATION CHAMBER

A	F&P Humidification chamber MR 290, 10 pcs.	8418282
	An autofeed disposable chamber for adults, children, neonates.	
A	F&P Humidification chamber MR 290, 40 pcs.	8418283
	An autofeed disposable chamber for adults, children, neonates.	
B	F&P Humidification chamber MR 340	8411047
	Reusable chamber for neonates and children, incl. 100 pcs. filter paper.	
C	F&P Humidification chamber MR 370	8412217
	Reusable chamber for adults, incl. 100 pcs. filter paper.	
D	Filter paper for MR 340, 100 pcs.	8411073
	Filter paper for Fisher & Paykel chamber MR 340.	
E	Filter paper for MR 370, 100 pcs.	8412218
	Filter paper for Fisher & Paykel chamber MR 370.	




MOUNTING SETS AND OTHER ACCESSORIES

8.2.2 MOUNTING SETS

A	Mounting Fisher & Paykel	8411074
	Rail clamp to mount the humidifier.	
B	Mounting bracket, Fisher & Paykel	MP01002
	Mounting bracket (U-shaped) and rail clamp for mounting humidifier on the trolley of the ventilator.	
C	Waterbags mount 900 MR 290	MP01008
	Waterbags mount 70 cm (27.6 in) high, to hang waterbags during the active humidification. Mountable on the mounting 8411074.	



8.2.3 OTHER ACCESSORIES

D	Hose heater, 70 cm (27.6 in), HFV	8411154
	Heater wire for high frequency ventilation, use with reusable circuit, 80 cm (31.5 in), compatible with MR 700/730.	
D	Hose heater, 1.1 m (3.6 ft)	8411045
	Heater wire, use with reusable circuit, 1.1 m (3.6 ft), compatible with MR 850 and MR 700/730, for low flow/volume regulated ventilators.	
E	Hose heater, 1.1 m (3.6 ft)	8414993
	Heater wire, use with reusable circuit, 1.1 m (3.6 ft), compatible with MR 850 and MR 700/730, for bias flow/pressure regulated ventilators.	
F	Hose heater, 1.5 m (4.9 ft)	8414969
	Heater wire, use with reusable circuit, 1.5 m (4.9 ft), compatible with MR 850 and MR 700/730.	





OTHER ACCESSORIES

A	Dual temperature sensor for MR 700/730, 1.1 m (3.6 ft)	8411048
B	Temperature-/Flow sensor for MR 850, 1.1 m (3.6 ft) For reusable and disposable hose sets.	8414989
B	Temperature-/Flow sensor for MR 850, 1.5 m (4.9 ft) For reusable and disposable hose sets.	8414966
C	Hose heater adapter for MR 700/730, reusable hose sets Heater wire adapter for inspiratory heated, reusable circuits, for MR 700/730.	8411097
D	Hose heater adapter for MR 850, reusable hose sets Heater wire adapter for inspiratory heated, reusable circuits, for MR 850.	8414968
E	Hose heater adapter for MR 700/730, disposable hose sets Heater wire adapter for RT series, disposable inspiratory heated breathing circuits, for MR 730.	8418462
F	Hose heater adapter for MR 850, disposable hose sets Heater wire adapter for RT series, disposable inspiratory heated breathing circuits, for MR 850.	8414992



OTHER ACCESSORIES

A	Hose heater adapter for MR 850, third party hose sets	MP01001
	Heater wire adapter for third party inspiratory heated breathing circuits, for MR 850.	
B	Hose heater adapter for MR 730, third party hose sets	8418433
	Heater wire adapter for third party inspiratory heated breathing circuits, for MR 730.	
C	Hose heater adapter for MR 850, double heated hose sets	MP01006
	Heater wire adapter for double heated disposable breathing circuits (inspiratory and expiratory, series RT), for MR 850.	
D	Draw wire, for reusable hose systems, 1.5 m (4.9 ft)	8411050
	Draw wire, 1.5 m (4.9 ft), used to draw the heater wire into reusable tubing.	
E	Temperature sensor adapter 900 MR 532	MP01007
	Temperature sensor adapter to connect the temperature sensor of the humidifier Fisher & Paykel.	



NEBULIZER

8.3 NEBULIZER

A Nebulizer	8411030
Nebulizer for neonatal use with quick connector for Babylog® 8000.	
B Nebulizer, white	8412935
Nebulizer for Evita® 4, Evita 2 dura®, Evita® XL and Savina®.	
C Pneumatic nebulizer	8405000
Nebulizer for Evita® and Evita® 2.	
D Accessories nebulizer	8411031
Connectors to adapt nebulizer (8412935, 8405000) to hose sets for neonates.	



NEBULIZER

8.4 AERONEB PRO

Aeroneb Pro works with an electronic micropump. The nebulizer can be used with Evita 2 dura®, Evita® 4, Evita® XL, Savina® und Babylog® 8000. Aeroneb Pro is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.

A Aeroneb Pro Consists of the following components: control module, control module cable, two nebulizer units with filler cap for the medications, T-adapter plug for adults, AC/DC-adapter and mountings. Other nebulizer units, other T-adapter for adults and T-adapter for neonates can also be ordered.	MP01010
B Nebulizer unit with filler cap Nebulizer unit, the core of Aeroneb Pro, is able to absorb up to 10 ml (0.4 fl oz.) of medications. The nebulizer unit is transparent to control the filling level and the nebulizing. If the nebulizer unit is connected with the T-adapter in the breathing circuits, the filler cap can be opened or removed to refill medications without losing pressure.	MP01030
C T-adapter with plug, for adults, 5 pcs. The T-adapter (adults) connects the nebulizer unit of Aeroneb Pro with the patient circuits. The ports of the T-adapter are 22 mm (0.9 in) ISO connectors, which can be connected with the standard patient circuits.	MP01031
D T-adapter with plug, for neonates, 5 pcs. The T-adapter (neonates) connects the nebulizer unit of Aeroneb Pro with the patient circuits. Pediatric circuits, 15 mm (0.6 in), can be connected to the ports of the T-adapter. Additionally this set includes adapters for the ports of neonatal circuits, 10 mm (0.4 in).	MP01032



NEBULIZER

A	T-adapter with plug, 12 mm (0.5 in), 5 pcs.	MP01037
	The T-adapter with plug, 12 mm (0.5 in), connects the nebulizer unit of Aeroneb Pro with the patient circuits. Patient circuits, 12 mm (0.5 in), can be connected to the ports of the T-adapter.	
	Sealing plug for Y-piece	8411024
	Inhalation mask	M11015
B	Mouthpiece	M12394
	Control module cable	MP01036
	Control module cable for Aeroneb Pro.	
	Filler cap for Aeroneb Pro, 5 pcs.	MP01035
C	Filler cap consists of silicone for the nebulizer unit of Aeroneb Pro.	



CONTENT

1. Infinity® Monitoring	85	1.7 Invasive blood pressure (IBP) and cardiac output (CO)	118
1.1 MultiMed Pods and accessories	85	1.7.1 IBP & CO Hemo Pods	118
1.2 ECG	87	1.7.2 IBP Hemo Pod adapters & plates	119
1.2.1 MonoLead single pin connector	87	1.7.3 IBP Y-cables & adapters	121
1.2.2 MonoLead dual pin	88	1.7.4 IBP Memscap cables & transducers	122
1.2.3 ECG leads single pin connector	89	1.7.5 IBP Ohmeda cables & transducers	124
1.2.4 ECG leads dual pin and electrodes	90	1.7.6 CO cables, catheters & thermistors	125
1.2.5 Neonatal ECG	93	1.8 Minimal invasive cardiac output accessories – Infinity® PICCO Pod	127
1.2.6 Telemetry grabber sets	94	PICCO flow chart	128
1.3 SpO ₂ sensors, cables and accessories	97	1.9 Neurological accessories	129
1.3.1 Dräger	97	1.9.1 Infinity® EEG Pod accessories	129
1.3.1.1 Cables	97	1.9.2 Infinity® BISx SmartPod®	131
1.3.1.2 Reusable sensor	98	1.9.3 Infinity® Trident (NMT) SmartPod®	132
1.3.1.3 Disposable sensors	98	1.10 etCO ₂ & Respiratory mechanics	135
1.3.2 Masimo	99	1.10.1 etCO ₂ Pods, modules and kits	135
1.3.2.1 LNOP cables	99	1.10.2 Respiratory mechanics accessories	138
1.3.2.2 LNOP reusable sensors	100	1.10.3 etCO ₂ mainstream & sidestream accessories	139
1.3.2.3 LNOP disposable sensors	102	1.10.4 etCO ₂ Microstream adapters & cannulas	139
1.3.2.4 LNCS cables	104	1.11 Anesthetic gas monitoring accessories	143
1.3.2.5 LNCS reusable sensors	105	1.11.1 Scio accessories	143
1.3.2.6 LNCS disposable sensors	105	1.11.2 MGM accessories	144
1.3.3 Nellcor®	106	1.12 Neonatal monitoring	145
1.3.3.1 Cables	106	1.12.1 Transcutaneous monitoring (tpO ₂ /tpCO ₂)	145
1.3.3.2 Reusable sensors	106	1.12.2 FiO ₂	146
1.3.3.3 Disposable sensors	107	1.13 Recorder paper	146
1.4 Temperature	109	1.14 Infinity® TruST™ Telemetry	147
1.4.1 Adapter cables	109	1.14.1 Telemetry grabber sets	148
1.4.2 Temperature probes	110	1.14.2 Adapter	149
1.5 Non-invasive blood pressure (NIBP)	111	1.14.3 Adapter cables	149
1.5.1 NIBP hoses	111	1.14.4 Pouch	149
1.5.2 NIBP cuffs, reusable	112	1.15 Power sources	150
1.5.3 NIBP cuffs, single patient use	114	1.16 Clips and CATHCOR cable	151
1.5.4 NIBP cuffs neonatal, disposable	116		
1.6 CNAP continuous non-invasive arterial pressure	117		


CONTENT

2. Accessories for monitoring systems: PM 8010, PM 8014, PM 8060, PM 8060 Vitara, Julian®, Cicero® EM, Parameterbox, Dialog 2000	153	3. Accessories for MicrO₂+®	164
2.1 ECG	153	3.1 SpO ₂	164
2.1.1 Basic cables for Dräger monitors, without HF	153	3.1.1 Masimo sensors, cables and accessories	164
2.1.2 Basic cables for Dräger monitors, with HF	153	3.1.1.1 Masimo reusable sensors	164
2.1.3 ECG patient cable for Dräger monitors, without HF	154	3.1.1.2 Masimo disposable sensors	166
2.1.4 ECG patient cable for Dräger monitors, with HF	154	3.1.2 Nellcor® sensors, cables and accessories	168
2.1.5 Electrodes	154	3.1.2.1 Nellcor® reusable sensors	168
2.2 SpO ₂	155	3.1.2.2 Nellcor® Oximax® sensors	168
2.2.1 Cables for SpO ₂	155	3.1.3 Power sources	169
2.2.2 Dräger	155	3.1.4 Cables and other accessories	169
2.2.2.1 Reusable sensor	155	3.2 OxyTrend	171
2.2.2.2 Disposable sensors	155	3.2.1 Reusable sensors	171
2.2.3 Nellcor®	157	3.2.2 Disposable sensors	173
2.2.3.1 Reusable sensors	157	3.2.3 Cables	176
2.2.3.2 Disposable Oximax® sensors	157	3.3 Radical	177
2.2.3.3 Oxiband sensors	159	3.3.1 Basic unit	177
2.3 Non-invasive blood pressure (NIBP)	160	3.3.2 Accessories	177
2.3.1 Reusable cuffs, latex free	160	3.3.2.1 Reusable sensors	177
2.3.2 Disposable cuffs, neonatal	161	3.3.2.2 Disposable sensors	179
2.3.3 NIBP hoses and connectors	162	3.3.2.3 Cables	181
2.4 Invasive blood pressure (IBP)	162		
2.5 Temperature	163		
2.6 PEEG	163		

MULTIMED PODS AND ACCESSORIES

1. INFINITY® MONITORING

1.1 MULITMED PODS AND ACCESSORIES

[illegible]

MULTIMED PODS AND ACCESSORIES

A MultiMed 12 Pod 5589663

Multiparameter cable to monitor 12 lead ECG and SpO₂ Infinity® SC 9000 requires ARIES 12 lead ST processor option. Infinity® SC 7/8/9000XL requires ARIES 12 lead ST option.

Including:

- Pod connection cable, 3 m (9.8 ft)
- Mounting band.

B MultiMed 12 Pod mounting band 5202747

Flexible mounting band to attach MultiMed 12 Pod to bed rails and other mounting surfaces.

C Pod connection cable, 30 cm (11.8 in) 7257988**Pod connection cable, 3 m (9.8 ft) 3368425****Pod connection cable, 5 m (16.4 ft) 5195198**

Connects Hemo2, Hemo4, MultiMed 12, tpO₂/tpCO₂ and etCO₂ Pods to Infinity® modular monitors. Connects etCO₂ Pod to Infinity® SC 6002XL.

D Pod mount 5598128

Mount for securing the MultiMed 5/6 and NeoMed Pods.

Universal pole/clamp mount 7871093


GAMMA / GAMMA XL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-0856-2008

**B**

D-8990-2009

**C**

D-8951-2009

**D**

D-9020-2009



ECG

1.2 ECG

































































1.2.1 MONOLEAD SINGLE PIN CONNECTOR



MonoLead is a one-wire lead-set solution, patented from Dräger, that is particularly well suited for monitoring in the ED, OR and PACU units. The single tangle-proof lead set accommodates standard electrodes while eliminating the tangled mess that frequently occurs with traditional multi-lead sets.

Features:

- Ideal for both adult and pediatric patients
- MonoLead is compatible with all Infinity® patient monitors.
- Fast and easy to apply with clearly labeled, color-coded snaps
- More comfortable for patients, incorporates Dräger Medical's patented Z-Snap™ zero-insertion force electrode snaps
- Flexible, durable and easy to clean
- Bright green color makes the cable easy to identify even under a sheet.

Note: Not for use with Infinity® TruST™ Telemetry.

A	ECG MonoLead 3, single pin connector, <u>IEC1 (European color code), 2 m (6.6 ft)</u>	<u>MS14555</u>								
	ECG MonoLead 3, single pin connector, <u>IEC2 (AHA/US color code), 2 m (6.6 ft)</u>	<u>MS14556</u>								
B	ECG MonoLead 5, single pin connector, <u>IEC1 (European color code), 2.5 m (8.2 ft)</u>	<u>MS14559</u>								
	ECG MonoLead 5, single pin connector, <u>IEC2 (AHA/US color code), 2.5 m (8.2 ft)</u>	<u>MS14560</u>								
C	ECG MonoLead 6, single pin connector, <u>IEC1 (European color code), 3.1 m (10 ft)</u>	<u>MS14683</u>								
	ECG MonoLead 6, single pin connector, <u>IEC2 (AHA/US color code), 3.1 m (10 ft)</u>	<u>MS14682</u>								
D	<u>Extension cable, 2 m (6.6 ft)</u>	<u>MS16256</u>								
E	ECG MonoLead 6 OR, single pin connector, IEC1 (European color code), 4.9 m (16 ft)	MS17185								




ECG

1.2.3 ECG LEADS SINGLE PIN CONNECTOR

A	ECG 3-lead, grabber, single pin connector, IEC1 (European color code)	MS16159								
	ECG 3-lead, grabber, single pin connector, IEC2 (AHA/US color code)	MS16231								
B	ECG 5-lead, grabber, single pin connector, IEC1 (European color code)	MS16158								
	ECG 5-lead, grabber, single pin connector, IEC2 (AHA/US color code)	MS16546								
C	ECG 6-lead, grabber, single pin connector, IEC1 (European color code)	MS16157								
	ECG 6-lead, grabber, single pin connector, IEC2 (AHA/US color code)	MS16547								
D	Extension cable, 2 m (6.6 ft)	MS16256								

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
TRUST™ TELEMETRY



ECG

1.2.4 ECG LEADS DUAL PIN AND ELECTRODES

**A ECG 3-lead grabber set, 1 m (3.3 ft),
IEC1 European****5956433****ECG 3-lead grabber set, 1 m (3.3 ft),
IEC2 AHA/US****5956441**European color code (IEC1 European) or AHA/US
color code (IEC2 AHA/US).

For disposable electrodes.

To be used in the OR only when the ECG ESU
block is connected to the MultiMed Pod.**B ECG 5-lead grabber set, 1 m (3.3 ft),
IEC1 European****5956466****ECG 5-lead grabber set, 1 m (3.3 ft),
IEC2 AHA/US****5956458**European color code (IEC1 European) or AHA/US
color code (IEC2 AHA/US).

For disposable electrodes.

Can be used in the OR only when the ECG ESU
block is connected to the MultiMed Pod.**C ECG 6-lead grabber set, 1 m (3.3 ft),
IEC1 European****5956482****ECG 6-lead grabber set, 1 m (3.3 ft),
IEC2 AHA/US****5956474**European color code (IEC1 European) or AHA/US
color code (IEC2 AHA/US).

For disposable electrodes.

Can be used in the OR when the ECG ESU 6
block is connected to the MultiMed Pod.**D Extension cable, 2 m (6.6 ft), dual pin****MS16492**Extension cable for MonoLead 3/5 and
ECG-lead grabber 3/5 with dual pin connector.


GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A


D-1604-2009

**B**

D-9033-2009

**C**

D-9034-2009

**D**

MT-350-2008



ECG

A ECG ESU block, 5-lead	5947226
Electrosurgical interference suppression filter. The ECG ESU BLOCK provides ECG electrosurgical unit noise suppression and burn protection. This small plastic unit plugs between standard shielded white ECG lead wires and the MultiMed 5 or MultiMed 6 Pod. It can be used with 3 or 5 lead wire ECG lead sets. Self seating design. Including: – Storage holster that can be mounted on any suitable flat surface.	
B ECG ESU block, 6-lead	7486140
The ECG ESU BLOCK provides ECG electrosurgical unit noise suppression and burn protection. This small plastic unit plugs between standard shielded white ECG lead wires and the MultiMed 6 Pod. It can be used with 3, 5 or 6 wire ECG lead sets. Self seating design. Including: – Storage holster that can be mounted on any suitable flat surface.	
C ECG 5-lead C grabber set, 1.5 m (4.9 ft), IEC1 European	5956508
ECG 5-lead V grabber set, 1.5 m (4.9 ft), IEC2 AHA/US	5956490
European color code (IEC1 European) or AHA/US color code (IEC2 AHA/US). For disposable electrodes. Not for OR use. Chest leads used with MultiMed 12 and ECG 5-lead grabber set IEC1 European (5956466).	
D ECG C/V 5-lead, no connect plug	5734400
For blocking unused leads when using a MultiMed 12 Pod.	
E ECG 5-lead limb, radiotranslucent lead, 1.5 m (4.9 ft), IEC2 AHA/US	5734418
AHA/US color code. Will not show up on X-ray.	
F ECG electrodes, disposable, 50 pcs.	4527750
General purpose electrodes for adults. Pre-gelled, not for ambulatory use.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
TRUST™ TELEMETRY




ECG

1.2.5 NEONATAL ECG

A	ECG electrodes, neonatal, disposable, 300 pcs.	5195024								
	Neonatal electrodes with attached lead wire 100 packages of 3 electrodes. Use in conjunction with adapter pins (5194779).									
B	Adapter pin, neonatal electrodes, 10 pcs.	5194779								
	For connection of neonatal electrodes with 1.5 mm (0.06 in) safety pin connectors to the MultiMed Pod and ECG intermediate cables.									
C	ECG adapter cable, NeoMed Pod, 1.5 m (4.9 ft)	5592162								
	3-lead ECG adapter cable connecting neonatal ECG leads to NeoMed Pod. Not for OR use.									

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




ECG

1.2.6 TELEMETRY GRABBER SETS

Infinity® TruST™ Telemetry lead sets can also be used in combination with MultiMed plus.
 Length 686 mm (27 inch). Shielded, not for OR use.
 Lead set for disposable electrodes.

A	3-lead grabber set, TruST™ Telemetry, IEC1 European (European color code)	7499804
A	3-lead grabber set, TruST™ Telemetry, IEC2 AHA/US (AHA/US color code)	7499812
B	5-lead grabber set, TruST™ Telemetry, IEC1 European (European color code)	7499820
B	5-lead grabber set, TruST™ Telemetry, IEC2 AHA/US (AHA/US color code)	7499838
C	6-lead grabber set, TruST™ Telemetry, IEC1 European (European color code)	7499846
C	6-lead grabber set, TruST™ Telemetry, IEC2 AHA/US (AHA/US color code)	7499853

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL
 TRUST™ TELEMETRY



ECG

A Adapter MonoLead to MultiMed 5 Pod	MS14679
Adapter is required to connect the single pin MonoLead and single pin ECG lead sets to the MultiMed 5 Pod.	
Adapter MonoLead to MultiMed 6 Pod	MS14680
Adapter is required to connect the single pin MonoLead and single pin ECG lead sets to the MultiMed 6 Pod.	
3-lead grabber set, Infinity® Telemetry, IEC1 European (European color code)	7863728
3-lead grabber set, Infinity® Telemetry, IEC2 AHA/US (AHA/US color code)	7863710
5-lead grabber set, Infinity® Telemetry, IEC1 European (European color code)	5956367
5-lead grabber set, Infinity® Telemetry, IEC2 AHA/US (AHA/US color code)	5956359
Telemetry lead adapter	MS14681
Adapter used to connect single pin connector lead set to an Infinity® Telemetry Transmitter. Not to be used to connect single pin connector leads to MultiMed Pods. Not for use in the operating room.	
Transmitter analog ECG cable	4316621
Used to connect Infinity® Telemetry or TruST™ Telemetry Transmitter to MultiMed Pod for lead II display on any Infinity® bedside monitor.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
TRUST™ TELEMETRY
INFINITY® TELEMETRY



SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3 SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3.1 DRÄGER

1.3.1.1 CABLES

A	Dräger/Nellcor® SpO₂ extension cable, shielded (blue latch), 1 m (3.3 ft)	3368433
	Dräger/Nellcor® SpO₂ extension cable, shielded (blue latch), 2 m (6.6 ft)	3375834
	To connect Dräger/Nellcor® SpO ₂ sensors to the MultiMed Pod 5/6, MultiMed 12 Pod and NeoMed Pod.	
B	Dräger/Nellcor® SpO₂ cable, 1.2 m (3.3 ft)	MS18683
	Dräger/Nellcor® SpO₂ cable, 3 m (9.8 ft)	MS17330
	To connect Dräger/Nellcor® SpO ₂ sensors to MultiMed plus and MultiMed plus OR Pods.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
MICRO₂®

A

MT-344-2008



B

MT-4483-2007



SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3.1.2 REUSABLE SENSOR

A	Dräger SpO₂ finger sensor, adult	MS13235
	High quality reusable SpO ₂ finger sensor for use on adult and pediatric patients. Validated for use with all Dräger patient monitors. Patient weight: > 30 kg (66 lbs).	

1.3.1.3 DISPOSABLE SENSORS

B	Dräger SpO₂ sensor, adult, vinyl	MS16449
	Patient weight: > 30 kg (66 lbs). Non sterile. Box of 24 adult sensors.	
C	Dräger SpO₂ sensor, adult, foam	MS16445
	Patient weight: > 30 kg (66 lbs). Non sterile. Box of 24 adult sensors.	
D	Dräger SpO₂ sensor, pediatric, vinyl	MS16448
	Patient weight: 10-50 kg (22-110 lbs). Non sterile. Box of 24 pediatric sensors.	
E	Dräger SpO₂ sensor, pediatric, foam	MS16444
	Patient weight: 10-50 kg (22-110 lbs). Non sterile. Box of 24 pediatric sensors.	
F	Dräger SpO₂ sensor, infant, cloth	MS16447
	Patient weight: 3-20 kg (6.6-44 lbs). Non sterile. Box of 24 infant sensors.	
G	Dräger SpO₂ sensor, neonatal, cloth	MS16446
	Patient weight: < 3 kg (6.6 lbs). Non sterile. Box of 24 neonatal sensors.	

GAMMA / GAMMA XL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
MICRO₂®



SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3.2 MASIMO


1.3.2.1 LNOP CABLES

A	ProCal + intermediate cable, 2 m (6.6 ft)	7492601
	ProCal + intermediate cable, 1.5 m (4.9 ft)	MS13926
	To connect Masimo SpO ₂ sensors to the MultiMed Pod.	
B	LNOP Intermediate cable, 1.2 m (3.3 ft)	MS18680
	LNOP Intermediate cable, 3 m (9.8 ft)	MS17041
	To connect LNOP sensors to the Masimo Set Pods.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
MICRO₂®

A

D-9044-2009



B

MT-3416-2008






SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3.2.2 LNOP REUSABLE SENSORS

A	Masimo SpO₂ sensor LNOP DCI	7270312
	Adult finger clip style sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	
B	Masimo SpO₂ sensor LNOP DCIP	7270304
	Pediatric/adult Slender finger clip style sensor. Patient weight: 10-50 kg (22-110 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	
C	Masimo SpO₂ sensor LNOP YI	7497014
	Multisite reusable sensor V shaped multisite reusable sensor with a 90 cm (35.4 in) cable that can be used on patients > 1 kg (2.2 lbs). The sensor is attached using either an adhesive attachment wrap or a non-adhesive foam wrap. Patient weight: > 1 kg (2.2 lbs).	
D	Masimo Cleanshield wrap for LNOP YI	5702218
	Cleanshield multisite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
E	Masimo Multisite wrap for SpO₂ LNOP YI	7496917
	Standard multisite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
	Masimo Petite wrap for SpO₂ LNOP YI	7496909
	Standard petite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
F	Masimo Foam wrap, neonatal, 12 pcs.	7496891
	Set of 12 replacement foam wraps for SpO ₂ LNOP YI sensor.	


GAMMA / GAMMA XL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
MICRO₂®



SPO₂ SENSORS, CABLES AND ACCESSORIES

A	Masimo SpO₂ sensor LNOP TI	7497006
	Ear reusable sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ear lobe or pinna. Unique hook limits constriction of blood flow.	
B	Masimo Posey wrap, 12 pcs.	7496933
	Set of posey wrap for neonatal sensor.	
C	Masimo tapes for NeoPt, 100 pcs.	7496925
	Replacement tapes for neonatal sensors.	
D	Masimo accessory clothing clip, 5 pcs.	7496883
	Replacement clothing clips for the sensor.	
E	Masimo adhesive square, 12 pcs.	7496875
	Set of 12 x 12 replacement adhesive squares for the sensor.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
MICRO₂®



SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3.2.3 LNOP DISPOSABLE SENSORS

A Masimo SpO₂ sensor LNOP Adt, 20 pcs.

7496990

Adult single patient adhesive sensor.
 Patient weight: > 30 kg (66 lbs).
 Recommended monitoring site: ring or middle
 finger of non-dominant hand. Latex free.

B Masimo SpO₂ sensor LNOP Pt, 20 pcs.

7496982

Pediatric/slender digit single patient adhesive sensor.
 Patient weight: 10-50 kg (22-110 lbs).
 Recommended monitoring site: ring or middle
 finger of non-dominant hand. Latex free.

C Masimo SpO₂ sensor LNOP Neo, 20 pcs.

7496974

Neonatal single patient adhesive sensor.
 Patient weight: < 10 kg (22 lbs).
 Recommended monitoring site:
 – For infants < 3 kg (6.6 lbs): across the foot or
 alternatively across the palm & back of hand.
 – For infants > 3 kg (6.6 lbs): the thumb or the
 great toe.
 Latex free.

D Masimo SpO₂ sensor LNOP NeoPt, 20 pcs.


7496966

Neonatal preterm single patient adhesive sensor.
 Patient weight: < 1 kg (2.2 lbs).
 Recommended monitoring site: across the foot or
 alternatively across the palm & back of hand.
 Latex free.

GAMMA / GAMMA XL
 GAMMA XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL
 MICRO₂®

A

MT-67-2001




B

MT-68-2001




C

MT-70-2001



D



MT-69-2001



SPO₂ SENSORS, CABLES AND ACCESSORIES

A	Masimo Posey wrap for NeoPt, 12 pcs.	5701935
	Set of posey wrap for neonatal sensor.	
B	Masimo tapes for NeoPt, 100 pcs.	7496925
	Set of replacement tapes for neonatal sensors.	
C	Masimo SpO₂ pack LNOP Adt + Pt	7496941
	Adult/pediatric sensor sample pack for use in mixed wards.	
	Contains:	
	– (3) LNOP Adt adhesive sensors (7496990)	
	– (1) LNOP Pt adhesive sensor (7496982).	
D	Masimo SpO₂ pack LNOP Neo + NeoPt	7496958
	Neonatal sensor sample pack for use on all neonates.	
	Contains:	
	– (3) LNOP Neo adhesive sensors (7496974)	
	– (1) LNOP NeoPt adhesive sensor (7496966).	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
MICRO₂®



SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3.2.4 LNCS CABLES

A	Dräger/Nellcor® SpO₂ extension cable, shielded (blue latch), 1 m (3.3 ft)	3368433
	Dräger/Nellcor® SpO₂ extension cable, shielded (blue latch), 2 m (6.6 ft)	3375834
	To connect Masimo LNCS sensors to the MultiMed Pod 5/6, MultiMed 12 Pod and Neo Med Pod.	
B	Dräger/Nellcor® SpO₂ cable, 1.2 m (3.3 ft)	MS18683
	Dräger/Nellcor® SpO₂ cable, 3 m (9.8 ft)	MS17330
	To connect Masimo SpO ₂ sensors to MultiMed plus and MultiMed plus OR Pods.	
C	LNCS Intermediate cable, 3 m (9.8 ft)	MS17522
	To connect Masimo LNCS sensors to Masimo SET Pods.	
D	Masimo Intermediate cable, LNCS, 1.2 m (3.3 ft)	MS24303
	Connects the Masimo SET approved sensors to the Masimo SET Pod or to Infinity® M300. This cable cannot be used with the MultiMed Pods.	



SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3.2.5 LNCS REUSABLE SENSORS

A	Masimo SpO₂ sensor LNCS DCI	MP00796
	Adult finger clip style sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	
B	Masimo SpO₂ sensor LNCS DCIP	MP00795
	Pediatric/adult slender finger clip style sensor. Patient weight: 10-50 kg (22-110 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	

A

MT-342-2008



B

MT-341-2008



1.3.2.6 LNCS DISPOSABLE SENSORS

	Masimo SpO₂ sensor LNCS Adt	MP00790
	Patient weight: > 30 kg (66 lbs). Latex free. 20 pcs.	
	Masimo SpO₂ sensor LNCS Inf	MP00791
	Box of 20 infant sensors. Latex free.	
	Masimo SpO₂ sensor LNCS Neo	MP00792
	Patient weight: < 10 kg (22 lbs). Latex free. 20 pcs.	
	Masimo SpO₂ sensor LNCS Pt	MP00793
	Patient weight: 10-50 kg (22-110 lbs). Latex free. 20 pcs.	
	Masimo SpO₂ sensor LNCS NeoPt	MP00794
	Patient weight: < 1 kg (2.2 lbs). Latex free. 20 pcs.	

SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3.3 NELLCOR®

1.3.3.1 CABLES

A Dräger/Nellcor® SpO₂ extension cable, shielded (blue latch), 1 m (3.3 ft) **3368433**

Dräger/Nellcor® SpO₂ extension cable, shielded (blue latch), 2 m (6.6 ft) **3375834**

To connect Dräger/Nellcor® SpO₂ sensors to the MultiMed Pod 5/6, MultiMed 12 Pod and NeoMed Pod.

B Dräger/Nellcor® SpO₂ cable, 1.2 m (3.3 ft) **MS18683**

Dräger/Nellcor® SpO₂ cable, 3 m (9.8 ft) **MS17330**

To connect Dräger/Nellcor® SpO₂ sensors to MultiMed plus and MultiMed plus OR Pods.

1.3.3.2 REUSABLE SENSORS

C Nellcor® SpO₂ sensor DURA DS-100A **7262764**

Reusable SpO₂ adult sensor.
For finger or toe application.
Patient weight: > 40 kg (88 lbs).

D Nellcor® DURA-Y SpO₂ sensor, D-YS **MX01004**

Incl. range with 40 adhesive strips.

Nellcor® Oxiband wrap A/N, 100 pcs. **8201012**

For DURA-Y and Oxiband adult sensor.

Nellcor® Oxiband wrap P/I, 100 pcs. **2170221**

For DURA-Y and Oxiband infant sensor.

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
MICRO₂®

A

MT-344-2008



B

MT-4483-2007



C

MT-2641-91



D

MT-2354-2004



SPO₂ SENSORS, CABLES AND ACCESSORIES

1.3.3.3 DISPOSABLE SENSORS

A	Nellcor® SpO₂ sensor, Oximax® Max-A, 24 pcs.	MX50065
	Adults > 30 kg (66 lbs), cable 45 cm (17.7 in). Latex free.	
B	Nellcor® SpO₂ sensor, Oximax® Max-AL, 24 pcs.	MX50071
	Adults > 30 kg (66 lbs), cable 90 cm (35.4 in). Latex free.	
C	Nellcor® SpO₂ sensor, Oximax® Max-I, 24 pcs.	MX50067
	Children 1-20 kg (2.2-44 lbs). Latex free.	
D	Nellcor® SpO₂ sensor, Oximax® Max-N, 24 pcs.	MX50068
	Adults and neonates < 3 kg (6.6 lbs) or > 40 kg (88 lbs). Latex free.	
E	Nellcor® SpO₂ sensor, Oximax® Max-P, 24 pcs.	MX50066
	Children 10-50 kg (22-110 lbs). Latex free.	
F	Nellcor® SpO₂ sensor, Oximax® Max-Fast, 24 pcs.	MX50070
	Forehead > 10 kg (22 lbs). In combination with Oximax® Pod. Latex free.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
MICRO₂®

A

MT-152-2003



B

MT-165-2003



C

MT-156-2003



D

MT-158-2003



E

MT-154-2003



F

MT-164-2003



TEMPERATURE

1.4 TEMPERATURE

1.4.1 ADAPTER CABLES

A	Temp adapter cable	5198333
	Adapter for temp. Probes with 1/4" connector to be used with MultiMed 5/6 or NeoMed Pod.	
B	Temperature Y-cable, for MultiMed 5/6 Pod	5592154

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




TEMPERATURE

1.4.2 TEMPERATURE PROBES

A	Temperature probe, adult, 1.5 m (4.9 ft)	4329889							
A	Temperature probe, adult, 3 m (9.8 ft)	5204644							
	Order protective covers separately (7014616), Ø 4,8 cm.								
A	Temperature probe, pediatric, 1.5 m (4.9 ft)	4329848							
A	Temperature probe, pediatric, 3 m (9.8 ft)	5204651							
	Order protective covers separately (7014616), Ø 3,18 cm.								
B	Temperature probe, adult, 3 m (9.8 ft)	5201327							
B	Temperature probe, adult, 5 m (16.4 ft)	5201319							
	Order protective covers separately (7014616). Adapter cable required, Ø 4,8 cm.								
B	Temperature probe, pediatric, 3 m (9.8 ft)	5201343							
	Order protective covers separately (7014616). Adapter cable required, Ø 3,18 cm.								
C	Temperature probe, skin, 1.5 m (4.9 ft)	4329822							
C	Temperature probe, skin, 3 m (9.8 ft)	5204669							
	Not for use during electrosurgery, Ø 4,75 cm.								
D	Temperature probe, skin, 3 m (9.8 ft)	5201335							
	Not for use during electrosurgery. Adapter cable required, Ø 4,75 cm.								
E	Temperature protective cover, 10 pcs.	7014616							
	For all temperature probes (except skin). Contains latex.								

GAMMA / GAMMA XL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



NON-INVASIVE BLOOD PRESSURE (NIBP)

1.5 NON-INVASIVE BLOOD PRESSURE (NIBP)

1.5.1 NIBP HOSES

A	NIBP connecting hose, adt., 3.7 m (12.1 ft)	MP00953
	Connects adult and child cuffs to Infinity® monitors. Box of 1 pc.	
B	NIBP connection hose neonatal, 2.4 m (7.9 ft)	2870298
	Connects neonatal cuffs to Infinity® monitors.	
C	NIBP cuff adapter	MP00945
	Connects the new cuffs to the current connecting hose, adult, 3.7 m (12.1 ft) (PM: 1275275). Box of 10 pcs.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



NON-INVASIVE BLOOD PRESSURE (NIBP)

1.5.2 NIBP CUFFS, REUSABLE

A	NIBP cuff, XXS, infant, reusable	MP00911
	Length of upper arm or thigh: 8-13 cm. Circumference of upper arm or thigh, max.: 13 cm. Box of 1 pc.	
B	NIBP cuff, XS, child, reusable	MP00912
	Length of upper arm or thigh: 12-19 cm. Circumference of upper arm or thigh, max.: 19 cm. Box of 1 pc.	
C	NIBP cuff, S, small adult, reusable	MP00913
	Length of upper arm or thigh: 17-25 cm. Circumference of upper arm or thigh, max.: 29 cm. Box of 1 pc.	
D	NIBP cuff, M, adult, reusable	MP00915
	Length of upper arm or thigh: 23-33 cm. Circumference of upper arm or thigh, max.: 33 cm. Box of 1 pc.	

GAMMA / GAMMA XL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-25295-2009



B

D-25294-2009



C

D-25293-2009



D

D-25291-2009



NON-INVASIVE BLOOD PRESSURE (NIBP)






A	<u>NIBP cuff, M+, adult long, reusable</u> Length of upper arm or thigh: 23-33 cm. Circumference of upper arm or thigh, max.: 43 cm. Box of 1 pc.	<u>MP00916</u>	
B	<u>NIBP cuff, M++, adult extra long, reusable</u> Length of upper arm or thigh: 23-33 cm. Circumference of upper arm or thigh, max.: 53 cm. Box of 1 pc.	<u>MP00917</u>	
C	<u>NIBP cuff, L, large adult, reusable</u> Length of upper arm or thigh: 31-40 cm. Circumference of upper arm or thigh, max.: 40 cm. Box of 1 pc.	<u>MP00918</u>	
D	<u>NIBP cuff, L+, large adult long, reusable</u> Length of upper arm or thigh: 31-40 cm. Circumference of upper arm or thigh, max.: 55 cm. Box of 1 pc.	<u>MP00919</u>	
E	<u>NIBP cuff, XL, thigh, reusable</u> Length of upper arm or thigh: 38-50 cm. Circumference of upper arm or thigh, max.: 50 cm. Box of 1 pc.	<u>MP00921</u>	

Figure 1 displays five different models of Dräger adult and large adult airway adjuncts, each shown in its packaging. The models are labeled A through E:

- A: ADULT LONG M+** (23-23/42 cm)
- B: ADULT EXTRA M++** (23-32/53 cm)
- C: LARGE ADULT L** (31-40 cm)
- D: LARGE ADULT LONG L+** (31-40/55 cm)
- E: THIGH XL** (38-50 cm)

Each device is black with white text and a Dräger logo. The packaging also includes a small diagram of the device's use and a list of features.

NON-INVASIVE BLOOD PRESSURE (NIBP)

A	NIBP cuff, L, large adult, single patient use	MP00931
	Length of upper arm or thigh: 31-40 cm.	
	Circumference of upper arm or thigh, max.: 40 cm.	
	Box of 10 pcs.	
B	NIBP cuff, L+, large adult long, single patient use	MP00932
	Length of upper arm or thigh: 31-40 cm.	
	Circumference of upper arm or thigh, max.: 55 cm.	
	Box of 10 pcs.	
C	NIBP cuff, XL, thigh, single patient use	MP00934
	Length of upper arm or thigh: 38-50 cm.	
	Circumference of upper arm or thigh, max.: 50 cm.	
	Box of 10 pcs.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-25300-2009



B

D-25299-2009



C

D-25298-2009



NON-INVASIVE BLOOD PRESSURE (NIBP)

1.5.4 NIBP CUFFS NEONATAL, DISPOSABLE

A	Cuff, neonatal, size 1, 10 pcs.	2870181
	Arm circumference 3.1-5.7 cm (1.2-2.3 in).	
B	Cuff, neonatal, size 2, 10 pcs.	2870199
	Arm circumference 4.3-8.0 cm (1.7-3.2 in).	
C	Cuff, neonatal, size 3, 10 pcs.	2870207
	Arm circumference 5.8-10.9 cm (2.3-4.3 in).	
D	Cuff, neonatal, size 4, 10 pcs.	2870215
	Arm circumference 7.1-13.1 cm (2.9-5.2 in).	
E	Cuff, neonatal, size 5, 10 pcs.	2870173
	Arm circumference 8.3-15.0 cm (3.3-5.9 in).	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

1.6 CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

Infinity® CNAP™ SmartPod®*

Note: Infinity® CNAP™ SmartPod® is available in select markets only.

Infinity® CNAP™ SmartPod® Starter Kit

MS17075

The Infinity® CNAP™ technology uses a sensor cuff together with a standard NIBP measurement, combined to display a continuous arterial waveform.

Includes:

A	Infinity® CNAP™ SmartPod®*	MS16905
B	CNAP™ Cuff Controller	MS16705
C	CNAP™ Connection Cable	MS15893
D	Cuff Controller Forearm Strap	MS16685
E	3 Sensor Cuffs	
	1 Sensor Cuff, large	MS15896
	1 Sensor Cuff, medium	MS15895
	1 Sensor Cuff, small	MS15894
	Pod connection cable, 3 m (9.8 ft)	3368425
	Universal Pole Mount	MS19705
	Requires: VF7 software or higher.	

Note:

Siemens SC 7000, SC 8000 and SC 9000XL monitors with software level below VF4 and the following hardware revisions require Memory Expansion Board (7494557):
Siemens SC 7000 below 14, SC 8000 below 17 and SC 9000XL below 6.

*Infinity® CNAP™ SmartPod® is not licensed in accordance with the Canadian Medical Device Regulations.

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.7 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.7.1 IBP & CO HEMO PODS

A	Hemo2 Pod	4319435
B	Hemo4 Pod	4315961
	Hemodynamic monitoring organizer that provides a one cable connection to the monitor for cardiac output, 2 temperatures and 2 invasive pressures (Hemo4 Pod 4315961: 4 invasive pressures). Includes electronic labels for the pressures and controls for pressure zeroing, wedge pressure calculation and cardiac output start. Including: – Universal pressure transducer mounting plate – Universal pole mount – Pod connection cable, 3 m (9.8 ft).	
C	HemoMed Pod	5588822
	Hemodynamic monitoring organizer that provides a one cable connection to the monitor for cardiac output and 4 invasive pressures. Includes controls for pressure zeroing, wedge pressure calculation and cardiac output start. Including: – Universal pressure transducer mounting plate – Universal pole mount – HemoMed connection cable, 3 m (9.8 ft).	
	HemoMed connection cable, 3 m (9.8 ft)	5591925
	HemoMed connection cable, 5 m (16.4 ft)	5591933
	Pod communication cable to monitor.	
D	Quickstop hinged arm for Pod	2M86464
	Hinged arm for rail systems to support precise positioning and safe fixation of Dräger monitoring pods, especially for HemoMed Pods. Length: 463 mm (18 in).	
E	Quickstop Set MultiMed Pod	MP00653
	Extension kit of the Quickstop hinged arm Pod 2M86464 for use with MultiNeoMed Pods.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL





INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.7.2 IBP HEMO POD ADAPTERS & PLATES

A	Hemo Pod adapter, 10-pin	3375958
	Adapter block to connect S400/S700/S900/S1200 pressure transducer cables (with 10-pin orange connectors) to the Hemo Pods. One adapter for each Hemo2 Pod and two for each Hemo4/HemoMed Pod.	
B	Hemo Pod adapter, Abbott/Medex	5196998
	Adapter to connect Abbott/Medex pressure transducers to the Hemo Pods. One adapter for each Hemo2 Pod and two for each Hemo4/HemoMed Pod.	
C	Hemo Pod adapter, Edwards	5196980
	Adapter to connect Edwards pressure transducers to the Hemo Pods. One adapter for each Hemo2 Pod and two for each Hemo4/HemoMed Pod.	
D	Hemo Pod adapter, Ohmeda	3375941
	Adapter block to connect Ohmeda (Spectramed) reusable and disposable pressure transducers to the Hemo Pods. One adapter for each Hemo2 Pod and two for each Hemo4/HemoMed Pod.	
E	Hemo Pod adapter, Memscap (Capto/SensoNor), 7-pin	4329160
	Adapter block to connect Memscap (Capto/SensoNor) and other pressure transducer cables with 7-pin connectors to the Hemo Pods. One adapter for each Hemo2 Pod and two for each Hemo4/HemoMed Pod.	
F	Hemo transducer plate, Abbott/Transpac IV, 5 pcs.	7270460
	For Hemo2 and Hemo4 Pods Holds Abbott Transpac IV transducers.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL






INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

A	Hemo transducer plate, Abbott II-III/Braun, 5 pcs.	5192112
	For Hemo2 and Hemo4 Pods Holds Abbott Transpac II, Abbott Transpac III, and Braun transducers.	
B	Hemo4 transducer plate, Memscap (Capto/SensoNor), 5 pcs.	4721416
	For Memscap (Capto/SensoNor) transducers. Not for Hemo2.	
C	Hemo4 transducer plate, universal, 5 pcs.	4721424
	Fits most transducers. Not for Hemo2.	
	Hemo2 transducer plate, Memscap (Capto/SensoNor), 5 pcs.	4721614
	For Memscap (Capto/SensoNor) transducers.	
D	Hemo2 transducer plate, universal, 5 pcs.	4721408
	Fits most transducers. Not for Hemo4.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

■	■	■	■	■
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■
■	■	■	■	■



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.7.3 IBP Y-CABLES & ADAPTERS

A	IBP adapter, 10-pin to 7-pin	3368383
Connects pressure transducer cables (with 10-pin orange connectors) to Infinity® configured monitors with 7-pin shielded input connectors.		
B	IBP Y-adapter, 7-pin	5592147
For transducers with 7-pin connectors. Cannot be used simultaneously with HemoMed Pod.		
C	IBP Y-adapter, 10-pin	5731281
For transducers with 10-pin connectors. Cannot be used simultaneously with HemoMed Pod.		
D	IBP intermediate Y-cable, Abbott, 3.7 m (12.1 ft)	5206573
For use with Infinity® monitors with the second invasive pressure option.		
E	IBP Y-cable adapter, 10-pin to 7-pin	5588095
Connects pressure transducer cables (with 10-pin orange connectors) to 7-pin shielded input connectors. For use with Infinity® configured monitors.		
F	IBP intermediate Y-cable, Edwards, 3.7 m (12.1 ft)	5206607
For use with Infinity® configured monitors with the second invasive pressure option.		

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-1605-2009



B

D-9145-2009



C

D-9021-2009



D

D-8980-2009



E

D-8995-2009



F

D-8994-2009



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.7.4 IBP MEMSCAP CABLES & TRANSDUCERS

A IBP intermediate cable Memscap (Capto/SensoNor), 3.7 m (12.1 ft)

4321563

Connects reusable Memscap (Capto/SensoNor) transducer (7489417) to Infinity® configured monitors.

IBP replacement dome for Memscap (Capto/SensoNor) 844, 50 pcs.

7864908

Disposable pressure dome Sterile.

B IBP disposable set Memscap (Capto/SensoNor) 844, 10 pcs.

7489433

Disposable monitoring kit for Memscap (Capto/SensoNor) 844 pressure transducers. Sterile.

Including:

- Diaphragm dome with 2-way stop cock for zeroing
- Pressure tubing with 3-way stop cocks
- Flush device
- Color-coded stickers.

C IBP Mounting Set, Memscap (Capto/SensoNor) 844

7864155

Transducer mounting set for Memscap (Capto/SensoNor) 844 transducers.

Including:

- Four individual transducer holders.

IBP Mounting Set, Memscap (Capto/SensoNor) 840

7267151

Transducer mounting set for Memscap (Capto/SensoNor) 840 transducers.

Including:

- Four individual transducer holders.

Can only be used together with existing 840 transducers.

GAMMA / GAMMA XL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-8/961-2009



B

D-9042-2009



C

D-9/46-2009



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

A	IBP transducer	
	Memscap (Capto/SensoNor) 844, reusable	7489417
	Reusable transducer (on a 25 cm (9.8 in) cable) to interface with IBP transducer extension cable Memscap (Capto/SensoNor) (7486876), or to connect to Hemo Pod adapter Memscap (Capto/SensoNor) (4329160). Recommended mounting: IBP Mounting Set, Memscap (Capto/SensoNor) 844 (7864155). Including: – One IBP replacement dome for Memscap (Capto/SensoNor) 844.	
B	IBP transducer extension cable	
	Memscap (Capto/SensoNor) 844, 1 pc.	7486876
	IBP transducer Memscap (Capto/SensoNor) 844 kit	7498947
	Including: – IBP transducer Memscap (Capto/SensoNor) 844, reusable – including one IBP dome – Hemo4 transducer plate, Memscap (Capto/SensoNor), 5 pcs. – Hemo Pod adapter Memscap (Capto/SensoNor), 7-pin – IBP disposable set Memscap (Capto/SensoNor) 844, 10 pcs. – IBP intermediate cable Memscap (Capto/SensoNor) 3.7 m (12.1 ft).	
C	IBP intermediate Y-cable, Memscap (Capto/SensoNor), 3.7 m (12.1 ft)	5195180
	For use with Infinity® Gamma monitors with the second invasive pressure option.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




INVASIVE BLOOD PRESSURE (IBP)
AND CARDIAC OUTPUT (CO)

1.7.5 IBP OHMEDA CABLES & TRANSDUCERS

A	IBP intermediate cable, Ohmeda, 3.7 m (12.1 ft)	3375933
	Connects Ohmeda (Spectramed) reusable and disposable pressure transducers to the Infinity® monitors or to a Y-cable.	
B	IBP intermediate Y-cable, Ohmeda, 3.7 m (12.1 ft)	5206581
	For use with Infinity® configured monitors with the second invasive pressure option.	
C	Transducer kit Ohmeda, disposable, 5 pcs.	4528741
	Gabbarith-tested DT-XX disposable transducer kit. Includes 60 micro drip administration set and R.O.S.E. Sterile.	

GAMMA / GAMMA XL						
GAMMA XL						
DELTA / DELTA XL						
KAPPA						
KAPPA XLT						
VISTA						
VISTA XL						



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.7.6 CO CABLES, CATHETERS & THERMISTORS

A	CO thermistor cable, Ohmeda	8420077
	Use with thermistor T-piece (5741975).	
B	CO thermistor T-piece Ohmeda, 25 pcs.	5741975
	Ohmeda disposable in-line injectate sensor for measurement of injectate temperatures. Use with 8420077.	
C	CO thermistor cable, Edwards	8539983
D	CO intermediate cable, 1 m (3.3 ft)	3368458
	Connects CO accessories to Hemo2/4 Pod and HemoMed Pod.	
E	CO catheter cable	8419160
	Connects catheter to intermediate cable.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



MINIMAL INVASIVE CARDIAC OUTPUT ACCESSORIES – INFINITY® PICCO POD

1.8 MINIMAL INVASIVE CARDIAC OUTPUT ACCESSORIES – INFINITY® PICCO POD


A	Infinity® PICCO Pod	MS17441
	Includes 3 m (9.8 ft) interface cable to monitor and universal pole mount.	
	CO thermistor cable	MS16919
	CO catheter cable	MS16918
	CO intermediate cable	MS16916
	Hemo Pod adapter, 10 pin	3375958
	Pulsion to 10-pin cable	MS16920

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-340-2008





NEUROLOGICAL ACCESSORIES

1.9 NEUROLOGICAL ACCESSORIES

1.9.1 INFINITY® EEG POD ACCESSORIES

A Infinity® EEG Pod

5736744

Augments neurological monitoring capabilities of Infinity® modular patient monitors with four channels of computer-processed EEG. Provides online, continuous multi-channel analysis and trending of EEG deviations to facilitate real-time detection of changes in a patient's neurological condition.

Standard parameters:

- 1 to 4-channel analog electroencephalograph (EEG) with display formats for EEG waveforms, EEG power spectra, and trends of computed parameters
- Computes EEG parameters of spectral edge frequency (SEF); burst suppression ratio (BSR); median frequency; total power; and beta, alpha, theta, and delta powers.

Features:

- Flexible - offers referential or differential operating modes
- Easy to use - uses a smart-pod concept to interface quickly and easily with Infinity® modular monitors
- Compact - small and lightweight, the pod can be conveniently mounted near the patient's head
- Reliable - continuous signal monitoring of each lead plus on-demand check of electrode impedance measurements
- Versatile - generates strip chart recordings of the electroencephalograph (EEG) via a R 50 recorder or laser printer plus laser printed images of the EEG power spectral display.

Including:

- Pod connection cable, 3 m (9.8 ft)
- Universal pole mount
- Reusable EEG lead 0.6 m (2 ft), set of 9.

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A



D-9026-2009



MULTIMED PODS AND ACCESSORIES

A	Reusable EEG lead, 0.6 m (2 ft), 9 pcs.	5947804
	Monitoring lead for EEG Pod Set of 9 snap style, color-coded leads with 0.6 m (2 ft) long wires.	
B	Referantial lead block converter	5954859
	Intermediate block for conversion from 9 leads to 6.	
	EEG intermediate cable, 2.5 m (8.2 ft)	1678270
	Shielded. Connects 5-lead EEG cable to EEG cartridge. For S4-/7-/9-/1200.	
C	EEG-ZipPrep, 75 electrodes	MP00004

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



NEUROLOGICAL ACCESSORIES

1.9.2 INFINITY® BISX SMARTPOD®

A	Infinity® BISx SmartPod®	MS14796
	<p>Easily interfaces to Infinity® modular monitors via a standard pod communication channel. Requires BISx Pod and BIS Quatro or Pediatric sensor for patient measurements.</p> <p>The BISx Pod allows the user to measure BIS index, signal quality index, burst suppression ratio, electromyography (EMG), total power, spectral edge frequency, and burst count. One EEG waveform can be displayed.</p> <p>Includes:</p> <ul style="list-style-type: none">– Pod connection cable, 3 m (9.8 ft)– Attached pole mount– Quatro or Pediatric disposable sensor, box of 25 pcs.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



A

MT-5816-2006



NEUROLOGICAL ACCESSORIES

1.9.3 INFINITY® TRIDENT (NMT) SMARTPOD®

A Infinity® Trident (NMT) SmartPod®

MS15007

Assesses neuromuscular blockade by monitoring thumb acceleration during electrical stimulation of a peripheral nerve. The Trident Pod operates in the following modes for neuromuscular transmission (NMT): single twitch, train-of-four or post-tetanic count. Uses two-lead stimulation electrodes and includes a thermistor for keeping an eye on patient temperature during the measurement. A reference twitch is established before the neuromuscular blocking agents are administered and subsequent measurements are compared to the reference. Offers a direct plug-in connection for the Infinity® EEG Pod, saving a pod communication port on the monitor.

Includes:

- Trident Pod
- Trident NMT cable
- 2-lead electrode grabber
- NMT Thermistor sensor
- Accelerometer
- Thumb adapter
- Hand adapter
- Large cable clip
- Pod connection cable, 3 m (9.8 ft)
- Universal pole mount.

Infinity® Trident (NMT) SmartPod®

7876910

Pod to measure neuromuscular transmission/blockade.

NMT Accelerometer, 1 pc.

MS15085

Measures thumb acceleration during NMT measurements.

NMT Thermistor, 1 pc.

MS15053

BIS XP/Quatro sensor to be used with A-2000 monitor XP 186-0119.

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-5600-2004



NEUROLOGICAL ACCESSORIES

NMT hand adapter	MS15086
Houses accelerometer and temperature sensor, connects to NMT accessory cable.	
NMT thumb adapter, disposable	MS15084
Houses accelerometer when the hand adapter is not being used.	
NMT accessory cable	7872174
Houses connectors for NMT sensor and electrode cable, connects to Trident Pod.	
NMT electrode cable	MS13218
Connects electrodes to accessory cable.	
NMT clip accessory, 1 pc.	MS15087
Large cable clip.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ETCO₂ & RESPIRATORY MECHANICS

1.10 ETCO₂ & RESPIRATORY MECHANICS

1.10.1 ETCO₂ PODS, MODULES AND KITS

A	etCO₂ Module	4319310
	Module and sensor use non-dispersive infrared technology to determine end tidal (expired) CO ₂ from respiratory gases. Mainstream and sidestream capabilities supported.	
B	Infinity® etCO₂ Microstream Pod	7870947
	<p>The etCO₂ Microstream Pod measures accurate etCO₂ with very low sampling flow in humid conditions for any application. The pod has a built in CO₂ sensor and the user only needs to select the applicable disposable Microstream cannula to get full functionality. It's a cost-efficient solution for measuring CO₂ for intubated or non-intubated patients in a wide area of clinical applications like ER, critical care or conscious sedation. The etCO₂ Microstream Pod has a short warm-up, requires no calibration and will provide correct measurement even when other gases are present in the exhaled sample. Long life moisture resistant cannulas help prevent interruption of monitoring as well as sample line occlusion. This will also minimize etCO₂ artifacts and help caregivers make well informed treatment decisions. Neonatal monitoring is done with ease even with high respiratory rates due to the low sample flow rate, low dead space and light-weight sample cell. Whether used at the bedside, in the field, or in transport, the etCO₂ Microstream Pod produces a crisp, accurate waveform and reading under all conditions with use on all types of patients. Requires a modular monitor with software VF3 or higher.</p> <p>Including:</p> <ul style="list-style-type: none"> – Pod connection cable, 3 m (9.8 ft) – Universal pole mount. 	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-9144-2009



B

D-9058-2009



ETCO₂ & RESPIRATORY MECHANICS

A etCO₂ Pod 5740738

Pod and sensor use non-dispersive infrared technology to determine end tidal (expired) CO₂ from respiratory gases. Mainstream and sidestream capabilities.

Including:

- Pod connection cable, 3 m (9.8 ft)
- Universal pole mount.

(If sold with Gamma, it must have a podport).

B etCO₂ & Respiratory Mechanics Pod 5740704

Augments advanced respiratory mechanics monitoring capabilities of Infinity® patient monitors by integrating flow and etCO₂ measurements. Provides on-line, continuous advanced respiratory parameter as well as traditional flow, pressure and volume parameters and waveforms. Proximal patient measurement provides extensive pulmonary overview independent of ventilator type used.

Standard parameters:

- Displays and trends up to 3 respiratory waveforms and up to 31 parameters, depending on category.
- One screen to view all parameters simultaneously.
- Mixed expired CO₂, CO₂ minute elimination, CO₂ expired, expired CO₂ tidal volume
- Peak inspiratory flow, peak expiratory flow, peak inspiratory pressure
- Mean airway pressure, positive end-expiratory pressure, pause pressure
- Inspired tidal volume, expired tidal volume, alveolar tidal volume, expired minute volume, alveolar minute volume
- Alveolar ventilation, airway deadspace, ratio of airway deadspace to tidal volume, physiological dead space to tidal volume ratio,
- Respiratory rate, inspired time, expired time
- I:E ratio, inspired dynamic airway resistance, expired dynamic airway resistance, dynamic lung compliance, C₂O/C_{dyn} ratio, endtidal CO₂, inspired CO₂ and rapid shallow breathing index.

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL



ETCO₂ & RESPIRATORY MECHANICS

A etCO₂ Pod kit with sensor 7265114

Including:

- etCO₂ Pod
- Pod connection cable, 3 m (9.8 ft)
- Universal pole mount
- etCO₂ capnostat III sensor with 2.4 m (7.9 ft) cable
- etCO₂ airway adapter, adult, reusable
- Calibration and reference cell
- Cable clip, 5 pcs.

B etCO₂ Module kit with sensor 7265122

Including:

- etCO₂ module
- etCO₂ capnostat III sensor with 2.4 m (7.9 ft) cable
- etCO₂ airway adapter, adult, reusable
- Calibration and reference cell
- Cable clip, 5 pcs.

C etCO₂ & Respiratory mechanics kit, adult 7497709

Including:

- etCO₂ and Respiratory mechanics Pod
- Pod connection cable, 3 m (9.8 ft)
- Universal pole mount
- etCO₂ capnostat III sensor with 2.4 m (7.9 ft) cable
- etCO₂ airway adapter, adult, reusable
- Calibration and reference cell
- Cable clip, 5 pcs.
- Respiratory mechanics combined flow/CO₂ sensor adult/paediatric disposable, 10 pcs.

GAMMA / GAMMA XL
 GAMMA X XL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL

A

D-9029-2009



B

D-9144-2009



C


D-9028-2009



ETCO₂ & RESPIRATORY MECHANICS1.10.2 RESPIRATORY MECHANICS
ACCESSORIES

A	etCO₂ capnostat III sensor with 2.4 m (7.9 ft) cable	4322975
	Including:	
	– etCO ₂ airway adapter, adult, reusable	
	– Calibration and reference cell	
	– Cable clip, 5 pcs.	
	Neonatal airway adapter can be ordered separately.	
B	Respiratory mechanics flow sensor, adult/pediatric	5957134
	Disposable, 10 pcs.	
	Respiratory mechanics flow sensor, neonatal	5957100
	Disposable, 10 pcs.	
C	Respiratory mechanics combined flow/CO₂ sensor, adult/pediatric	5957126
	Disposable, 10 pcs.	
	Respiratory mechanics combined flow/CO₂ sensor, pediatric	5957142
	Disposable, 10 pcs.	
	Respiratory mechanics combined flow/CO₂ sensor, neonatal	5957118
	Disposable, 10 pcs.	

GAMMA / GAMMA XL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLIT
VISTA
VISTA XL





ETCO₂ & RESPIRATORY MECHANICS1.10.3 ETCO₂ MAINSTREAM & SIDESTREAM ACCESSORIES

A	etCO₂ airway adapter, adult, reusable	4721796
A	etCO₂ airway adapter, neonatal, reusable	4721788
B	etCO₂ airway adapter, sidestream, 10 pcs.	4714437
	Sidestream airway adapter and tubing. Not for use with neonates.	
C	etCO₂ nafion tubing, 10 pcs.	4714429
	Nafion dehumidification tubing for sidestream monitoring.	
D	etCO₂ S-cannula, adult, 10 pcs.	4714395
	Adult nasal sampling cannula for etCO ₂ sidestream monitoring.	
D	etCO₂ S-cannula, pediatric, 10 pcs.	4714387
	Pediatric nasal sampling cannula for etCO ₂ sidestream monitoring.	

1.10.4 ETCO₂ MICROSTREAM ADAPTERS & CANNULAS

E	etCO₂ Microstream airway adapter, adult/pediatric, 25 pcs.	7869535
	Microstream etCO ₂ airway adapter with sampling line for adult or pediatric patients, for use with intubated patients. Recommended maximum usage up to 12 hours. For use with ET Tube > 4.0 mm (0.16 in). Non-sterile. Single patient use. Latex free.	
F	etCO₂ Microstream airway adapter for ICU, neonatal/pediatric, 25 pcs.	7869550
	Microstream etCO ₂ airway adapter with sampling line for infant or neonatal patients < 2 kg (4.4 lbs), for use with intubated patients. Recommended maximum usage up to 72 hours. For use in high humidity applications and with ET Tube 2.5-4.0 mm (0.09-0.16 in). Non-sterile. Single patient use. Latex free.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ETCO₂ & RESPIRATORY MECHANICS**A etCO₂ Microstream airway adapter for ICU, adult/pediatric, 25 pcs. 7869543**

Microstream etCO₂ airway adapter with sampling line for adult or pediatric patients, for use with intubated patients. Recommended maximum usage up to 72 hours. For use in high humidity applications and with ET Tube > 4.0 mm (0.16 in). Non-sterile. Single patient use. Latex free.

B etCO₂ Microstream nasal sampling cannula, adult, 25 pcs. 7869477

Microstream etCO₂ nasal sampling cannula for adult patients, for use with non-intubated patients. Recommended maximum usage up to 12 hours. Non-sterile. Single patient use. Latex free.

C etCO₂ Microstream nasal sampling cannula, pediatric, 25 pcs. 7869469

Microstream etCO₂ nasal sampling cannula for pediatric patients, for use with non-intubated patients. Recommended maximum usage up to 12 hours. Non-sterile. Single patient use. Latex free.

D etCO₂ Microstream nasal/mouth sampling cannula, adult, 25 pcs. 7869527

Microstream etCO₂ nasal and mouth sampling cannula for adult patients. Samples CO₂ independent of patients breathing patterns for use with non-intubated patients. Recommended for procedural sedation, EMS and ED, maximum usage up to 12 hours. Non-sterile. Single patient use. Latex free.

E etCO₂ Microstream nasal sampling cannula for ICU, adult, 25 pcs. 7869592

Microstream etCO₂ nasal sampling cannula for adult patients, for use with non-intubated patients in high humidity applications. Recommended maximum usage up to 24 hours. Non-sterile. Single patient use. Latex free.


GAMMA / GAMMA XL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ETCO₂ & RESPIRATORY MECHANICS

	etCO₂ Microstream nasal sampling cannula for ICU, pediatric, 25 pcs.	7869600
	Microstream etCO ₂ nasal sampling cannula for pediatric patients, for use with non-intubated patients in high humidity applications. Recommended maximum usage up to 24 hours. Non-sterile. Single patient use. Latex free.	
A	etCO₂ Microstream nasal sampling cannula + O₂, adult, 25 pcs.	7869493
	Microstream etCO ₂ nasal sampling cannula for adult patients, for use with non-intubated patients in high humidity applications where oxygen delivery is needed. Recommended maximum usage up to 24 hours. Non-sterile. Single patient use. Latex free.	
	etCO₂ Microstream nasal sampling cannula + O₂, pediatric, 25 pcs.	7869485
	Microstream etCO ₂ nasal sampling cannula for pediatric patients, for use with non-intubated patients in high humidity applications where oxygen delivery is needed. Recommended maximum usage up to 24 hours. Non-sterile. Single patient use. Latex free.	
B	etCO₂ Microstream nasal/mouth sampling cannula + O₂, adult, 25 pcs.	7869568
	Microstream etCO ₂ nasal and mouth sampling cannula for adult patients. Samples CO ₂ independent of patients breathing patterns for use with non-intubated patients where oxygen delivery is needed. Recommended for procedural sedation and critical care, maximum usage up to 12 hours. Non-sterile. Single patient use. Latex free.	
C	etCO₂ Microstream nasal/mouth sampling cannula + O₂, pediatric, 25 pcs.	7869584
	Microstream etCO ₂ nasal and mouth sampling cannula for pediatric patients. Samples CO ₂ independent of patients breathing pattern, for use with non-intubated patients where oxygen delivery is needed. Recommended for procedural sedation and critical care, maximum usage up to 12 hours. Non-sterile. Single patient use. Latex free.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ETCO₂ & RESPIRATORY MECHANICS

etCO₂ Microstream nasal/mouth sampling cannula, adult/pediatric, 25 pcs.

7869519

Microstream etCO₂ nasal and mouth sampling cannula for adult/pediatric patients 20-55 kg (44-121 lbs). Samples CO₂ independent of patients breathing pattern for use with non-intubated patients. Recommended for procedural sedation, EMS and ED, maximum usage up to 12 hours. Non-sterile. Single patient use. Latex free.

etCO₂ Microstream nasal/mouth sampling cannula + O₂, adult/pediatric, 25 pcs.

7869576

Microstream etCO₂ nasal and mouth sampling cannula for adult/pediatric patients 20-55 kg (44-121 lbs). Samples CO₂ independent of patients breathing pattern, for use with non-intubated patients where oxygen delivery is needed. Recommended for procedural sedation and critical care, maximum usage up to 12 hours. Non-sterile. Single patient use. Latex free.

A etCO₂ Microstream nasal sampling cannula for ICU, neonatal/pediatric, 25 pcs.

7869618

Microstream etCO₂ nasal sampling cannula for neonatal or pediatric patients < 10 kg (22 lbs), for use with non-intubated patients in high humidity applications. Recommended maximum usage up to 24 hours. Non-sterile. Single patient use. Latex free.

B etCO₂ Microstream nasal/mouth sampling cannula, pediatric, 25 pcs.


7869501

Microstream etCO₂ nasal and mouth sampling cannula for pediatric patients. Samples CO₂ independent of patients breathing pattern for use with non-intubated patients. Recommended for procedural sedation, EMS and ED, maximum usage up to 12 hours. Non-sterile. Single patient use. Latex free.

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-3014-2004



B

D-9054-2009




ANESTHETIC GAS MONITORING ACCESSORIES

1.11 ANESTHETIC GAS MONITORING ACCESSORIES

1.11.1 SCIO ACCESSORIES


A	CO₂ scrubber cartridge	1276679
B	Calibration kit MultiGas	5207415
	Including: – Cylinder (with O ₂ , CO ₂ , N ₂ O and Isoflurane) – Regulator – Reservoir bag.	
C	Sampleline set, disposable, 10 pcs.	8290286
	Disposable sampling line for Scio gas module.	
D	Watertrap WaterLock® 2, set of 12 pcs.	6872130
	Replacement for watertrap 6870567.	
E	Adapter, set of 6 pcs.	6872128
	To connect the new WaterLock® 2 for all Dräger devices with the holder for the old watertrap 6870267. Attention: For retrofitting of Zeus® please contact your local service organisation.	
	Starterkit WaterLock® 2	6872160
	Including: – 1 set (12 pcs.) WaterLock® 2 – 1 set (6 pcs.) adapter.	
F	Infinity® ID WaterLock® 2, set of 12 pcs.	6872020
	Watertrap for devices with integrated Infinity® ID modul.	
	Sample gas return kit for Fabius®	M32692
G	T-piece for sample gas	8600224
	For sidestream measurement in combination with Y-piece.	
H	Filter for T-piece	8600225
	In combination with T-piece (8600224).	



ANESTHETIC GAS MONITORING ACCESSORIES

1.11.2 MGM ACCESSORIES

A	Airway adapter, straight, 12 pcs.	1276067
B	Airway adapter, elbow, 12 pcs.	1276737
C	Gas scavenging adapter	1276653
	Size: 19 x 19 mm (0.7 x 0.7 in) male and female "T" with hose and Luer fitting.	
	External airway filter 0.8 µm	1276695
	MGM maintenance kit	5206854
	Including: Nafion tubing, watertrap manifold seal, room air filter, internal bacterial filter, fan filter.	
D	Sampling line, 1.5 m (4.9 ft), 12 pcs.	1276075
	Sampling line with male Luer fittings at each end for use with airway adapter (1276067 or 1276737).	
E	Watertrap MGM, 30 pcs.	MS13826
	Disposable watertrap for use with Siemens MGM 5189407 and MGM+ (5189415), replaces 5190371. Requires sampling line 8290286 (anesthesia part).	
	Sampleline set, disposable, 10 pcs.	8290286
	Delta/DeltaXL/Kappa cable, 3 m (9.8 ft)	5190447
	Delta/DeltaXL/Kappa cable, 2 m (6.6 ft)	7872984
	Delta/DeltaXL/Kappa cable, 30 cm (11.8 in)	7874501
	Delta/DeltaXL/Kappa cable, 1.5 m (4.9 ft)	MS13865
	Not approved for the US.	
	Delta/DeltaXL/Kappa cable, 30 cm (11.8 in)	MS13504
	Not approved for the US.	
	Adapter 9-15 pin	MS13506
	For all connections.	



NEONATAL MONITORING

1.12 NEONATAL MONITORING

1.12.1 TRANSCUTANEOUS MONITORING
(TPO₂/TPCO₂)

A	tpO₂/tpCO₂ Pod	5592535
	Small, lightweight module that can easily be mounted close to the incubator provides transcutaneous measurement of the partial pressures of oxygen and carbon dioxide. Compatible with radiometer transducers.	
	Standard parameters:	
	– tpO ₂ , tpCO ₂ .	
	Including:	
	– Pod connection cable, 1 m (3.3 ft)	
	– Universal pole mount.	
	Requires:	
	– tpO ₂ + tpCO ₂ solid state electrode.	
B	tpO₂ + tpCO₂ solid state electrode	4529988
	Connects to tpO ₂ + tpCO ₂ cartridge and tpO ₂ /CO ₂ Pod.	
	D280 membraning kit for tcpO₂/tcpCO₂ electrode	MP00715
	Includes:	
	– 1 bottle of tcpO ₂ /tcpCO ₂ electrolyte solution	
	– 12 green membrane units with PP membrane	
	– 1 O-ring remover key and cleaning paper.	
	D282 fixation kit for tc electrode	MP00716
	4 x 25 disposable fixation rings and 4 x 20 ml (0.7 fl oz.) contact liquid.	
	Calibration gas 20,9% O₂/5% CO₂, 12 pcs.	MP00717
	Gas mixture cylinder, 1 l (35.2 fl oz.).	
	Electrode holder kit	MP00718
	Includes: Electrode holder, screw and O-ring.	
	TCC	MP00722
	Calibration unit.	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A



MT-2179-2004

B



D-8969-2009

NEONATAL MONITORING RECORDER PAPER

1.12.2 FIO₂

A	NeoMed Pod, 2.5 m (8.2 ft)	5590539
	Multiparameter cable to monitor neonatal 3-lead ECG, impedance respiration, SpO ₂ , two temperatures (Infinity® modular monitors only), and FiO ₂ (Infinity® modular monitors only). Not for use during electrosurgery. Including: – Pod mount.	

B	FiO₂ sensor cable	5597898
	For measurement of the O ₂ concentration in the incubator.	

	O₂ cell with O-ring	9004979
	O ₂ cell connects to O ₂ sensor cable that can be hooked to the NeoMed Pod.	

1.13 RECORDER PAPER

C	Recording paper, 10 rolls, S342R	4529038
	For use with S342R. 63 mm wide (2.5 in), approx. 30 m long (100 ft).	

	Infinity® R 50 recording paper, 10 rolls	4711201
	For use with Infinity® R 50 recorder. 50 mm wide (2 in), approx. 30 m (100 ft) long.	

GAMMA / GAMMA XL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-8995-2009



B

D-9019-2009



C

D-4972-2009



INFINITY® TRUST™ TELEMETRY

A 1.14 INFINITY® TRUST™ TELEMETRY

Lightweight, water resistant (IPX7 rating) telemetry transmitter for monitoring vital signs of ambulatory patients. Single transmitter supports 3-wire, 5-wire, or 6-wire lead sets for ECG monitoring of 1-lead, 7-leads (1 chest lead), 8-leads (2 precordial leads), or 12-leads with TruST™ algorithm.

Features:

- Long battery life, compact, and lightweight
- Digital reprogrammable transmitter
- Staff alert and remote strip recording buttons on transmitter
- Leads off and status LED lights.

Options:

- Vital connection cable
- MicrO₂+® Pulse Oximeter
- MicrO₂+® Pulse Oximeter connection cable
- ECG analog cable.

Requires:

- Infinity® Telemetry Receiver CPU
- MultiView WorkStation
- TruST™ ECG Telemetry lead sets.

All Telemetry grabber sets can be used with all monitors.



INFINITY® TRUST™ TELEMETRY

1.14.1 TELEMETRY GRABBER SETS

Infinity® TruST™ Telemetry lead sets can also be used in combination with MultiMed plus.
Length 686 mm (27 in). Shielded, not for OR use.
Lead set for disposable electrodes.

A	3-lead grabber set, TruST™ Telemetry, IEC1 European (European color code)	7499804
A	3-lead grabber set, TruST™ Telemetry, IEC2 AHA/US (AHA/US color code)	7499812
B	5-lead grabber set, TruST™ Telemetry, IEC1 European (European color code)	7499820
B	5-lead grabber set, TruST™ Telemetry, IEC2 AHA/US (AHA/US color code)	7499838
C	6-lead grabber set, TruST™ Telemetry, IEC1 European (European color code)	7499846
C	6-lead grabber set, TruST™ Telemetry, IEC2 AHA/US (AHA/US color code)	7499853
	3-lead grabber set, Infinity® Telemetry, IEC1 European (European color code)	7863728
	3-lead grabber set, Infinity® Telemetry, IEC2 AHA/US (AHA/US color code)	7863710
	5-lead grabber set, Infinity® Telemetry, IEC1 European (European color code)	5956367
	5-lead grabber set, Infinity® Telemetry, IEC2 AHA/US (AHA/US color code)	5956359



INFINITY® TRUST™ TELEMETRY

1.14.2 ADAPTER

A	Adapter MonoLead to MultiMed 5 Pod	MS14679
	Adapter is required to connect the MonoLead 3/5 to the MultiMed 5 Pod.	
	Adapter MonoLead to MultiMed 6 Pod	MS14680
	Adapter is required to connect the MonoLead 3/5 to the MultiMed 6 Pod.	
	Telemetry lead adapter	MS14681
	Adapter used to connect TruST™ Telemetry lead sets to an Infinity® Telemetry Transmitter. Not to be used to connect Infinity® Telemetry sets to MultiMed Pods.	



1.14.3 ADAPTER CABLES

Transmitter analog ECG cable	4316621
Used to connect Infinity® Telemetry or TruST™ Telemetry Transmitter to MultiMed Pod for lead II display on any Infinity® bedside monitor.	
Vital connection cable	MS15421
Cable links Infinity® Telemetry Transmitter to Infinity® Delta/Delta XL, Gamma X XL and Vista XL patient monitors for NIBP and SpO ₂ measurements displayed and stored at the Infinity® CentralStation.	

1.14.4 POUCH

Shower pouch, reusable	MS18630
Reusable pouch for MicrO ₂ +®. 10 pcs.	
Pouch tele transmitter, disposable	MS22905
Disposable pouch for Infinity® M300 and MicrO ₂ +®. 100 pcs.	

POWER SOURCES

1.15 POWER SOURCES

A	Infinity® Gamma/Gamma XL battery charger	4710211
	Not for Lithium-ion batteries. Mains power inlet cable must be ordered separately. Recharges up to four batteries (5947697) simultaneously.	
B	Infinity® Gamma/Gamma XL replacement battery	5947697
	Lead acid battery. Must recharge every 6 months.	
C	Infinity® Gamma/Gamma XL Lithium-ion battery	5732354
	2.5 hours battery operation Long life-cycle. No memory effect. Only for internal charging.	
D	Infinity® Delta/Delta XL SLA battery charger	5597377
	Charging station for 4 SLA battery packs.	
E	Infinity® Delta/Delta XL SLA battery pack	5592097
	Provides an additional 50 minutes of battery life. Can be "hot swapped" for extended battery life.	
F	Lithium battery, 6 pcs.	3361164
	For use in Infinity® Telemetry Transmitter, MicrO ₂ and MicrO ₂ +®. Significantly outlasts alkalines.	
G	Infinity® SC 9000 battery module	4319344

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



CLIPS AND CATHCOR CABLE

1.16 CLIPS AND CATHCOR CABLE

A	Bed sheet clip Assembly, 5 pcs.	5739870
	Fits on MultiMed Pod. Replaces 3368789 and 4718495.	
B	ECG cable CATHCOR/RECOR Infinity®, 3 m (9.8 ft)	5735332
	Trunk cable PK200 for CATHCOR/RECOR with 5-lead connection for Infinity® Monitor.	
C	Velcro straps, 50 pcs.	5206227
	Roll of velcro straps, for use in organizing cables and securing cables to bed rails, IV poles, etc.	



ECG

2. ACCESSORIES FOR MONITORING SYSTEMS:

PM 8010, PM 8014, PM 8060, PM 8060 Vitarä,
Julian®, Cicero® EM, Parameterbox, Dialog 2000.

2.1 ECG**2.1.1 BASIC CABLES FOR DRÄGER MONITORS, WITHOUT HF**

A	ECG basic cable, 3-lead, 1.5 m (4.9 ft)	M35369
A	ECG basic cable, 3-lead, 2.75 m (9 ft)	M35364
B	ECG basic cable, 5-lead, 2.75 m (9 ft)	M35365

2.1.2 BASIC CABLES FOR DRÄGER MONITORS, WITH HF

	ECG basic cable, 3-lead, HF, 1.5 m (4.9 ft)	M35367
	ECG basic cable, 3-lead, HF, 2.75 m (9 ft)	M35366
	ECG basic cable, 5-lead, HF, 2.75 m (9 ft)	M35368



ECG

2.1.3 ECG PATIENT CABLE FOR DRÄGER MONITORS, WITHOUT HF

A	ECG patient cable, 3-lead	M35360
B	ECG patient cable, 5-lead	M35362

2.1.4 ECG PATIENT CABLE FOR DRÄGER MONITORS, WITH HF

A	ECG patient cable, 3-lead, HF	M35361
B	ECG patient cable, 5-lead, HF	M35363

2.1.5 ELECTRODES

C	ECG electrodes, disposable, 50 pcs.	4527750
	General purpose electrodes for adults. Pre-gelled, not for ambulatory use.	



SPO₂**2.2 SPO₂****2.2.1 CABLES FOR SPO₂**

For: PB8800, PM8050, PM8040, Julian®, Evita® 4 and Vamos; except Vamos with Oximax® Technology.

A	SpO₂ sensor extension cable, 1.3 m (4.3 ft)	8201015
A	SpO₂ sensor extension cable, 2.6 m (8.5 ft)	8600859
B	SpO₂ basic cable, 1.5 m (4.9 ft)	M35371
B	SpO₂ basic cable, 2.4 m (7.9 ft)	M35370

2.2.2 DRÄGER**2.2.2.1 REUSABLE SENSOR**

C	Dräger SpO₂ finger sensor, adult	MS13235
High quality reusable SpO ₂ finger sensor for use on adult and pediatric patients. Validated for use with all Dräger patient monitors. Patient weight: > 30 kg (66 lbs).		

2.2.2.2 DISPOSABLE SENSORS

D	Dräger SpO₂ sensor, adult, vinyl	MS16449
Patient weight: > 30 kg (66 lbs). Non sterile. Box of 24 adult sensors.		
E	Dräger SpO₂ sensor, adult, foam	MS16445
Patient weight: > 30 kg (66 lbs). Non sterile. Box of 24 adult sensors.		



SPO₂

A	Dräger SpO₂ sensor, pediatric, vinyl	MS16448
	Patient weight: 10-50 kg (22-110 lbs). Non sterile. Box of 24 pediatric sensors.	
B	Dräger SpO₂ sensor, pediatric, foam	MS16444
	Patient weight: 10-50 kg (22-110 lbs). Non sterile. Box of 24 pediatric sensors.	
C	Dräger SpO₂ sensor, infant, cloth	MS16447
	Patient weight: 3-20 kg (6.6-44 lbs). Non sterile. Box of 24 infant sensors.	
D	Dräger SpO₂ sensor, neonatal, cloth	MS16446
	Patient weight: < 3 kg (6.6 lbs). Non sterile. Box of 24 neonatal sensors.	



SPO₂**2.2.3 NELLCOR®****2.2.3.1 REUSABLE SENSORS**

A	Nellcor® SpO₂ sensor DURA DS-100A	7262764
	Reusable SpO ₂ adult sensor. For finger or toe application. Patient weight: > 40 kg (88 lbs).	
B	Nellcor® DURA-Y SpO₂ sensor, D-YS	MX01004
	Incl. range with 40 adhesive strips.	
C	Nellcor® DURA-Y ear clip	MX01005

2.2.3.2 DISPOSABLE OXIMAX® SENSORS

D	Nellcor® SpO₂ sensor, Oximax® Max-A, 24 pcs.	MX50065
	Adults > 30 kg (66 lbs), cable 45 cm (17.7 in). Latex free.	
E	Nellcor® SpO₂ sensor, Oximax® Max-AL, 24 pcs.	MX50071
	Adults > 30 kg (66 lbs), cable 90 cm (35.4 in). Latex free.	





SPO₂

A	Nellcor® SpO₂ sensor, Oximax® Max-I, 24 pcs.	MX50067
	Children 1-20 kg (2.2-44 lbs). Latex free.	
B	Nellcor® SpO₂ sensor, Oximax® Max-N, 24 pcs.	MX50068
	Adults and neonates < 3 kg (6.6 lbs) or > 40 kg (88 lbs). Latex free.	
C	Nellcor® SpO₂ sensor, Oximax® Max-P, 24 pcs.	MX50066
	Children 10-50 kg (22-110 lbs). Latex free.	
D	Nellcor® SpO₂ sensor, Oximax® Max-R, 24 pcs.	MX50069
	For nose of an adult. Latex free.	
E	Nellcor® SpO₂ sensor, Oximax® Max-Fast, 24 pcs.	MX50070
	Forehead > 10 kg (22 lbs). Latex free.	



SPO₂**2.2.3.3 OXIBAND SENSORS**

A	Nellcor® Oxiband sensor A/N	8201013
	Newborns < 3 kg (6.6 lbs), adults > 50 kg (110 lbs), complete.	
B	Nellcor® Oxiband wrap A/N, 100 pcs.	8201012
	For Oxiband adult sensor 8201013.	
C	Nellcor® Oxiband sensor P/I	2170205
	Children 3-15 kg (6.6-33 lbs), complete, incl. 50 strips.	
D	Nellcor® Oxiband wrap P/I, 100 pcs.	2170221
	For Oxiband infant sensor 2170205.	



NON-INVASIVE BLOOD PRESSURE (NIBP)

2.3 NON-INVASIVE BLOOD PRESSURE (NIBP)

2.3.1 REUSABLE CUFFS, LATEX FREE

These cuffs can be used with NIBP hose M36039 and M36040.

A	Cuff, child, 1t, Luer Slip connector	M36032
	Arm circumference 12-19 cm (4.7-7.5 in), cuff width 8 cm (3 in).	
B	Cuff, small adult, 1t, Luer Slip connector	M36033
	Arm circumference 17-25 cm (6.7-9.8 in), cuff width 10.5 cm (4.1 in).	
C	Cuff, adult, 1t, Luer Slip connector	M36034
	Arm circumference 23-33 cm (9.1-13 in), cuff width 14 cm (5.5 in).	
D	Cuff, large adult, 1t, Luer Slip connector	M36035
	Arm circumference 31-40 cm (12.2-15.8 in), cuff width 18 cm (7.1 in).	
E	Cuff, thigh, 1t, Luer Slip connector	M36036
	Thigh circumference 38-50 cm (15-19.7 in), cuff width 21 cm (8.3 in).	



NON-INVASIVE BLOOD PRESSURE (NIBP)

2.3.2 DISPOSABLE CUFFS, NEONATAL

The cuffs are latex free, made of tough nylon material and are colour-coded. These cuffs can be used with NIBP hose M36039 and M36040.

A	Cuff, neonatal, size 1, 10 pcs.	2870181
	Arm circumference 3.1-5.7 cm (1.2-2.3 in).	
B	Cuff, neonatal, size 2, 10 pcs.	2870199
	Arm circumference 4.3-8.0 cm (1.7-3.2 in).	
C	Cuff, neonatal, size 3, 10 pcs.	2870207
	Arm circumference 5.8-10.9 cm (2.3-4.3 in).	
D	Cuff, neonatal, size 4, 10 pcs.	2870215
	Arm circumference 7.1-13.1 cm (2.9-5.2 in).	
E	Cuff, neonatal, size 5, 10 pcs.	2870173
	Arm circumference 8.3-15.0 cm (3.3-5.9 in).	




NON-INVASIVE BLOOD PRESSURE (NIBP) INVASIVE BLOOD PRESSURE (IBP)

2.3.3 NIBP HOSES AND CONNECTORS

A	NIBP double hose, 1.5 m (4.9 ft) with Infinity® LuerLock connector	MP00740
	Cuffs for Infinity® Monitoring can be used without adapter or modification.	
A	NIBP double hose, 3 m (9.8 ft) with Infinity® LuerLock connector	MP00741
	Cuffs for Infinity® Monitoring can be used without adapter or modification.	
	NIBP Set adult, 1.5 m (4.9 ft)	MP00743
	Kit contains NIBP double hose 1.5 m (4.9 ft) (MP00740) and cuff adult (MS14428).	
	NIBP Set adult, 3 m (9.8 ft)	MP00742
	Kit contains NIBP double hose 3 m (9.8 ft) (MP00741) and cuff adult (MS14428).	
B	NIBP hose adult, 1.5 m (4.9 ft) with Luer Slip connector	M36039
B	NIBP hose adult, 3 m (9.8 ft) with Luer Slip connector	M36040

2.4 INVASIVE BLOOD PRESSURE (IBP)

C	"Novotrans II" pressure transducer set	8500347
	Consisting of transducer, cable and 2 disposable domes.	
C	"Novotrans II" pressure accessories set	8500348
	Consisting of clip and holder.	




TEMPERATURE PEEG

2.5 TEMPERATURE

A	Temperature sensor for rectal measurement For children, 2.75 m (9 ft).	M35374
B	Temperature sensor for rectal measurement For adults, 2.75 m (9 ft).	M35372
C	Temperature sensor Skin, 2.75 m (9 ft).	M35373
D	Temperature protective cover, 10 pcs. For rectal application, non-sterile.	7014616

2.6 PEEG

E	RS 232 cable, 2 m (6.6 ft), sub-D, 9-pole, f/m, 1:1	8601474
F	Needle electrode cable	8601321



SPO₂



3. ACCESSORIES FOR MICRO₂+®

3.1 SPO₂

3.1.1 MASIMO SENSORS, CABLES AND ACCESSORIES



3.1.1.1 MASIMO REUSABLE SENSORS

A	Masimo SpO₂ sensor LNOP DCI	7270312
	Adult finger clip style sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	
B	Masimo SpO₂ sensor LNOP DCIP	7270304
	Pediatric/adult Slender finger clip style sensor. Patient weight: 10-50 kg (22-110 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	
C	Masimo SpO₂ sensor LNOP YI	7497014
	Multisite reusable sensor V shaped multisite reusable sensor with a 90 cm (35.4 in) cable that can be used on patients: > 1 kg (2.2 lbs). The sensor is attached using either an adhesive attachment wrap or a non-adhesive foam wrap. Patient weight: > 1 kg (2.2 lbs).	
D	Masimo Cleanshield wrap for LNOP YI	5702218
	Cleanshild multisite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
E	Masimo Multisite wrap for SpO₂ LNOP YI	7496917
	Standard multisite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
	Masimo Petite wrap for SpO₂ LNOP YI	7496909
	Standard petite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
F	Masimo Foam wrap, neonatal, 12 pcs.	5702551
	Set of 12 replacement foam wraps for SpO ₂ LNOP YI sensor.	







SPO₂

A Masimo SpO₂ sensor LNOP TI	7497006
Ear reusable sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ear lobe or pinna. Unique hook limits constriction of blood flow.	
B Masimo Posey wrap, 12 pcs.	7496933
Set of posey wrap for neonatal sensor.	
C Masimo tapes for NeoPt, 100 pcs.	7496925
Set of 100 replacement tapes for neonatal sensors.	
D Masimo accessory clothing clip, 5 pcs.	7496883
Set of 5 replacement clothing clips for the sensor.	
E Masimo adhesive square, 12 pcs.	7496875
Set of 12 x 12 replacement adhesive squares for the sensor.	






SPO₂**3.1.1.2 MASIMO DISPOSABLE SENSORS**

A	Masimo SpO₂ sensor LNOP Adt, 20 pcs.	7496990
	Adult single patient adhesive sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand. Latex free.	
B	Masimo SpO₂ sensor LNOP Pt, 20 pcs.	7496982
	Pediatric/slender digit single patient adhesive sensor. Patient weight: 10-50 kg (22-110 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand. Latex free.	
C	Masimo SpO₂ sensor LNOP Neo, 20 pcs.	7496974
	Neonatal single patient adhesive sensor. Patient weight: < 10 kg (22 lbs). Recommended monitoring site: – For infants < 3 kg (6.6 lbs): across the foot or alternatively across the palm & back of hand. – For infants > 3 kg (6.6 lbs): the thumb or the great toe. Latex free.	
D	Masimo SpO₂ sensor LNOP NeoPt, 20 pcs.	7496966
	Neonatal preterm single patient adhesive sensor. Patient weight: < 1 kg (2.2 lbs). Recommended monitoring site: across the foot or alternatively across the palm & back of hand. Latex free.	



SPO₂

A	Masimo Posey wrap for NeoPt, 12 pcs.	5701935
	Set of posey wrap for neonatal sensor.	
B	Masimo tapes for NeoPt, 100 pcs.	7496925
	Set of 100 replacement tapes for neonatal sensors.	
C	Masimo SpO₂ pack LNOP Adt + Pt	7496941
	Adult/pediatric sensor sample pack for use in mixed wards.	
	Contains:	
	- (3) LNOP Adt adhesive sensors (7496990)	
	- (1) LNOP Pt adhesive sensor (7496982).	
D	Masimo SpO₂ pack LNOP Neo + NeoPt	7496958
	Neonatal sensor sample pack for use on all neonates.	
	Contains:	
	- (3) LNOP Neo adhesive sensors (7496974)	
	- (1) LNOP NeoPt. adhesive sensor (7496966).	



SPO₂

3.1.2 NELLCOR® SENSORS, CABLES AND ACCESSORIES

3.1.2.1 NELLCOR® REUSABLE SENSORS

A	Nellcor® SpO₂ sensor DURA DS-100A	7262764
	Reusable SpO ₂ adult sensor. For finger or toe application. Patient weight: > 40 kg (88 lbs).	

B	Nellcor® DURA-Y SpO₂ sensor, D-YS	MX01004
	Incl. range with 40 adhesive strips.	

3.1.2.2 NELLCOR® OXIMAX® SENSORS

C	Nellcor® SpO₂ sensor, Oximax® Max-A, 24 pcs.	MX50065
	Adults > 30 kg (66 lbs), cable 45 cm (17.7 in). Latex free.	

D	Nellcor® SpO₂ sensor, Oximax® Max-AL, 24 pcs.	MX50071
	Adults > 30 kg (66 lbs), cable 90 cm (35.4 in). Latex free.	

E	Nellcor® SpO₂ sensor, Oximax® Max-I, 24 pcs.	MX50067
	Children 1-20 kg (2.2-44 lbs). Latex free.	

F	Nellcor® SpO₂ sensor, Oximax® Max-N, 24 pcs.	MX50068
	Adults and neonates < 3 kg (6.6 lbs) or > 40 kg (88 lbs). Latex free.	

G	Nellcor® SpO₂ sensor, Oximax® Max-P, 24 pcs.	MX50066
	Children 10-50 kg (22-110 lbs). Latex free.	




SPO₂

3.1.3 POWER SOURCES

A	Lithium battery, 6 pcs.	3361164
	For use in Infinity [®] Telemetry transmitter, MicrO ₂ and MicrO ₂ + [®] . Significantly outlasts alkalines.	
B	MicrO₂+[®] AC power adapter, switchable 110/220 V AC	7492106
	For AC power only Output 9 V DC. Will not recharge any batteries.	
C	Zinc-air battery cover	2878564
	Transmitter battery cover with holes to allow air circulation when using zinc-air batteries.	

3.1.4 CABLES AND OTHER ACCESSORIES

D	Dual SpO₂ cable with converter	7499614
	Cable for connecting a MicrO ₂ + [®] to a modular monitor, provides a second SpO ₂ parameter, requires modular monitor software VF2 or higher.	
	Vital connection cable	MS15421
	Cable links Infinity [®] telemetry transmitter to Infinity [®] Delta/Delta XL, Gamma X XL and Vista XL patient monitors for NIBP and SpO ₂ measurements displayed and stored at the Infinity [®] CentralStation.	
E	Trend output PC connection cable	7486991
	Connects MicrO ₂ + [®] directly to a PC for trend output. Requires Profox Oxymetry software (PO).	
F	MicrO₂ transmitter connection cable, 20 cm (7.9 in)	1270318
	Connects telemetry transmitter to MicrO ₂ and MicrO ₂ + [®] .	
	Shower pouch, reusable	MS18630
	Reusable pouch for MicrO ₂ + [®] . 10 pcs.	
	Pouch tele transmitter, disposable	MS22905
	Disposable pouch for Infinity [®] M300 and MicrO ₂ + [®] . 100 pcs.	




OXYTREND

3.2 OXYTREND

OxyTrend is an easy to use stand alone pulse oximeter that offers a reliable measurement of SpO₂ value and pulse rate. It is suitable for neonates, children and adults. It can be used in a hospital environment as well as at home for monitoring during invasive and non-invasive ventilation therapy, monitoring of neonates in critical situations, overnight studies for sleep diagnostic and quick check of patient in e.g. emergency rooms. The Masimo technology is reliable in all circumstances and the small size makes it flexible to use.




3.2.1 REUSABLE SENSORS

A	Masimo SpO₂ sensor LNOP DCI	7270312
	Adult finger clip style sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	
	Masimo SpO₂ sensor LNCS DCI	MP00796
	Adult finger clip style sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	
B	Masimo SpO₂ sensor LNOP DCSC	5702056
	Reusable SpO ₂ sensor for adults with connection to monitor (without additional sensor cable).	
C	Masimo SpO₂ sensor LNOP DCIP	7270304
	Pediatric/adult slender finger clip style sensor. Patient weight: 10-50 kg (22-110 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	
	Masimo SpO₂ sensor LNCS DCIP	MP00795
	Pediatric/adult slender finger clip style sensor. Patient weight: 10-50 kg (22-110 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand.	
D	Masimo SpO₂ sensor LNOP YI	7497014
	Multisite reusable sensor V shaped multisite reusable sensor with a 90 cm (35.4 in) cable that can be used on patients > 1 kg (2.2 lbs). The sensor is attached using either an adhesive attachment wrap or a non-adhesive foam wrap. Patient weight: > 1 kg (2.2 lbs).	



OXYTREND





A	Masimo Cleanshield wrap for LNOP YI	5702218
	Cleanshild multisite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
B	Masimo Multisite-wrap for SpO₂ LNOP YI	7496917
	Standard multisite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
	Masimo Petite wrap for SpO₂ LNOP YI	7496909
	Standard petite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
C	Masimo Foam wrap, neonatal, 12 pcs.	5702551
	Set of 12 replacement foam wraps for SpO ₂ LNOP YI sensor.	
D	Masimo SpO₂ sensor LNOP TI	7497006
	Ear reusable sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ear lobe or pinna. Unique hook limits constriction of blood flow.	
E	Masimo adhesive square, 12 pcs.	7496875
	Set of 12 x 12 replacement adhesive squares for the sensor.	
F	Masimo accessory clothing clip, 5 pcs.	7496883
	Set of 5 replacement clothing clips for the sensor.	



OXYTREND

3.2.2 DISPOSABLE SENSORS

A	Masimo SpO₂ sensor LNOP Adt, 20 pcs.	7496990
	Adult single patient adhesive sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand. Latex free.	
B	Masimo SpO₂ sensor LNOP Pt, 20 pcs.	7496982
	Pediatric/slender digit single patient adhesive sensor. Patient weight: 10-50 kg (22-110 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand. Latex free.	
C	Masimo SpO₂ sensor LNOP Neo, 20 pcs.	7496974
	Neonatal single patient adhesive sensor. Patient weight: < 10 kg (22 lbs). Recommended monitoring site: – For infants < 3 kg (6.6 lbs): across the foot or alternatively across the palm & back of hand. – For infants > 3 kg (6.6 lbs): the thumb or the great toe. Latex free.	
D	Masimo SpO₂ sensor LNOP NeoPt, 20 pcs.	7496966
	Neonatal preterm single patient adhesive sensor. Patient weight: < 1 kg (2.2 lbs). Recommended monitoring site: across the foot or alternatively across the palm & back of hand. Latex free.	
E	Masimo Posey wrap for NeoPt, 12 pcs.	5701935
	Set of 12 posey wrap for neonatal sensor.	





OXYTREND

A	Masimo tapes for NeoPt, 100 pcs.	7496925
	Set of 100 replacement tapes for neonatal sensors.	
B	Masimo SpO₂ sensor LNOP Adt-L	5702877
	Box of 20 disposable long adult sensors.	
C	Masimo SpO₂ sensor LNOP Inf-L	5702876
	Box of 20 disposable long infant sensors.	
D	Masimo SpO₂ sensor LNOP Neo-L	5702879
	Box of 20 disposable long neonatal sensors.	
E	Masimo SpO₂ sensor LNOP NeoPt-L	5702878
	Box of 20 disposable long premature sensors.	
	Masimo Posey wrap NeoPt-L	5702888
	Set of 12 posey wraps for NeoPt-L sensor.	
	Masimo tapes Neo-L	5702889
	Set of 100 tapes for Neo-L SpO ₂ sensor.	



OXYTREND

Masimo SpO₂ sensor LNCS Adt		MP00790
Patient weight: > 30 kg (66 lbs). Latex free. 20 pcs.		
Masimo SpO₂ sensor LNCS Inf		MP00791
Box of 20 infant sensors. Latex free.		
Masimo SpO₂ sensor LNCS Neo		MP00792
Patient weight: < 10 kg (22 lbs). Latex free. 20 pcs.		
Masimo SpO₂ sensor LNCS Pt		MP00793
Patient weight: 10-50 kg (22-110 lbs). Latex free. 20 pcs.		
Masimo SpO₂ sensor LNCS NeoPt		MP00794
Patient weight: < 1 kg (2.2 lbs). Latex free. 20 pcs.		
A	Masimo SpO₂ pack LNOP Adt + Pt	7496941
	Adult/pediatric sensor sample pack for use in mixed wards.	
	Contains:	
	– (3) LNOP Adt adhesive sensors	
	– (1) LNOP Pt adhesive sensor	
B	Masimo SpO₂ pack LNOP Neo + NeoPt	7496958
	Neonatal sensor sample pack for use on all neonates.	
	Contains:	
	– (3) LNOP Neo adhesive sensors	
	– (1) LNOP NeoPt adhesive sensor.	



OXYTREND

3.2.3 CABLES

A	Cable Masimo, 1.22 m (4 ft)	5701930
	Cable for connection of sensor to the monitor, 1.22 m (4 ft) long.	
A	Cable Masimo, 2.44 m (8 ft)	5701931
	Cable for connection of sensor to the monitor, 2.44 m (8 ft) long.	
A	Cable Masimo, 3.66 m (12 ft)	5701932
	Cable for connection of sensor to the monitor, 3.66 m (12 ft) long.	
B	Cable Masimo extension, 1.22 m (4 ft)	5702880
	Extension cable 1.22 m (4 ft) to extend the standard patient cable.	
	Masimo adapter cable LNCS-LNOP	MP00798
	Adapter cable to use LNCS sensors to LNOP cable.	
	Masimo cable LNCS	MP00797
	Cable for connection of sensor to the monitor, 3 m (9.8 ft) long.	



RADICAL

3.3 RADICAL

3.3.1 BASIC UNIT

A Radical handheld

Radical handheld with German/English user manual.
Needs a docking station.

**Radical (order number 5701925) is no longer sold.
The accessories below are still available.**

3.3.2 ACCESSORIES

3.3.2.1 REUSABLE SENSORS

B Masimo SpO₂ sensor LNOP DCI

7270312

Adult finger clip style sensor.
Patient weight: > 30 kg (66 lbs).
Recommended monitoring site: ring or middle finger
of non-dominant hand.

Masimo SpO₂ sensor LNCS DCI

MP00796

Adult finger clip style sensor.
Patient weight: > 30 kg (66 lbs).
Recommended monitoring site: ring or middle finger
of non-dominant hand.

C Masimo SpO₂ sensor LNOP DCSC

5702056

Reusable SpO₂ sensor for adults with connection
to monitor (without additional sensor cable).

D Masimo SpO₂ sensor LNOP DCIP

7270304

Pediatric/adult slender finger clip style sensor.
Patient weight: 10-50 kg (22-110 lbs).
Recommended monitoring site: ring or middle finger
of non-dominant hand.

Masimo SpO₂ sensor LNCS DCIP

MP00795

Pediatric/adult slender finger clip style sensor.
Patient weight: 10-50 kg (22-110 lbs).
Recommended monitoring site: ring or middle finger
of non-dominant hand.

E Masimo SpO₂ sensor LNOP YI


7497014

Multisite reusable sensor V shaped multisite reusable sensor
with a 90 cm (35.4 in) cable that can be used on patients
> 1 kg (2.2 lbs). The sensor is attached using either an
adhesive attachment wrap or a non-adhesive foam wrap.
Patient weight: > 1 kg (2.2 lbs).

F Masimo Cleanshield wrap for LNOP YI




5702218

Cleanshild multisite wrap. Box with 100
replacement wraps for SpO₂ LNOP YI sensor.



RADICAL





A	Masimo Multisite-wrap for SpO₂ LNOP YI	7496917
	Standard multisite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
	Masimo Petite wrap for SpO₂ LNOP YI	7496909
	Standard petite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
B	Masimo Foam wrap, neonatal, 12 pcs.	5702551
	Set of 12 replacement foam wraps for SpO ₂ LNOP YI sensor.	
C	Masimo SpO₂ sensor LNOP TI	7497006
	Ear reusable sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ear lobe or pinna. Unique hook limits constriction of blood flow.	
D	Masimo adhesive square, 12 pcs.	7496875
	Set of 12 x 12 replacement adhesive squares for the sensor.	
E	Masimo accessory clothing clip, 5 pcs.	7496883
	Set of 5 replacement clothing clips for the sensor.	



RADICAL



3.3.2.2 DISPOSABLE SENSORS

A	Masimo SpO₂ sensor LNOP Adt, 20 pcs.	7496990
	Adult single patient adhesive sensor. Patient weight: > 30 kg (66 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand. Latex free.	
B	Masimo SpO₂ sensor LNOP Pt, 20 pcs.	7496982
	Pediatric/slender digit single patient adhesive sensor. Patient weight: 10-50 kg (22-110 lbs). Recommended monitoring site: ring or middle finger of non-dominant hand. Latex free.	
C	Masimo SpO₂ sensor LNOP Neo, 20 pcs.	7496974
	Neonatal single patient adhesive sensor. Patient weight: < 10 kg (22 lbs). Recommended monitoring site: – For infants < 3 kg (6.6 lbs): across the foot or alternatively across the palm & back of hand. – For infants > 3 kg (6.6 lbs): the thumb or the great toe. Latex free.	
D	Masimo SpO₂ sensor LNOP NeoPt, 20 pcs.	7496966
	Neonatal preterm single patient adhesive sensor. Patient weight: < 1 kg (2.2 lbs). Recommended monitoring site: across the foot or alternatively across the palm & back of hand. Latex free.	
E	Masimo Posey wrap for NeoPt, 12 pcs.	5701935
	Set of posey wrap for neonatal sensor.	




RADICAL

A	Masimo tapes for NeoPt	7496925
	Set of 100 replacement tapes for neonatal sensors.	
B	Masimo SpO₂ sensor LNOP Adt-L	5702877
	Box of 20 disposable long adult sensors.	
C	Masimo SpO₂ sensor LNOP Inf-L	5702876
	Box of 20 disposable long infant sensors.	
D	Masimo SpO₂ sensor LNOP Neo-L	5702879
	Box of 20 disposable long neonatal sensors.	
E	Masimo SpO₂ sensor LNOP NeoPt-L	5702878
	Box of 20 disposable long premature sensors.	
	Masimo Posey wrap NeoPt-L	5702888
	Set of 12 posey wraps for NeoPt-L sensor.	
	Masimo tapes Neo-L	5702889
	Set of 100 tapes for Neo-L SpO ₂ sensor.	



RADICAL

Masimo SpO₂ sensor LNCS Adt		MP00790
Patient weight: > 30 kg (66 lbs). Latex free. 20 pcs.		
Masimo SpO₂ sensor LNCS Inf		MP00791
Box of 20 infant sensors. Latex free.		
Masimo SpO₂ sensor LNCS Neo		MP00792
Patient weight: < 10 kg (22 lbs). Latex free. 20 pcs.		
Masimo SpO₂ sensor LNCS Pt		MP00793
Patient weight: 10-50 kg (22-110 lbs). Latex free. 20 pcs.		
Masimo SpO₂ sensor LNCS NeoPt		MP00794
Patient weight: < 1 kg (2.2 lbs). Latex free. 20 pcs.		
A	Masimo SpO₂ pack LNOP Adt + Pt	7496941
	Adult/pediatric sensor sample pack for use in mixed wards.	
	Contains:	
	– (3) LNOP Adt adhesive sensors	
	– (1) LNOP Pt adhesive sensor.	
B	Masimo SpO₂ pack LNOP Neo + NeoPt	7496958
	Neonatal sensor sample pack for use on all neonates.	
	Contains:	
	– (3) LNOP Neo adhesive sensors	
	– (1) LNOP NeoPt adhesive sensor.	
3.3.2.3 CABLES		
C	Cable Masimo, 1.22 m (4 ft)	5701930
	Cable for connection of sensor to the monitor, 1.22 m (4 ft) long.	
C	Cable Masimo, 2.44 m (8 ft)	5701931
	Cable for connection of sensor to the monitor, 2.44 m (8 ft) long.	
	Masimo adapter cable LNCS-LNOP	MP00798
	Adapter cable to use LNCS sensors to LNOP cable.	



CONTENT

1. Warming therapy	187	2.4 Nasal CPAP (BabyFlow)	227
1.1 Accessories for BabyTherm® 8000 WB/8004/8010/4200	187	2.4.1 BabyFlow	227
1.2 Accessories for Caleo®	190	2.4.2 Replacement parts	227
1.3 Accessories for Incubator 8000	193	2.4.3 Prongs	228
1.4 Accessories for Transport Incubator TI 5400	194	2.4.4 Masks	228
1.5 Accessories for Air-Shields® IICS-90	195	2.4.5 Caps (single use)	229
1.6 Accessories for Air-Shields® Resuscitaire®	197	2.4.6 Headbands	230
1.7 Accessories for Air-Shields® Isolette® C2000 and Isolette® 8000	201	2.4.7 Fixation straps (for reusable headbands)	230
1.8 Accessories for Air-Shields® TI 500 GlobeTrotter	204	2.4.8 Packages	231
1.9 Accessories for Air-Shields® Isolette® TI 500 – Transport Incubator	206	2.5 Reusable pediatric single breathing hoses with standard sleeves	232
1.10 Accessories for Air-Shields® Isolette® C450	208	2.5.1 Sleeves 10 mm/10 mm (0.4 in/0.4 in)	232
1.11 Accessories for Air-Shields® Versalet	211	2.5.2 Sleeves 10 mm/22 mm (0.4 in/0.9 in)	232
1.12 Device-independent Accessories	212	2.5.3 Y-pieces, connectors and cables	233
1.12.1 Developmental Care Accessories	212	2.6 Anesthesia and ventilation face masks	234
1.12.2 Miscellaneous	213	2.6.1 LiteStar® face masks	234
1.13 Accessories for Photo Therapy 4000	214	2.6.2 ComfortStar® face masks	235
1.14 MiniOx 3000	215	2.6.3 All-Round face masks	236
		2.6.4 Foregger face masks	236
		2.6.5 Rendell-Baker face masks	236
		2.6.6 Silicone face masks	237
		2.6.7 Mask accessories	238
2. Neonatal Ventilation	216	2.7 Breathing bags	239
2.1 Accessories for Babylog® 2000	216	2.7.1 Reusable breathing bags	239
2.1.1 Circuits without humidification	216	2.7.1.1 Silicone breathing bags	239
2.1.2 Circuits for active humidification	217	2.7.1.2 Latex breathing bags	239
2.1.3 Accessories for Babylog® VN 500/8000/8000 plus	218	2.7.1.3 Chloroprene breathing bags	239
2.2 Accessories for Babylog® 8000/8000 plus	219	2.7.2 Anesthesia breathing bags	240
2.2.1 Hose sets for usage with Fisher & Paykel MR 850	219	2.8 Emergency manual resuscitator	240
2.3 Accessories for Evita® XL (NeoFlow)	223	2.9 Test lungs	240
2.3.1 Aquapor EL hose set	223	2.10 Filters	241
2.3.2 Hose sets for Fisher & Paykel	224		
2.3.3 CO ₂ cuvettes	226		

CONTENT

3. Neonatal Monitoring	243	5. Oxygen Therapy	261
3.1 Neonatal ECG	243	5.1 Flowmeter	261
3.2 Masimo SpO ₂ sensors, reusable	244	5.1.1 O ₂ Flowmeter	261
3.3 Masimo SpO ₂ sensors, disposable	245	5.1.1.1 O ₂ Flowmeter, CS	261
3.4 Nellcor® SpO ₂ Oximax sensors	246	5.1.1.2 O ₂ Twin Flowmeter, CS	262
3.5 Nellcor® SpO ₂ Oxiband sensors	246	5.1.1.3 O ₂ Flowmeter, rail	263
3.6 SpO ₂ cables	247	5.1.1.4 O ₂ Flowmeter, rail, 90°	264
3.7 Non-invasive blood pressure cuffs (NIBP)	248	5.1.2 Flowmeter with selector wheel	265
3.7.1 Cuffs for OR/Anesthesia monitoring	248	5.1.3 DigiFlow	266
3.7.2 NIBP hoses	249	5.1.4 Humidifier and nebulizer	268
3.8 Temperature probes	250	5.1.5 Accessories and consumables for flowmeters	268
3.9 FiO ₂	251		
3.10 Respiratory mechanics	252	6. Aerosol Therapy	269
3.11 etCO ₂ Mainstream & Sidestream accessories	252	6.1 Humidifier and nebulizer	269
3.12 etCO ₂ Microstream Adapters & Cannulas	253	6.1.1 Tropic plus ultrasonic nebulizer	269
3.13 Transcutaneous monitoring (tpO ₂ /tpCO ₂)	255		
3.14 Recorder paper	255	7. Medical Aspiration	273
4. Active Humidification Accessories	257	8. Rail Accessories	279
4.1 Fisher & Paykel humidification	257		
4.1.1 Humidification chamber	257	9. Flow Sensors/Oxygen Sensors	282
4.1.2 Mounting sets	257	9.1 Flow sensors	282
4.1.3 Other accessories	258	9.2 Oxygen sensors	283
4.2 Nebulizer	260		
4.2.1 Pneumatic Medicament Nebulizer	260		
4.2.2 Aeroneb Pro	260		


ACCESSORIES FOR BABYTHERM® 8000 WB/8004/8010/4200

1. WARMING THERAPY		
A	1.1 ACCESSORIES FOR BABYTHERM® 8000 WB/8004/8010/4200	
B	Gel mattress for BabyTherm® 8000 WB/8010	2M20827
	Soft gel mattress for BabyTherm® 8000 WB and 8010.	
C	SoftBed Dräger BabyTherm® 8004 size 75 x 49 x 4 cm (29.5 x 19.3 x 1.6 in)	2M21012
	For BabyTherm® 8004.	
D	Cot, complete, BT 8004	2M30263
E	Halogen lamp, 12 V, 50 W	2M30084



ACCESSORIES FOR BABYTHERM® 8000 WB/8004/8010/4200

A ThermoTrace Core, 5 pcs.	MX11000
Skin temperature probes (yellow) to measure the near-to-core skin temperature, angled.	
B ThermoTrace Peripheral, 5 pcs.	MX11001
For peripheral skin temperature measurement (ThermoMonitoring), angled, white.	
C ThermoPad, 50 pcs.	MX11002
Superior quality hydrogel thermopads. The round shape prevents detachment and prevents loose edges. Reflecting foil supports accurate temperature reading under radiant warmers.	
D Bronchial suction vacuum, ped	2M21189
With vacuum regulator up to -0.9 bar, fitted beneath the bed area. Portable secretion jar set, connection to central vacuum system. The vacuum regulator generates infinitely adjustable vacuum up to -0.9 bar.	
D Bronchial suction ejector, ped	2M21187
With ejector up to -0.5 bar, fitted beneath the bed area. Portable secretion jar set, connection to central O ₂ or medical air system. The ejector generates infinitely adjustable vacuum up to -0.5 bar.	
E Ventilation hose holder BT	2M21191
Ventilation hose support mounted at the Babytherm® side walls.	
F Deposit plate	2M21158
Table for BabyTherm® 8000 WB.	
G Handle, complete, BT 8000 WB	2M21161
Complete handle for BabyTherm® 8000 WB.	



ACCESSORIES FOR BABYTHERM® 8000 WB/8004/8010/4200


A	Holder for cover	2M21342
	Holder for cover of BabyTherm® 8000 WB, 8004, 8010.	
B	Infusion bottle holder	2M16520
	Infusion bottle holder for BabyTherm®.	
C	Injector, 30/40/50% by vol. O₂ adjustable	2M14190
	Injector for oxygen therapy in BabyTherm®, requires 23 cm (9.1 in) high side walls.	
D	O₂ hood	2M19250
	O ₂ hood for oxygen therapy in BabyTherm® or Incubator like Caleo® or Incubator 8000.	
E	O₂ distributor for rail fixation	2M18810
F	Incandescent lamp 7 W, 230 V, for BabyTherm® 8004/8010	2M30078
G	Incandescent lamp 20 W, 230 V, for BabyTherm® 8004/8010	2M30079
	Lamp 9 W, 120 V, for BabyTherm® 8004/8010	2M30161
	Lamp 23 W, 120 V, for BabyTherm® 8004/8010	2M30160



ACCESSORIES FOR CALEO®


A 1.2 ACCESSORIES FOR CALEO®

B SoftBed Caleo® size 68 x 48 x 4 cm (26.8 x 18.9 x 1.6 in) Extra soft mattress for Caleo®.	MX17012
C ThermoTrace Core, 5 pcs. Skin temperature probes (yellow) to measure the near-to-core skin temperature, angled.	MX11000
D ThermoTrace Peripheral, 5 pcs. For peripheral skin temperature measurement (ThermoMonitoring), angled, white.	MX11001
E ThermoPad, 50 pcs. Superior quality hydrogel thermopads. The round shape prevents detachment and prevents loose edges. Reflecting foil supports accurate temperature reading under radiant warmers.	MX11002
F Bronchial suction vacuum, ped With vacuum regulator up to -0.9 bar, fitted beneath the bed area. Portable secretion jar set, connection to central vacuum system. The vacuum regulator generates infinitely adjustable vacuum up to -0.9 bar.	2M21189
F Bronchial suction ejector, ped With ejector up to -0.5 bar, fitted beneath the bed area. Portable secretion jar set, connection to central O ₂ or medical air system. The ejector generates infinitely adjustable vacuum up to -0.5 bar.	2M21187



ACCESSORIES FOR CALEO®

A	Ventilation hose holder Caleo®, complete	8411075
	Hose support for Incubators is affixed directly to the bed base and therefore holds the hoses in the given position even if the bed is raised or lowered or is removed from the incubator, 40 cm (15.8 in) long.	
B	Air filter Caleo®, 20 pcs.	MX17015
	Fresh air filter for Caleo®.	
C	Infusion holder, complete	2M21514
	Infusion support for attachment to 38 mm (1.5 in) pole, with 3 hooks for infusion bags or infusion bottles, e.g. for the option servocontrolled humidity. Necessary accessories: 1 x pole 38 mm (1.5 in)/600 (1 x 2M50691).	
D	Notebook holder	2M22171
	Holder on which to place a notebook. Can be attached to standard rail on the wall side.	
E	O₂ sensor OxyTrace	MX01050
	Oxygen probe requiring no calibration for one year, useful life two years.	







ACCESSORIES FOR CALEO®

A Supply tubing set Caleo®, 20 pcs. Water tube to connect the water tank to the Caleo® (LuerLock).	MX17018
B Swivel table for 38 mm (1.5 in) pole Swivel table for attachment to right-/left-hand side of Caleo®. Load bearing capacity: 3 kg (6.6 lbs). Surface area: Approx. 28 x 28 cm (11 x 11 in). Assembly height: 0-60 cm (0 - 23.6 in) above bed. Attachment: Left-/right-hand side. Necessary accessories: – For right-hand side 1 x basic pole (1 x 2M50680) and 1 x pole 38 mm (1.5 in)/310 or 1 x pole 38 mm (1.5 in)/600 (1 x 2M50688 or 1 x 2M50691) – For left-hand side 1 x pole 38 mm (1.5 in)/310 or 1 x pole 38 mm (1.5 in)/600 (1 x 2M50688 or 1 x 2M50691).	2M21186
C Tubing grommet, large Large tubing grommets in each of the four white pillar, removable.	2M50385
D Tubing port Tubing port for small flap of the Caleo®.	2M50412






ACCESSORIES FOR INCUBATOR 8000

A 1.3 ACCESSORIES FOR INCUBATOR 8000		
B SoftBed Dräger Incubator 8000 size 64.8 x 35 x 4 cm (25.5 x 13.8 x 1.6 in)		2M20907
For series 8000, 8000 IC, 8000 NC, 8000 SC. Provides gentle soft bedding with special wave profile.		
C Water supply level controller		2M22130
Controller shows the water level. For use in Incubator 8000.		
D Adapter cable		2M20736
Skin temperature sensor adapter. Necessary for all RH 600, and all Incubators which are build before 01.01.1996 to connect the temperature probes MX11000 and MX11001.		
E ThermoTrace Core, 5 pcs.		MX11000
Skin temperature probes (yellow) to measure the near-to-core skin temperature, angled.		
F ThermoTrace Peripheral, 5 pcs.		MX11001
For peripheral skin temperature measurement (ThermoMonitoring), angled, white.		
G ThermoPad, 50 pcs.		MX11002
Superior quality hydrogel thermopads. The round shape prevents detachment and prevents loose edges. Reflecting foil supports accurate temperature reading under radiant warmers.		
H Notebook holder		2M22171
Holder on which to place a notebook. Can be attached to standard rail on the wall side.		
Tube port		2M20434
For handports and side walls.		



ACCESSORIES FOR TRANSPORT INCUBATOR TI 5400

A 1.4 ACCESSORIES FOR TRANSPORT INCUBATOR TI 5400		
SoftBed Dräger TI 5400 size 91.5 x 31 x 4 cm (36 x 12.2 x 1.6 in)		2M21023
B Vacuum Mattress size 58 x 32 cm (22.8 x 12.6 in)		2M17909
C ThermoTrace Core, 5 pcs. Skin temperature probes (yellow) to measure the near-to-core skin temperature, angled.		MX11000
D ThermoTrace Peripheral, 5 pcs. For peripheral skin temperature measurement (ThermoMonitoring), angled, white.		MX11001
E ThermoPad, 50 pcs. Superior quality hydrogel thermopads. The round shape prevents detachment and prevents loose edges. Reflecting foil supports accurate temperature reading under radiant warmers.		MX11002
F Mounting bracket MiniOx 3000/TI To fasten the MiniOx 3000 to a transport incubator.		2M22478
G Mounting For the use in helicopter.		2M20684
H Medical aspirator, TI 5400 Medical aspirator for Transport Incubator TI 5400.		2M22315



ACCESSORIES FOR AIR-SHIELDS® IICS-90

A 1.5 ACCESSORIES FOR AIR-SHIELDS® IICS-90		
B Mattress size 53 x 67 x 2.5 cm (20.9 x 26.4 x 1 in)		MU09390
Mattress assembly consisting of a foam conductive mattress and a neoprene conductive cover (black), no support panel. 1 pc. for IICS & DRW 7860, 7861.		
C Mattress size 52 x 65 x 2.5 cm (20.5 x 25.6 x 1 in)		MU09577
Replacement mattress with support panel, white. 1 pc. for IICS & 7865.		
C Mattress size 51 x 64 x 2.5 cm (20.1 x 25.2 x 1 in)		MU09579
Replacement mattress with support panel, white. 1 pc. for IICS with W30 scale. Standard Bassinet.		
D Mattress size 60 x 76 x 2.5 cm (23.6 x 29.9 x 1 in)		MU09578
Replacement mattress with support panel, white. 1 pc. for IICS. Large Bassinet.		
D Mattress size 58 x 74 x 2.5 cm (22.8 x 29.1 x 1 in)		MU09580
Replacement mattress with support panel, white. 1 pc. for IICS with W30 scale. Large Bassinet.		
E SoftBed Resuscitaire size 54 x 67 x 4 cm (21.3 x 26.4 x 1.6 in)		MP01402
For IICS-90SB/BRW/Resuscitaire. Small Bassinet.		
E SoftBed IICS-90 LB size 61 x 77 x 4 cm (24 x 30.3 x 1.6 in)		MP01403
Large Bassinet.		
E SoftBed Resuscitaire with Scale size 52 x 65 x 4 cm (20.5 x 25.6 x 1.6 in)		MP01404
For IICS-90SB, Resuscitaire/BRW with Scale.		
E SoftBed IICS-90 LB with Scale size 59 x 75 x 4 cm (23.2 x 29.5 x 1.6 in)		MP01405



ACCESSORIES FOR AIR-SHIELDS® IICS-90

A	Skin temperature probe 1, reusable	MU06951
	Reusable skin temperature probe to measure skin temperature. 1.22 m (4.0 ft) long.	
B	Jar DU-O-VAC, reusable, 500 ml (16.9 fl oz.)	MU10169
	Reusable 500 ml Polycarbonate suction jar used with the DU-O-VAC brand venturi suction unit.	
C	Jar DU-O-VAC, disposable, 200 ml (6.8 fl oz.)	MU10175
	Disposable 200 ml (6.8 fl oz.) suction jar used with the DU-O-VAC brand venturi suction unit.	
D	Nebulizer assembly with bottle	MU10384
	Nebulizing system designed to generate an ultra fine mist of water particles. Inlet is a female oxygen DISS connector.	
E	Neat-Clips, adhesive, Ø 9.6 mm (0.38 in), 10 pcs.	MU06558
F	Neat-Clips, adhesive, Ø 2.5 cm (1 in), 10 pcs.	MU06560
	Circular plastic clips with adhesive backing for mounting. Useful in organizing tubing to keep clutter to a minimum in the patient area.	
G	O₂ hood, oxydome	MU08394
	Oxygen head box accommodates babies while receiving oxygen therapy. Provided with easy access outlets for oxygen and humidity and feeding tubes. Made of Polycarbonate.	



ACCESSORIES FOR AIR-SHIELDS® RESUSCITAIRE®

A 1.6 ACCESSORIES FOR AIR-SHIELDS® RESUSCITAIRE®		
B Skin temperature probe 3, reusable	MU11225	
Reusable skin temperature probe to measure skin temperature. 1.22 m (4.0 ft) long.		
C Skin temperature probe 3, disposable, 10 pcs.	MU11228	
Box of 10 disposable skin temperature probes. Each 1.45 m (4.8 ft) long.		
D Replacement filter and tube, 25 pcs.	MU10923	
Filter and tubing replacement for micro volume 40 ml (1.4 fl oz.) suction system.		
E Replacement filter, hydrophobic, 10 pcs.	MU10915	
Disposable hydrophobic replacement filter for 40 ml (1.4 fl oz.) bottle.		
F Micro volume suction bottle kit, 40 ml (1.4 fl oz.)	MU10916	
Disposable microvolume suction bottle, incl. holder, 40 ml (1.4 fl oz.).		
G Mattress size 52 x 65 x 2.5 cm (20.5 x 25.6 x 1 in)	MU09577	
Replacement mattress with support panel, white. 1 pc. for IICS & 7865.		
G Mattress size 51 x 64 x 2.5 cm (20.1 x 25.2 x 1 in)	MU09579	
Replacement mattress with support panel, white. 1 pc. for IICS with W30 scale. Standard Bassinet.		




ACCESSORIES FOR AIR-SHIELDS® RESUSCITAIRE®

A	Mattress, BRW	MU09945
	Replacement mattress without support panel, white. 1 pc. for 7865 BRW Cart with front drawer.	
B	SoftBed Resuscitaire size 54 x 67 x 4 cm (21.3 x 26.4 x 1.6 in)	MP01402
	For IICS-90SB/BRW/Resuscitaire. Small Bassinet.	
B	SoftBed Resuscitaire with Scale size 52 x 65 x 4 cm (20.5 x 25.6 x 1.6 in)	MP01404
	For IICS-90SB, Resuscitaire/BRW with Scale.	
C	Micro volume suction bottle, 40 ml (1.4 fl oz.), 10 pcs.	MU10917
	Disposable microvolume suction bottle, 40 ml.	
D	Disposable suction bottle, 800 ml (27 fl oz.), 20 pcs.	MU10918
	Disposable 800 ml suction bottle. Filter included in lid.	
E	T-connector, disposable, 15-10 mm (0.6-0.4 in), 25 pcs.	MU10902
	T-connector with sideport. 15 mm (0.6 in), connector for 10 mm (0.4 in) tube, disposable.	




ACCESSORIES FOR AIR-SHIELDS® RESUSCITAIRE®

A Breathing circuit, 15 mm (0.6 in), disposable, for AutoBreath, 25 pcs. Disposable breathing circuit includes, corrugated hose, diaphragm and T-connector.	MU10841
B VentStar® Resuscitaire CEU Disposable breathing circuit for resuscitation with the user option of manually setting the ventilation frequency and the PEEP. No AutoBreath. Length: 102 cm (40 in). Latex free. Packing unit: 25 pcs.	MP00310
C VentStar® Resuscitaire Disposable breathing circuit with pressure measurement line for resuscitation with the user option of manually setting the ventilation frequency and the PEEP. No AutoBreath. Length: 102 cm (40 in). Latex free. Packing unit: 25 pcs.	MP00311
D Breathing circuit for bag, 15 mm (0.6 in), disposable, 25 pcs. Disposable corrugated breathing hose for use with selfinflatable bag.	MU10900



ACCESSORIES FOR AIR-SHIELDS® RESUSCITAIRE®

A	Critter cover, temperature probe cover, foam, disposable, 600 pcs.	MU06941
A	Critter cover, temperature probe cover, foam, disposable, 100 pcs. Probe covers with imprint of variety of animals stamped on the top of the cover.	MU06942
B	ThermoPad, 50 pcs. Superior quality hydrogel thermopads. The round shape prevents detachment and prevents loose edges. Reflecting foil supports accurate temperature reading under radiant warmers.	MX11002
C	CARE-FOR-ME, temperature probe cover, hydrogel based, large, disposable, 100 pcs.	MU06943
D	CARE-FOR-ME, temperature probe cover, hydrogel based, small, disposable, 100 pcs. Probe covers small backed with gel solution to reduce irritation to baby's skin.	MU06944
E	Neat-Clips, adhesive, Ø 9.6 mm (0.38 in), 10 pcs.	MU06558
F	Neat-Clips, adhesive, Ø 2.5 cm (1 in), 10 pcs. Circular plastic clips with adhesive backing for mounting. Useful in organizing tubing to keep clutter to a minimum in the patient area.	MU06560
G	O₂ hood, oxydome Oxygen head box accommodates babies while receiving oxygen therapy. Provided with easy access outlets for oxygen and humidity and feeding tubes. Made of Polycarbonate.	MU08394




ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® C2000 AND ISOLETTE® 8000

A 1.7 ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® C2000 AND ISOLETTE® 8000		
B Iris port sleeve, disposable, 100 pcs.		MU03876
Sleeve that fits over the iris port. Used to hold tubing introduced into the patient area while maintaining a stable environment.		
B Iris port sleeve, soft, disposable, 100 pcs.		MU06571
Box of 100 disposable iris sleeves.		
C Access port cuff, oval, disposable, 100 pcs.		MU06570
Plastic cuff that fits over oval access doors and keeps heat in while accessing baby through the port doors.		
D Access door cuff, reusable, 10 pcs.		MU12702
Box of 10 reusable access door cuffs.		
E SoftBed Isolette® 8000/C2000/C2000e size 38 x 74 x 3 cm (15 x 29.1 x 1.2 in)		MP01401
For C2000, C2000e and Isolette® 8000.		
F Mattress, foam		MU12249
Reusable replacement mattress.		



ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® C2000 AND ISOLETTE® 8000

A	CARE-FOR-ME, temperature probe cover, hydrogel based, large, disposable, 100 pcs.	MU06943
B	CARE-FOR-ME, temperature probe cover, hydrogel based, small, disposable, 100 pcs.	MU06944
	Probe covers small backed with gel solution to reduce irritation to baby's skin.	
C	Adapter for skin temperature probe 4, reusable	MU12520
	Reusable adapter cable to be used with skin probe 4 (MU12525).	
D	Skin temperature probe 4, disposable, 10 pcs.	MU12525
	Disposable skin temperature probe used to measure near to core skin temperature.	
E	Skin temperature probe 5, reusable	MU12533
	Reusable skin temperature probe, 92 cm (36 in) long.	
F	Skin temperature probe 5, disposable, long cable for Kangaroo Care, 1.5 m (4.9 ft), 10 pcs.	MU12551
G	Replacement air filter, 4 pcs.	MU12504
	It filters out dirt particles of 0.5 microns or more. Manufacturer recommends replacement every 3 months.	



ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® C2000 AND ISOLETTE® 8000


A Humidity reservoir	MU13162
Replacement water reservoir for C2000/e equipped with servo humidity.	
Humidity reservoir	MU21093
Replacement water reservoir for Isolette® 8000 equipped with servo humidity.	
B Humidity reservoir	MU13202
Complete reservoir assembly including reservoir, cover, valve.	
C Cover for humidity reservoir	MU13161
Cover only for water reservoir for C2000/e and Isolette® 8000 equipped with servo humidity.	
D Oxygen cell	MU13223
Oxygen cell replacement for C2000/e and Isolette® 8000 with servo oxygen accessory, (need 2 per incubator, replace in pairs).	
E Neat-Clips, adhesive, Ø 9.6 mm (0.38 in), 10 pcs.	MU06558
F Neat-Clips, adhesive, Ø 2.5 cm (1 in), 10 pcs.	MU06560
Circular plastic clips with adhesive backing for mounting. Useful in organizing tubing to keep clutter to a minimum in the patient area.	
G O₂ hood, oxydome	MU08394
Oxygen head box accommodates babies while receiving oxygen therapy. Provided with easy access outlets for oxygen and humidity and feeding tubes. Made of Polycarbonate.	
Condensate Management Hose	MU21120
Hose to derive condenser water for the Isolette® 8000.	



ACCESSORIES FOR AIR-SHIELDS® TI 500 GLOBETROTTER

A 1.8 ACCESSORIES FOR AIR-SHIELDS® TI 500 GLOBETROTTER

B Iris port sleeve, disposable, 100 pcs.	MU03876
Sleeve that fits over the iris port. Used to hold tubing introduced into the patient area while maintaining a stable environment.	
C Access port cuff, oval, disposable, 100 pcs.	MU06570
Plastic cuff that fits over oval access doors and keeps heat in while accessing baby through the port doors.	
D Ventilation circuit, manual, reusable	MU04765
Replacement ventilation circuit, hand, with strain relief block, reusable.	
E Ventilation system with PEEP valve, manual, disposable	MU04776
Ventilation circuit, reusable, for Biomed MVP-10	MU04767



ACCESSORIES FOR AIR-SHIELDS® TI 500 GLOBETROTTER

A	HME filter, compressor inlet	MU04991
B	Neat-Clips, adhesive, Ø 9.6 mm (0.38 in), 10 pcs.	MU06558
C	Neat-Clips, adhesive, Ø 2.5 cm (1 in), 10 pcs.	MU06560
	Circular plastic clips with adhesive backing for mounting. Useful in organizing tubing to keep clutter to a minimum in the patient area.	
D	O₂ hood, oxydome	MU08394
	Oxygen head box accommodates babies while receiving oxygen therapy. Provided with easy access outlets for oxygen and humidity and feeding tubes. Made of Polycarbonate.	
E	Mattress, reusable, 10 pcs.	MU06009
E	Mattress, disposable, 10 pcs.	MU06010



ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® TI 500 – TRANSPORT INCUBATOR

A 1.9 ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® TI 500 – TRANSPORT INCUBATOR

B Iris port sleeve, disposable, 100 pcs.	MU03876
Sleeve that fits over the iris port. Used to hold tubing introduced into the patient area while maintaining a stable environment.	
C Access port cuff, oval, disposable, 100 pcs.	MU06570
Plastic cuff that fits over oval access doors and keeps heat in while accessing baby through the port doors.	
D Mattress, reusable, 10 pcs.	MU06009
D Mattress, disposable, 10 pcs.	MU06010
E Humidity pad, antibacterial, 25 pcs.	MU06008
Disposable antibacterial foam pad placed under the incubator deck to introduce passive humidity into the incubator.	
F Replacement filter, 6 pcs.	MU04472
Filters out dirt particles of 0.5 microns or more. Manufacturer recommends replacement every 2 months.	
G Rechargeable battery, 12 V	MU16052
Replacement battery for Incubator.	



ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® TI 500 – TRANSPORT INCUBATOR

A	Skin temperature probe 1, reusable	MU06951
	Reusable skin temperature probe to measure skin temperature. 1.22 m (4.0 ft) long.	
B	Restraint strap, 10 pcs.	MU06011
	Straps to secure baby during transport.	
C	Neat-Clips, adhesive, Ø 9.6 mm (0.38 in), 10 pcs.	MU06558
D	Neat-Clips, adhesive, Ø 2.5 cm (1 in), 10 pcs.	MU06560
	Circular plastic clips with adhesive backing for mounting. Useful in organizing tubing to keep clutter to a minimum in the patient area.	
E	O₂ hood, oxydome	MU08394
	Oxygen head box accommodates babies while receiving oxygen therapy. Provided with easy access outlets for oxygen and humidity and feeding tubes. Made of Polycarbonate.	




ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® C450

A 1.10 ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® C450		
B Iris port sleeve, disposable, 100 pcs.		MU03876
Sleeve that fits over the iris port. Used to hold tubing introduced into the patient area while maintaining a stable environment.		
C Access port cuff, oval, disposable, 100 pcs.		MU06570
Plastic cuff that fits over oval access doors and keeps heat in while accessing baby through the port doors.		
D Skin temperature probe 1, disposable, 10 pcs.		MU06933
E Skin temperature probe 1, reusable		MU06951
Reusable skin temperature probe to measure skin temperature. 1.22 m (4.0 ft) long.		
F Air temperature probe		MU06955
G Replacement filter, 4 pcs.		MU03891
It filters out dirt particles of 0.5 microns or more. Manufacturer recommends replacement every 3 months.		
Mattress, 10 pcs.		MU10833
Replacement mattress, disposable.		



ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® C450

A	Humidifier Microfilter, Dew-ette® 2, 4 pcs.	MU06662
	Box of 4 air filter pads for Dew-ette® Servo Humidity System.	
B	Servo humidity sensor filter, Dew-ette® 2, 5 pcs.	MU06732
	Box of 5 filters for humidity sensor (replace after each patient).	
C	Reservoir, Nipple fill, Dew-ette® 2, disposable, 40 pcs.	MU06664
	Disposable water reservoir for Dew-ette® Servo Humidity System.	
D	Reservoir, Pour spout, Dew-ette® 2, disposable, 40 pcs.	MU06665
	Disposable water reservoir for Dew-ette® Servo Humidity System.	
E	Reservoir, Nipple fill, Dew-ette® 2, reusable	MU06666
	Reusable water reservoir for Dew-ette® Servo Humidity System.	
F	Reservoir, Pour spout, requires disposable pour spout Caps (below), Dew-ette® 2, reusable	MU06667
	Reusable water reservoir for Dew-ette® Servo Humidity System.	



ACCESSORIES FOR AIR-SHIELDS® ISOLETTE® C450

A	Pour Spout Caps, Dew-ette® 2, disposable, 100 pcs. Disposable cap to close the pour spout hole.	MU06668
B	Neat-Clips, adhesive, Ø 9.6 mm (0.38 in), 10 pcs.	MU06558
C	Neat-Clips, adhesive, Ø 2.5 cm (1 in), 10 pcs. Circular plastic clips with adhesive backing for mounting. Useful in organizing tubing to keep clutter to a minimum in the patient area.	MU06560
D	O₂ hood, oxydome Oxygen head box accommodates babies while receiving oxygen therapy. Provided with easy access outlets for oxygen and humidity and feeding tubes. Made of Polycarbonate.	MU08394



ACCESSORIES FOR AIR-SHIELDS® VERSALET

1.11 ACCESSORIES FOR AIR-SHIELDS® VERSALET

A	Neat-Clips, adhesive, Ø 9.6 mm (0.38 in), 10 pcs.	MU06558
B	Neat-Clips, adhesive, Ø 2.5 cm (1 in), 10 pcs.	MU06560
	Circular plastic clips with adhesive backing for mounting. Useful in organizing tubing to keep clutter to a minimum in the patient area.	
C	O₂ hood, oxydome	MU08394
	Oxygen head box accommodates babies while receiving oxygen therapy. Provided with easy access outlets for oxygen and humidity and feeding tubes. Made of Polycarbonate.	



DEVICE-INDEPENDENT ACCESSORIES

1.12 DEVICE-INDEPENDENT ACCESSORIES

1.12.1 DEVELOPMENTAL CARE ACCESSORIES

A	Starter Package Caleo®	MP01426
	Developmental Care Starter Package Caleo® contains Incubator Cover Caleo®, "Hug it", set pillows small (4), nesting.	
	Starter Package C2000/Isolette® 8000	MP01427
B	Incubator Cover C2000/Isolette® 8000	MP01424
	Incubator Cover Caleo®	MP01423
	Cover for the incubator Caleo®.	
	Incubator Cover Incubator 8000	MP01425
	Cover for the incubator Incubator 8000.	
C	Positioning Aid "Hug it"	
	The "Hug it" is a cuddly nest that provides proper positioning and physiological stability for babies.	
	"Hug it", size S (small): up to 800 gr (1.8 lbs)	MP01415
	"Hug it", size M (medium): up to 1,500 gr (3.3 lbs)	MP01416
D	Positioning Aid Nesting	MP01417
	Positioning nest for babies up to 1,200 gr (2.6 lbs).	
E	Positioning Aid Set	MP01418
	Set of 4 small pillows (pillow U-form, pillow longish, pillow quadratic, pillow round) for children up to 1,000 gr (2.2 lbs).	



DEVICE-INDEPENDENT ACCESSORIES

- | | | |
|----------|---|----------------|
| A | Cally | 2M30462 |
| | Cally, the towel doll (bear or lamb) is soft, warm, cuddly and is used by many parents to comfort and bond with their children.
Colour: light blue and pink. | |


1.12.2 MISCELLANEOUS

- | | | |
|----------|--|----------------|
| B | TransWarmer® Infant Warming Device with WarmGel® | MP01414 |
| | TransWarmer Mattress – a disposable disc-activated gel mattress which produces an exothermic heat reaction of 100.4 F up to 2 hours. | |



ACCESSORIES FOR PHOTO THERAPY 4000

A 1.13 ACCESSORIES FOR PHOTO THERAPY 4000		
B	Flourescent lamp, blue	2M21010
B	Flourescent lamp, white	2M21009



MINIOX 3000

1.14 MINIOX 3000

A	MiniOx 3000 Oxygen monitor	2M22464
	This package includes the O ₂ monitor, the O ₂ sensor, the sensor cable and a T-connector.	
B	O₂ sensor MiniOx 3000	2M22461
	O ₂ sensor for the MiniOx 3000.	
C	Mounting bracket for poles	2M22462
	Mounting bracket to mount the MiniOx 3000 to IV poles.	
D	Mounting bracket for rail	2M22460
	Mounting bracket to mount the MiniOx 3000 to a rail system.	
E	Mounting bracket MiniOx 3000/TI	2M22478
	To use the MiniOx 3000 on the transport incubator, the mounting bracket O ₂ monitor is needed.	



ACCESSORIES FOR BABYLOG® 2000

2. NEONATAL VENTILATION

2.1 ACCESSORIES FOR BABYLOG® 2000

2.1.1 CIRCUITS WITHOUT HUMIDIFICATION

A Babylog® 2000 hose set for ward use 8411352

Consists of:

- | | |
|--|---------|
| 1 Cap, 7 mm (0.3 in), 5 pcs. | 8401645 |
| 2 Set of connectors for tracheal tube
With 15 mm (0.6 in) connector (external),
for ISO connectors, sizes 1.5-5.5. | 8403684 |
| 3 Test lung | 8403208 |
| 4 Connector for tracheal tube, size 9 | M19347 |
| 5 Y-piece, 90° | 8403077 |
| 6 Hose | 1198343 |
| 7 Diaphragm | 8403377 |
| 8 Expiratory valve housing | 8409898 |
| 9 Spare part set bolts | 8403944 |
| 10 Pressure measurement connection set | 8411354 |
| 11 Connector | M25567 |


A Babylog® 2000 hose set for use in Transport Incubator TI 5400 8411353

Consists of:

Inspiration and expiration tubes, set pressure measuring line, adapter K, bellows K, catheter connecting elbows (180°), housing, diaphragms, set of catheter connection pieces.

Replacement parts and consumables:

- | | |
|---|----------------|
| Set of connectors for tracheal tube | 8403684 |
| With 15 mm (0.6 in) connector (external),
for ISO connectors, sizes 1.5-5.5. | |




ACCESSORIES FOR BABYLOG® 2000

2.1.2 CIRCUITS FOR ACTIVE HUMIDIFICATION

A	Babylog® 2000/Aquapor hose set	8411471
	With reusable hoses of silicone and diverse connectors.	
B	Babylog® 2000/F&P MR 730	8411472
	Accessories set, complete. With reusable hoses of silicone and diverse connectors.	

For overview and detailed description please refer to catalogue Breathing System, chapter 2.2.1.




ACCESSORIES FOR BABYLOG® VN 500/8000/8000 PLUS

2.1.3 ACCESSORIES FOR BABYLOG® VN 500/ 8000/8000 PLUS


A	VentStar® heated (N)	MP00308
	Disposable neonatal inspiratory heated breathing circuit with humidifier chamber for active humidification with a Fisher & Paykel MR850 humidifier. Suitable for HFO. Length: 150 cm (59 in). Latex free. Packing unit: 10 pcs.	
B	VentStar® heated (N) Basic	MP00309
	Disposable neonatal inspiratory heated breathing circuit for active humidification with a Fisher & Paykel MR850 humidifier. Attention: without humidifier chamber. Suitable for HFO. Length: 120 cm (48 in). Latex free. Packing unit: 10 pcs.	
C	VentStar® humidifier chamber	MP00234
	Disposable humidifier chamber for use with a Fisher & Paykel MR850 humidifier to complete e.g. MP00309. Packing unit: 10 pcs.	
D	Infinity® ID Breathing Circuit Heated (N)	MP00343
	Disposable neonatal inspiratory heated ID breathing circuit with humidifier chamber for active humidification with a Fisher & Paykel MR850 humidifier. Equipped with RFID* tag to support the Infinity® ID functionality. Length: 120 cm (48 in). Latex free. Packing unit: 10 pcs. *RFID: Radio Frequency Identification.	

For overview and detailed description please refer to catalogue Breathing System, chapter 1.4 and 1.8.




ACCESSORIES FOR BABYLOG® 8000/8000 PLUS

A 2.2 ACCESSORIES FOR BABYLOG® 8000/8000 PLUS		
2.2.1 HOSE SETS FOR USAGE WITH FISHER & PAYKEL MR 850		
B Hose set for Fisher & Paykel	8411041	
Hose set with reusable hoses of silicone.		
Consists of:		
① Breathing hose, pediatric, 1.1 m (3.6 ft)	2165651	
Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).		
② Silicone hose, pediatric, 1 m (3.3 ft)	8403080	
③ Silicone hose, pediatric, 35 cm (13.8 in)	8403070	
④ Test lung, complete (bellows)	8409742	
⑤ Watertrap 10	8409627	
Watertrap for neonatal hoses.		
⑥ F&P Adapter	8409625	
⑦ Double cone 11A	8409897	
⑧ Connector for tracheal tube, size 11	M19351	
⑨ T-piece adapter	8411044	
Connector with hole for temperature sensor, e.g. for F&P.		
⑩ Hose heater, 1.1 m (3.6 ft)	8411045	
⑪ Corrugated hose, flexible, 20 cm (7.9 in)	8410709	
⑫ Silicone hose, pediatric, 50 cm (19.7 in)	8418458	



ACCESSORIES FOR BABYLOG® 8000/8000 PLUS

A	HFV hose set for Fisher & Paykel	8411153
	Hose set high frequency (HFV) for F&P with autoclavable, lightweight hoses of Hytrel with shorter lifespan and specifically recommended for use of Babylog® 8000 HFV.	
	Consists of:	
①	Hose, lightweight, 70 cm (27.6 in)	8418404
②	Hose, lightweight, 65 cm (25.6 in)	8410814
③	Test lung, complete (bellows)	8409742
④	Adapter 900 MR 533	8418407
⑤	Adapter 900 MR 830	8418455
⑥	Connector for tracheal tube, size 11	M19351
⑦	Watertrap 10	8409627
	Watertrap for neonatal hoses.	
⑧	F&P Adapter	8409625
⑨	Hose heater, 70 cm (27.6 in), HFV	8411154
⑩	Hose, lightweight, 40 cm (15.7 in)	8410816
⑪	T-piece adapter	8418405
	For F&P temperature sensor.	



ACCESSORIES FOR BABYLOG® 8000/8000 PLUS

Aquamod hose set, pediatric	8410813
Reusable hose set pediatric Aquamod, complete with hoses of silicone.	
Consists of:	
Silicone hose, pediatric, 35 cm (13.8 in)	8403070
Silicone hose, pediatric, 60 cm (23.6 in)	8403073
Silicone hose, pediatric, 1 m (3.3 ft)	8403080
Watertrap 10	8409627
Watertrap for neonatal hoses.	
Water hose for Aquamod	8418289
Connector for tracheal tube, size 11	M19351
Test lung, complete (bellows)	8409742
Temperature sensor adapter	8410019
Double cone 11A	8409897
Corrugated hose, flexible, 20 cm (7.9 in)	8410709

ACCESSORIES FOR BABYLOG® 8000/8000 PLUS

A **Aquamod HFV hose set** **8411148**


Hose set with autoclavable, lightweight hoses of Hyrtel with shorter life span and specifically recommended for use in high frequency ventilation.

Consists of:

- | | | |
|------------|---|----------------|
| 1 2 | Water hose for Aquamod | 8418289 |
| 3 | Double cone 11A | 8409897 |
| 4 | Temperature sensor adapter | 8410019 |
| 5 | Connector for tracheal tube, size 11 | M19351 |
| 6 | Hose, lightweight, 40 cm (15.7 in) | 8410816 |
| 7 | Hose, lightweight, 25 cm (9.8 in) | 8410817 |
| 8 | Hose, lightweight, 65 cm (25.6 in) | 8410814 |
| 9 | Watertrap 10 | 8409627 |
| | Watertrap for neonatal hoses. | |
| 10 | Test lung, complete (bellows) | 8409742 |

Babylog® 8000/Aquapor hose set **8411040**

Reusable hose set for Aquapor incl. thermometer, for Babylog® 8000.




ACCESSORIES FOR EVITA® XL (NEOFLOW)

2.3 ACCESSORIES FOR EVITA® XL (NEOFLOW)

2.3.1 AQUAPOR EL HOSE SET

A	Aquapor EL hose set, pediatric	8412344
	Complete set for active humidification with Aquapor.	
	Consists of:	
1	Y-piece, child, 90°	8403075
2	Corrugated hose, 14 cm (5.5 in)	8403333
3	Adapter for thermometer	8403056
4	Watertrap close to patient, 10	8404760
5	Breathing hose, pediatric, 60 cm (23.6 in)	2165848
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/10 mm (0.4 in/0.4 in).	
6	Watertrap 10	8409627
	Watertrap for neonatal hoses.	
7	Cap, 7 mm (0.3 in), 5 pcs.	8401645
8	Cone 22 A	8405752
9	Breathing hose, pediatric, 40 cm (15.8 in)	2165856
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
10	Breathing hose, pediatric, 60 cm (23.6 in)	2165821
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	



ACCESSORIES FOR EVITA® XL (NEOFLOW)

A 2.3.2 HOSE SETS FOR FISHER & PAYKEL


B Hose set for Fisher & Paykel, pediatric	8412081
Breathing hoses, watertraps, Y-piece, catheter connector, hose heating.	
Consists of:	
① Hose heater, 1.1 m (3.6 ft)	8411045
② Cap, 7 mm (0.3 in), 5 pcs.	8401645
③ T-piece adapter	8411044
Connector with hole for temperature sensor, e.g. for F&P.	
④ Double cone 11A	8409897
⑤ Test lung, complete (bellows)	8409742
⑥ Connector for tracheal tube, size 11	M19351
⑦ Y-piece, child, 90°	8403075
⑧ Corrugated hose	8409634
Catheter mount. Silicone hose, length: 13 cm (5 in), Ø 10 mm (0.4 in). 2 pcs.	
⑨ Breathing hose, pediatric, 60 cm (23.6 in)	2165848
Silicone breathing hose (pediatric) with standard sleeves 10 mm/10 mm (0.4 in/0.4 in).	
⑩ Breathing hose, pediatric, 40 cm (15.7 in)	2165856
Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
⑪ Watertrap 10	8409627
Watertrap, for neonatal hoses.	
⑫ Breathing hose, pediatric, 60 cm (23.6 in)	2165821
Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
⑬ Breathing hose, pediatric, 1.1 m (3.6 ft)	2165651
Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	

A



MT-99-2002


B



MT-3309-2003

ACCESSORIES FOR EVITA® XL (NEOFLOW)

A	Hose set for Fisher & Paykel MR 850, pediatric	8414987
	Reusable hose set for MR 850 incl. hose heater, for children.	
	Consists of:	
1	Breathing hose, pediatric, 1.1 m (3.6 ft)	2165651
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
2	Breathing hose, pediatric, 60 cm (23.6 in)	2165848
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/10 mm (0.4 in/0.4 in).	
3	Corrugated hose	8409634
	Catheter mount. Silicone hose, length: 13 cm (5 in), Ø 10 mm (0.4 in). 2 pcs.	
4	Breathing hose, pediatric, 40 cm (15.7 in)	2165856
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	
5	Watertrap 10	8409627
	Watertrap, for neonatal hoses.	
6	Hose heater, 1.1 m (3.6 ft)	8414993
7	Cap, 7 mm (0.3 in), 5 pcs.	8401645
8	Y-piece, child, 90°	8403075
9	Connector for tracheal tube, size 11	M19351
10	T-piece adapter	8411044
	Connector with hole for temperature sensor, e.g. for F&P.	
11	Double cone 11A	8409897
12	Test lung, complete (bellows)	8409742
13	Breathing hose, pediatric, 60 cm (23.6 in)	2165821
	Silicone breathing hose (pediatric) with standard sleeves 10 mm/22 mm (0.4 in/0.9 in).	



ACCESSORIES FOR EVITA® XL (NEOFLOW)

2.3.3 CO₂ CUVETTES

CO₂ cuvettes are designed for the monitoring of CO₂ concentration during patient ventilation.

A	CO₂ cuvette, reusable, pediatric	6870280
	Reusable CO ₂ cuvette for infants to be used with the CO ₂ sensor 6871500, 6870300 or 6871950.	
B	CO₂ cuvette, disposable, pediatric	MP01063
	Disposable CO ₂ cuvette for infants to be used with the CO ₂ sensor 6871500, 6870300 or 6871950. Packaging unit: 10 pcs.	
	Sensor, 1 pc.	6871500
	Fits to Evita 2 dura®, Evita® 4 edition and Evita® XL.	
	Sensor, 1 pc.	6871950
	Fits to Evita Infinity® V500, Infinity® M540 and Oxylog® 3000 plus.	



NASAL CPAP (BABYFLOW)

A 2.4 NASAL CPAP (BABYFLOW)

2.4.1 BABYFLOW

The nasal CPAP solution for the Dräger ventilators. BabyFlow offers the lightweight patient interface. The portfolio of different prongs and nasal mask sizes ensure the perfect fit for your tiny customers. In combination with our Dräger ventilators this is the low noise level NCPAP solution.

B BabyFlow, reusable

8418410

Low noise nasal CPAP circuit, reusable, which is specially designed for use with Babylog® 8000 and Evita® series ventilators.

C BabyFlow, disposable, 20 pcs.

8418583

Low noise nasal CPAP circuit, disposable, which is specially designed for use with Babylog® 8000 and Evita® series ventilators.

2.4.2 REPLACEMENT PARTS

D Silicone hoses with Connectors

8418414

To connect the breathing hoses of Babylog® 8000 to the BabyFlow (spare part).

E Adapter for prong or neo mask

8418411

For the admission of the nasal prongs of the BabyFlow (spare part).



MT-1922-2005



MT-2019-2005



MT-6197-2006




MT-3019-2004



MT-3016-2004

NASAL CPAP (BABYFLOW)

A 2.4.3 PRONGS		
Soft anatomically formed nasale silicone prongs, disposable.		
1	Prong XS (extra small), 10 pcs.	8418415
2	Prong S (small), 10 pcs.	8418605
3	Prong M (medium), 10 pcs.	8418416
4	Prong L (large), 10 pcs.	8418531
5	Prong XL (extra large), 10 pcs.	8418417
B 2.4.4 MASKS		
The masks design offers greater comfort to your patients and gives the caregiver the chance to alternate between mask and prongs.		
1	Neonatal mask, size S (small), 10 pcs.	8418491
2	Neonatal mask, size M (medium), 10 pcs.	8418490
3	Neonatal mask, size L (large), 10 pcs.	8418619




NASAL CPAP (BABYFLOW)

A 2.4.5 CAPS (SINGLE USE)

Disposable caps for BabyFlow in 6 different sizes (S-XXL plus), the material is 95% cotton and 5% elasthan.

1 Cap S (small), 5 pcs.	8418534
Head circumference up to 23 cm (9.1 in), citreous.	
2 Cap M (medium), 5 pcs.	8418535
Head circumference up to 26 cm (10.2 in), light orange.	
3 Cap L (large), 5 pcs.	8418536
Head circumference up to 28 cm (11 in), salmon.	
4 Cap XL (extra large), 5 pcs.	8418537
Head circumference up to 30 cm (12 in), lavender.	
5 Cap XXL (extra extra large), 5 pcs.	8418538
Head circumference up to 33 cm (13 in), violet.	
6 Cap XXL plus (extra extra large plus), 5 pcs.	8418539
Head circumference up to 36 cm (14.1 in), light green.	



NASAL CPAP (BABYFLOW)


A 2.4.6 HEADBANDS

Headbands for comfortable fixation of BabyFlow.
Handmade of soft microfibre. Washable at 60°C.

- | | |
|---|----------------|
| 1 Headband XS (extra small) | 8418418 |
| Head circumference up to 21 cm (8.3 in), white. | |
| 2 Headband S (small) | 8418419 |
| Head circumference up to 23 cm (9.1 in), yellow. | |
| 3 Headband M (medium) | 8418420 |
| Head circumference up to 26 cm (10.2 in), red. | |
| 4 Headband L (large) | 8418421 |
| Head circumference up to 28 cm (11 in), green. | |
| 5 Headband XL (extra large) | 8418422 |
| Head circumference up to 30 cm (11.8 in), orange. | |
| 6 Headband XXL (extra extra large) | 8418423 |
| Head circumference up to 33 cm (13 in), blue. | |
| 7 Headband XXL plus (extra extra large plus) | 8418540 |
| Head circumference up to 36 cm (14.2 in), black. | |

B 2.4.7 FIXATION STRAPS (FOR REUSABLE HEADBANDS)

- | | |
|--|----------------|
| 1 Fixation strap XS, 10 pcs. | 8418471 |
| Fixation strap for headband XS, colour-coded. | |
| 2 Fixation strap S, 10 pcs. | 8418472 |
| Fixation strap for headband S, colour-coded. | |
| 3 Fixation strap M, 10 pcs. | 8418473 |
| Fixation strap for headband M, colour-coded. | |
| 4 Fixation strap L, 10 pcs. | 8418474 |
| Fixation strap for headband L, colour-coded. | |
| 5 Fixation strap XL, 10 pcs. | 8418475 |
| Fixation strap for headband XL, colour-coded. | |
| 6 Fixation strap XXL, 10 pcs. | 8418476 |
| Fixation strap for headband XXL, colour-coded. | |



NASAL CPAP (BABYFLOW)

2.4.8 PACKAGES

A	Reusable BabyFlow Starter Package	8418435
	The Starter Package contains all necessary equipment to work with the binasal CPAP option for Babylog® 8000. It is a cost saving option compared to the price of the individual components.	
	Consists of:	
	2 x BabyFlow, reusable	
	1 x Prong XS (extra small), 10 pcs.	8418415
	1 x Prong M (medium), 10 pcs.	8418416
	1 x Prong L (large), 10 pcs.	8418531
	1 x Prong XL (extra large), 10 pcs.	8418417
	1 x Neonatal mask, size S (small), 10 pcs.	8418491
	1 x Neonatal mask, size M (medium), 10 pcs.	8418490
	Cap S (small), 5 pcs.	8418534
	Cap M (medium), 5 pcs.	8418535
	Cap L (large), 5 pcs.	8418536
	Cap XL (extra large), 5 pcs.	8418537
	Cap XXL (extra extra large), 5 pcs.	8418538
B	Disposable Demo Package	8418550
	Consists of:	
	5 x BabyFlow, disposable	
	1 x Prong M (medium), 10 pcs.	8418416
	1 x Prong L (large), 10 pcs.	8418531
	1 x Neonatal mask, size M (medium), 10 pcs.	8418490
	Cap L (large), 5 pcs.	8418536
	Cap XL (extra large), 5 pcs.	8418537



REUSABLE PEDIATRIC SINGLE BREATHING HOSES WITH STANDARD SLEEVES

2.5 REUSABLE PEDIATRIC SINGLE BREATHING HOSES WITH STANDARD SLEEVES

2.5.1 SLEEVES 10 MM/10 MM (0.4 IN/0.4 IN)

- A** Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

1 Breathing hose, pediatric, 60 cm (23.6 in) **2165848**

1 Breathing hose, pediatric, 1.1 m (3.6 ft) **2165600**

2.5.2 SLEEVES 10 MM/22 MM (0.4 IN/0.9 IN)

- B** Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

Breathing hose, pediatric, 40 cm (15.8 in) **2165856**

Breathing hose, pediatric, 60 cm (23.6 in) **2165821**

Breathing hose, pediatric, 1.1 m (3.6 ft) **2165651**

Breathing hose, pediatric, 1.5 m (4.9 ft) **2165961**



Y-PIECES, CONNECTORS AND CABLES

2.5.3 Y-PIECES, CONNECTORS AND CABLES

A	Y-piece, child, 90°	8403075
	For masks with ISO connectors and standard connectors, with 10 mm (0.4 in) socket connectors and suction opening.	
	Y-piece, child, straight	M27077
	Reusable Y-piece for pediatric hose sets.	
	Y-piece, 90°	8403077
	Child Y-piece.	
B	LuerLock angled probe for neonates	M34568
	LuerLock connector for child Y-piece (8403075).	
C	Neonatal flow sensor Y-piece	8410185
	Y-piece with flow sensor for Babylog® 8000/Evita® 4/ Evita 2 dura®/Evita® NeoFlow. Material is made of Polysulfon (PSU), sterilizable/desinfectable.	
D	Neonatal flow sensor ISO 15	8411130
	Straight flow sensor for Babylog® 8000/Evita® 4/ Evita 2 dura®/Evita® NeoFlow. Material is made of Polysulfon (PSU), sterilizable/desinfectable.	
E	Neonatal flow sensor insert, 5 pcs.	8410179
	Insert for neonatal flow sensor Y-piece (8410185) and neonatal flow sensors ISO 15 (8411130), set of 5. Material is made of Polysulfon (PSU), sterilizable/desinfectable.	
F	Flow sensor cable	8409626
	Connecting cable for Dräger neonatal flow sensors i.e. Babylog®.	
G	Analog cable, 3 pcs.	8306487
	Analog cable for Babylog® 8000.	



ANESTHESIA AND VENTILATION FACE MASKS

2.6 ANESTHESIA AND VENTILATION FACE MASKS

2.6.1 LITESTAR® FACE MASKS

LiteStar® anesthesia face mask, disposable,
without hook ring

- A

size 1, neonate, 30 pcs.

MP01501
- B

size 2, infant, 30 pcs.

MP01502

Additional disposable hook rings and disposable headgears for
fixation are available (cf. Mask accessories).



ANESTHESIA AND VENTILATION FACE MASKS

2.6.2 COMFORTSTAR® FACE MASKS

ComfortStar® anesthesia face mask, disposable,
standard, with hook ring

A size 0, neonate, 20 pcs. MP01510

B size 1, new born, 20 pcs. MP01511

C size 2, infant, 20 pcs. MP01512

ComfortStar® anesthesia face mask, disposable,
strawberry scented, with hook ring

B size 1, new born, 20 pcs. MP01521

C size 2, infant, 20 pcs. MP01522

ComfortStar® anesthesia face mask, disposable,
bubble gum scented, with hook ring

B size 1, new born, 20 pcs. MP01531

C size 2, infant, 20 pcs. MP01532

Pumpball as well as different headgears for fixation are available
(cf. Mask accessories).



ANESTHESIA AND VENTILATION FACE MASKS

2.6.3 ALL-ROUND FACE MASKS

A All-Round face mask, reusable

① size 1, small, 1 pc.	2165732
② size 2, medium, 1 pc.	2165740

2.6.4 FOREGGER FACE MASKS

B Foregger face mask, reusable

size 1, petite, 1 pc.	2165910
size 2, small, 1 pc.	2166097

2.6.5 RENDELL-BAKER FACE MASKS

C Rendell-Baker face mask, reusable

size 0, neonate, 1 pc.	M22764
size 1, newborn, 1 pc.	M14631
size 2, toddler, 1 pc.	M14632



ANESTHESIA AND VENTILATION FACE MASKS

2.6.6 SILICONE FACE MASKS

Silicone face mask, reusable

A	size 0, small infant, 1 pc.	MP01610
B	size 1, large infant, 1 pc.	MP01611
C	Silicone face mask, reusable	
①	size 0, small infant, 1 pc.	2121018
②	size 1, large infant, 1 pc.	2121026
③	size 2, small child (round form), 1 pc.	2121034

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).



MASK ACCESSORIES

2.6.7 MASK ACCESSORIES

A	Headgear, reusable, silicone, small, 1 pc.	MP01557
B	Headgear, disposable, soft fabric, small, 1 pc.	MP01559
C	Headgear, disposable, soft rubber, small, 1 pc.	MP01561
Hook ring for LiteStar® anesthesia face masks, disposable		
D	With 15 mm (0.6 in) OD connector, for LiteStar® anesthesia face masks, size 1-2, 30 pcs.	MP01551
Hook ring for Silicone face masks, reusable		
E	With 15 mm (0.6 in) OD connector, for Silicone face masks, size 0-1, 10 pcs.	MP01617
	Hook springring (with fixation), fits All-Round and Foregger face masks	M11044
F	Angled connector for CPAP application, disposable	8409683
G	Two-sided pumpball for air management, 1 pc. It can be used with the ComfortStar® face masks. The pumpball helps to increase/decrease the air in the mask cushion.	MP01590



BREATHING BAGS

2.7 BREATHING BAGS

2.7.1 REUSABLE BREATHING BAGS

2.7.1.1 SILICONE BREATHING BAGS

- A** Transparent breathing bags of silicone elastomer, latex free.

❶ Silicone breathing bag, 0.5 l (17.5 fl oz.) 2166054

❷ Silicone breathing bag, 1.5 l (52.8 fl oz.) 2166127

2.7.1.2 LATEX BREATHING BAGS

- B** Latex breathing bags.

❶ Latex breathing bag, 0.5 l (17.5 fl oz.) 2165686

Latex breathing bag, 1.5 l (52.8 fl oz.) 2165953

- C** Latex breathing bags with a hole.
For anaesthetic set Kuhn type.

❶ Latex breathing bag, 0.5 l (17.5 fl oz.), with hole 2165763

Latex breathing bag, 1.5 l (52.8 fl oz.), with hole 2165775

2.7.1.3 CHLOROPRENE BREATHING BAGS

- D** Chloroprene breathing bags for use as reservoir e.g. on anesthesia devices. Note: Chloroprene breathing bags are the only breathing bags which may be used at the anesthesia workplace system Zeus®.

❶ Chloroprene breathing bag, 0.5 l (17.5 fl oz.) MX50045

❷ Chloroprene breathing bag, 1 l (35 fl oz.) MX50046



ANESTHESIA BREATHING BAGS / EMERGENCY MANUAL RESUSCITATOR / TEST LUNGS

2.7.2 ANESTHESIA BREATHING BAGS

Medbag, 0.25 l (8.7 fl oz.) **MX50030**

Latex free.

Rainbow bag, 0.5 l (17.5 fl oz.) **MX50031**

Colored breathing bags, well accepted by children, latex free.

Rainbow bag, 1 l (35 fl oz.) **MX50032**

Colored breathing bags, well accepted by children, latex free.

2.8 EMERGENCY MANUAL RESUSCITATOR

A Resuscitator Child MR-100 **5702321**

A Resuscitator Infant MR-100 **5702322**

The manual resuscitator is designed for use as an adjunct to artificial respiration and cardiopulmonary resuscitation. The manual resuscitator is fitted with a pressure relief valve which vent the delivered breath to the atmosphere if the pressure exceeds 40 ± 5 cm H₂O.

Reusable, latex free.

B Ventilation system with PEEP valve, manual, disposable **MU04776**

2.9 TEST LUNGS

C Test lung, complete (bellows) **8409742**

Simple test lung with fixed compliance and resistance, latex free.

D Simulation test lung, neonatal **8418077**

The lung model makes it possible to simulate several different conditions of premature baby's lungs.



FILTERS

2.10 FILTERS

FILTER/HME FOR NEONATES

FILTER/HME TWINSTAR®

The TwinStar® filter/HME from Dräger Medical is a combination of an efficient HME and a high-performance airway filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance airway filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color-coding for quick identification.



A	Filter/HME TwinStar® 10A	MP01825
	Resistance 0.4 mbar (0.4 cm H ₂ O) at 5 l/min, internal volume 10 ml. Packaging unit: 50 pcs.	
B	Filter/HME TwinStar® 8	MP01820
	Resistance 0.6 mbar (0.6 cm H ₂ O) at 5 l/min, internal volume 8 ml. Packaging unit: 50 pcs.	

FILTERS

HME HUMIDSTAR®

HumidStar® heat and moisture exchangers from Dräger Medical partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color-coding for quick identification.

A HME HumidStar® 10A

MP01740

Resistance 0.1 mbar (0.1 cm H₂O) at 5 l/min, internal volume 10 ml. Packaging unit: 50 pcs.

B HME HumidStar® 2

MP01745

Resistance 0.5 mbar (0.5 cm H₂O) at 5 l/min, internal volume 2 ml. Packaging unit: 50 pcs.

A

MT-4395-2007



B

MT-11160-2006



NEONATAL ECG


3. NEONATAL MONITORING

Infinity® Monitoring: Gamma, Gamma XL, Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT
OR/Anesthesia Monitoring: PM8010, PM8014, PM8060, PM8060 Vitar, Julian, Cicero EM, Parameterbox.

3.1 NEONATAL ECG

A	ECG electrodes, neonatal, disposable, 300 pcs.	5195024
	Neonatal electrodes with attached lead wire 100 packages of 3 electrodes. Use in conjunction with adapter pins.	
B	Adapter pin, neonatal electrodes, 10 pcs.	5194779
	For connection of neonatal electrodes with 1.5 mm (0.06 in) safety pin connectors to the MultiMed Pod and ECG intermediate cables.	
C	ECG adapter cable, NeoMed Pod, 1.5 m (4.9 ft)	5592162
	3-lead ECG adapter cable connecting neonatal ECG leads to NeoMed Pod. Not for OR use.	
D	NeoMed Pod, 2.5 m (8.2 ft)	5590539
	Multiparameter cable to monitor neonatal 3-lead ECG, impedance respiration, SpO ₂ , temperature (Infinity® modular monitors, two temperatures) and FiO ₂ (Infinity® modular monitors only). Not for use during electrosurgery. Including: – Pod mount.	

INFINITY® MONITORING






MASIMO SPO₂ SENSORS, REUSABLE

3.2 MASIMO SPO₂ SENSORS, REUSABLE

A	Masimo SpO₂ sensor LNOP YI	7497014
	Multisite reusable sensor. V-shaped multisite reusable sensor with a 90 cm (35.4 in) cable that can be used on patients > 1 kg (2.2 lbs). The sensor is attached using either an adhesive attachment wrap or a non-adhesive foam wrap.	
B	Masimo Multisite wrap for SpO₂ LNOP YI	7496917
	Standard multisite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
	Masimo Petite wrap for SpO₂ LNOP YI, 100 pcs.	7496909
	Standard petite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
C	Masimo Foam wrap, neonatal, 12 pcs.	7496891
	Set of 12 replacement foam wraps for SpO ₂ LNOP YI sensor.	
D	Masimo Cleanshield wrap for LNOP YI	5702218
	Cleanshield multisite wrap. Box with 100 replacement wraps for SpO ₂ LNOP YI sensor.	
E	Masimo adhesive square, 12 pcs.	7496875
	Set of 12 x 12 replacement adhesive squares for the sensor.	
F	Masimo Posey wrap, 12 pcs.	7496933
	Set of posey wrap for neonatal sensor.	
G	Masimo tapes for NeoPt, 100 pcs.	7496925
	Set of 100 replacement tapes for neonatal sensors.	

INFINITY® MONITORING
OR/ANESTHESIA
MONITORING
MICRO₂+




MASIMO SPO₂ SENSORS, DISPOSABLE

3.3 MASIMO SPO₂ SENSORS, DISPOSABLE

A	Masimo SpO₂ sensor LNOP Neo, 20 pcs.	7496974
	Neonatal single patient adhesive sensor. Patient weight: < 10 kg (22 lbs). Recommended monitoring site: – For infants < 3 kg (6.6 lbs): across the foot or alternatively across the palm & back of hand, – For infants > 3 kg: the thumb or the great toe. Latex free.	
B	Masimo SpO₂ sensor LNOP NeoPt, 20 pcs.	7496966
	Neonatal preterm single patient adhesive sensor. Patient weight: < 1 kg (2.2 lbs). Recommended monitoring site: across the foot or alternatively across the palm & back of hand. Latex free.	
	Masimo SpO₂ pack LNOP Neo + NeoPt	7496958
	Neonatal sensor sample pack for use on all neonates. Contains: – (3) LNOP Neo adhesive sensors (7496974) – (1) LNOP NeoPt adhesive sensor (7496966).	
C	Masimo SpO₂ sensor LNOP Neo-L, 20 pcs.	5702879
	Box of 20 disposable long neonatal sensors.	
D	Masimo SpO₂ sensor LNOP NeoPt-L, 20 pcs.	5702878
	Box of 20 disposable long premature sensors.	
	Masimo Posey wrap NeoPt-L, 12 pcs.	5702888
	Set of 12 posey wraps for NeoPt-L sensor.	
	Masimo tapes Neo-L, 100 pcs.	5702889
	Set of 100 tapes for Neo-L SpO ₂ sensor.	
E	Masimo Posey wrap, 12 pcs.	7496933
	Set of posey wrap for neonatal sensor.	
F	Masimo tapes for NeoPt, 100 pcs.	7496925
	Set of 100 replacement tapes for neonatal sensors.	
	Masimo SpO₂ sensor LNCS Neo, 20 pcs.	MP00792
	Patient weight: < 10 kg (22 lbs). Latex free.	
	Masimo SpO₂ sensor LNCS Pt, 20 pcs.	MP00793
	Patient weight: 10-50 kg (22-110 lbs). Latex free.	
	Masimo SpO₂ sensor LNCS NeoPt, 20 pcs.	MP00794
	Patient weight: < 1 kg (2.2 lbs). Latex free.	

INFINITY® MONITORING
ORGANESTHESIA
MONITORING
MICRO₂+



NELLCOR® SPO₂ SENSORS


3.4 NELLCOR® SPO₂ OXIMAX® SENSORS

A	Nellcor® SpO₂ sensor, Oximax® Max-I, 24 pcs.	MX50067
	Children 1-20 kg (2.2-44 lbs). Latex free.	
B	Nellcor® SpO₂ sensor, Oximax® Max-N, 24 pcs.	MX50068
	Adults and neonates < 3 kg (6.6 lbs) or > 40 kg (88 lbs). Latex free.	

3.5 NELLCOR® SPO₂ OXIBAND SENSORS


C	Nellcor® Oxiband sensor A/N	8201013
	Newborns < 3 kg (6.6 lbs), adults > 50 kg (110 lbs), complete.	
D	Nellcor® Oxiband wrap A/N, 100 pcs.	8201012
	For Oxiband adult sensor 8201013.	

INFINITY® MONITORING
OR/ANESTHESIA
MONITORING
MICRO₂+



SPO₂ CABLES3.6 SPO₂ CABLES

A	ProCal + intermediate cable, 2 m (6.6 ft)	7492601
	ProCal + intermediate cable, 1.5 m (4.9 ft)	MS13926
	To connect Masimo SpO ₂ sensors to the MultiMed Pod.	
B	LNOP Intermediate cable, 1.2 m (3.3 ft)	MS18680
	LNOP Intermediate cable, 3 m (9.8 ft)	MS17041
	To connect LNOP sensors to the Masimo Set Pods.	
C	Dräger/Nellcor® SpO ₂ extension cable, shielded (blue latch), 1 m (3.3 ft)	3368433
	Dräger/Nellcor® SpO ₂ extension cable, shielded (blue latch), 2 m (6.6 ft)	3375834
D	Dräger/Nellcor® SpO ₂ cable, 1.2 m (3.3 ft)	MS18683
	Dräger/Nellcor® SpO ₂ cable, 3 m (9.8 ft)	MS17330
	To connect Dräger/Nellcor® SpO ₂ sensors to MultiMed plus and MultiMed plus OR Pods.	
E	SpO ₂ basic cable, 2.4 m (7.9 ft)	M35370
	SpO ₂ basic cable, 1.5 m (4.9 ft)	M35371

INFINITY® MONITORING
OR/ANESTHESIA
MONITORING
MICRO₂+

NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)**3.7 NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)****3.7.1 CUFFS FOR OR/ANESTHESIA MONITORING**

A	Cuff, neonatal, size 1, 10 pcs.	2870181
	Arm circumference 3.1-5.7 cm (1.2-2.3 in). Disposable, latex free.	
B	Cuff, neonatal, size 2, 10 pcs.	2870199
	Arm circumference 4.3-8.0 cm (1.7-3.2 in). Disposable, latex free.	
C	Cuff, neonatal, size 3, 10 pcs.	2870207
	Arm circumference 5.8-10.9 cm (2.3-4.3 in). Disposable, latex free.	
D	Cuff, neonatal, size 4, 10 pcs.	2870215
	Arm circumference 7.1-13.1 cm (2.8-5.2 in). Disposable, latex free.	
E	Cuff, neonatal, size 5, 10 pcs.	2870173
	Arm circumference 8.3-15.0 cm (3.3-5.9 in). Disposable, latex free.	



NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)

3.7.2 NIBP HOSES

A	NIBP connection hose neonatal, 2.4 m (7.9 ft)	2870298
	Connects neonatal cuffs to Infinity® monitors.	
B	NIBP connection hose neonatal, 1.5 m (4.92 ft)	M36039
B	NIBP connection hose neonatal, 3 m (9.84 ft)	M36040



TEMPERATURE PROBES

3.8 TEMPERATURE PROBES

A	Temperature probe, skin, 1.5 m (4.9 ft)	4329822
	Not for use during electrosurgery.	
A	Temperature probe, skin, 3 m (9.8 ft)	5204669
	Not for use during electrosurgery.	
B	Temperature protective cover, 10 pcs.	7014616
	For all temperature probes (except skin). Contains latex.	

INFINITY® MONITORING



FIO₂

3.9 FIO₂

For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

A	FiO₂ sensor cable	5597898
	O₂ cell with O-ring	9004979
	Connects to the FiO ₂ cable (5597898) that can be hooked up to the NeoMed Pod (5590539). For measurement of the O ₂ concentration in the incubator.	

A

D-1990-2009



RESPIRATORY MECHANICS

ETCO₂ MAINSTREAM & SIDESTREAM ACCESSORIES

3.10 RESPIRATORY MECHANICS

For Delta, Delta XL, Kappa, Kappa XLT.

Respiratory mechanics flow sensor,
neonatal, disposable, 10 pcs. **5957100**

Respiratory mechanics combined flow/
CO₂ sensor, neonatal, disposable, 10 pcs. **5957118**

3.11 ETCO₂ MAINSTREAM & SIDESTREAM ACCESSORIES

For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

A etCO₂ airway adapter, neonatal, reusable **4721788**

INFINITY® MONITORING

A

D-8975-2009



ETCO₂ MICROSTREAM ADAPTERS & CANNULAS

3.12 ETCO₂ MICROSTREAM ADAPTERS & CANNULAS

For Gamma X XL, Delta, Delta XL, Kappa.

A etCO₂ Microstream airway adapter for ICU, neonatal/pediatric, 25 pcs. 7869550

Microstream etCO₂ airway adapter with sampling line for infant or neonatal patients < 2 kg (4.4 lbs), for use with intubated patients. Recommended maximum usage up to 72 hours. For use in high humidity applications and with ET Tube 2.5-4.0 mm (0.09-0.16 in). Non-sterile, single patient use, latex free.

B etCO₂ Microstream nasal sampling cannula, pediatric, 25 pcs. 7869469

Microstream etCO₂ nasal sampling cannula for pediatric patients, for use with non-intubated patients. Recommended maximum usage up to 12 hours. Non-sterile, single patient use, latex free.

etCO₂ Microstream nasal sampling cannula for ICU, pediatric, 25 pcs. 7869600

Microstream etCO₂ nasal sampling cannula for pediatric patients, for use with non-intubated patients in high humidity applications. Recommended maximum usage up to 24 hours. Non-sterile, single patient use, latex free.

etCO₂ Microstream nasal sampling cannula + O₂, pediatric, 25 pcs. 7869485

Microstream etCO₂ nasal sampling cannula for pediatric patients, for use with non-intubated patients in high humidity applications where oxygen delivery is needed. Recommended maximum usage up to 24 hours. Non-sterile, single patient use, latex free.



ETCO₂ MICROSTREAM ADAPTERS & CANNULAS**A etCO₂ Microstream nasal/mouth sampling cannula + O₂, pediatric, 25 pcs. 7869584**

Microstream etCO₂ nasal and mouth sampling cannula for pediatric patients. Samples CO₂ independent of patients breathing patterns, for use with non-intubated patients where oxygen delivery is needed. Recommended for procedural sedation and critical care, maximum usage up to 12 hours. Non-sterile, single patient use, latex free.

B etCO₂ Microstream nasal sampling cannula for ICU, neonatal/pediatric, 25 pcs. 7869618

Microstream etCO₂ nasal sampling cannula for neonatal or pediatric patients < 10 kg (22 lbs), for use with non-intubated patients in high humidity applications. Recommended maximum usage up to 24 hours. Non-sterile, single patient use, latex free.

A

MT-3012-2004

**B**

MT-3014-2004



TRANSCUTANEOUS MONITORING (TPO₂/TPCO₂) RECORDER PAPER

3.13 TRANSCUTANEOUS MONITORING (TPO₂/TPCO₂)

For Delta, Delta XL, Kappa.

A **tpO₂/tpCO₂ Pod** **5592535**

Small, lightweight module that can easily be mounted close to the incubator provides transcutaneous measurement of the partial pressures of oxygen and carbon dioxide. Compatible with radiometer transducers. Standard parameters:

– tpO₂, tpCO₂.

Including:

– Pod connection cable, 1 m (3.3 ft)
– Universal pole mount.

Requires:

– tpO₂ + tpCO₂ solid state electrode.

B **tpO₂ + tpCO₂ solid state electrode** **4529988**

Connects to tpO₂ + tpCO₂ cartridge and tpO₂/CO₂ Pod.

D280 membraning kit for tcpO₂/tcpCO₂ electrode **MP00715**

Includes:

– 1 bottle of tcpO₂/tcpCO₂ electrolyte solution
– 12 green membrane units with PP membrane
– 1 O-ring remover key and cleaning paper.

D282 fixation kit for tc electrode **MP00716**

4 x 25 disposable fixation rings and 4 x 20 ml (0.7 fl oz.) contact liquid.

Calibration gas 20.9% O₂/5% CO₂, 12 pcs. **MP00717**

Gas mixture cylinder, 1 l (33.8 fl oz.).

3.14 RECORDER PAPER

Infinity® R 50 recording paper, 10 rolls **4711201**

50 mm wide (2 in), approx. 30 m (100 ft) long.
For use with Infinity® R 50 recorder.

A

MT-2179-2004



B

D-6969-2009



FISHER & PAYKEL HUMIDIFICATION

4. ACTIVE HUMIDIFICATION ACCESSORIES

4.1 FISHER & PAYKEL HUMIDIFICATION

4.1.1 HUMIDIFICATION CHAMBER

A	F&P Humidification chamber MR 290, 10 pcs.	8418282
	An autofeed disposable chamber for adults, children, neonates.	



A	F&P Humidification chamber MR 290, 40 pcs.	8418283
	An autofeed disposable chamber for adults, children, neonates.	



B	F&P Humidification chamber MR 340	8411047
	Reusable chamber for children.	

C	Filter paper for MR 340, 100 pcs.	8411073
	Filter paper for Fisher & Paykel chamber MR 340.	



4.1.2 MOUNTING SETS

D	Mounting Fisher & Paykel	8411074
	Rail clamp to mount the humidifier.	




E	Mounting bracket Fisher & Paykel	MP01002
	Mounting bracket (U-shaped) and rail clamp to mount humidifier on the trolley of the ventilator.	



FISHER & PAYKEL HUMIDIFICATION


4.1.3 OTHER ACCESSORIES

A	Hose heater, 70 cm (27.6 in), HFV	8411154
	Heater wire for high frequency ventilation, use with reusable circuit, 80 cm (31.5 in), compatible with MR 700/730.	
B	Dual temperature sensor for MR 700/730, 1.1 m (3.6 ft)	8411048
C	Temperature-/Flow sensor for MR 850, 1.1 m (3.6 ft)	8414989
	For reusable and disposable hose sets.	
C	Temperature-/Flow sensor for MR 850, 1.5 m (4.9 ft)	8414966
	For reusable and disposable hose sets.	
D	Hose heater adapter for MR 700/730, reusable hose sets	8411097
	Heater wire adapter for inspiratory heated, reusable circuits, for MR 700/730.	
E	Hose heater adapter for MR 850, reusable hose sets	8414968
	Heater wire adapter for inspiratory heated, reusable circuits, for MR 850.	



FISHER & PAYKEL HUMIDIFICATION

A	Hose heater adapter for MR 850, third party hose sets	MP01001
	Heater wire adapter for third party inspiratory heated breathing circuits, for MR 850.	
B	Hose heater adapter for MR 730, third party hose sets	8418433
	Heater wire adapter for third party inspiratory heated breathing circuits, for MR 730.	
C	Draw wire, for reusable hose systems, 1.5 m (4.9 ft)	8411050
	Draw wire, 1.5 m (4.9 ft), used to draw the heater wire into reusable tubing.	




NEBULIZER

4.2 NEBULIZER

4.2.1 PNEUMATIC MEDICAMENT NEBULIZER

A Nebulizer	8411030
Nebulizer for neonatal use with quick connector for Babylog® 8000.	
B Nebulizer, white	8412935
Nebulizer for Evita® 4, Evita 2 dura®, Evita® XL.	
C Accessories nebulizer	8411031
Connectors to adapt nebulizer (8412935, 8405000) to hose sets for neonates.	
4.2.2 AERONEB PRO	
D Aeroneb Pro Nebulizer System	MP01010
Including: control module with cable, adult T-adapter with plug, 2 x nebulizer head with filler cap, mounting, AC/DC-adapter.	
E Nebulizer unit with filler cap	MP01030
F T-adapter with plug, for neonates, 5 pcs.	MP01032
10/15 mm (0.4 in/0.6 in).	
T-adapter with plug, 12 mm (0.5 in), 5 pcs.	MP01037
12 mm (0.5 in).	
Sealing plug for Y-piece	8411024
Sealing plug for Babylog® 8000 flow sensor when using nebulizers.	



FLOWMETER

5. OXYGEN THERAPY

5.1 FLOWMETER

5.1.1 O₂ FLOWMETER

5.1.1.1 O₂ FLOWMETER, CS

These O₂ Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates of up to 32 l/min can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at (1013 hPa/20 °C)**

± 15% (corresponding to smallest setting value)

± 10% (all other setting values)

** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 40 x 130 mm
(6.3 x 1.6 x 5.1 in)

Material: Housing: Aluminium
Pressure dome: Polycarbonate
Flow indicator: Glass

Weight: Approx. 500 g (1.1 lb).



A	O₂ Flowmeter 4 l, CS	2M86517
	Gas connection: DIN probe.	
	Device connection: M 34 x 1.5 thread.	
	Gas colour coding: ISO and neutral colour.	

FLOWMETER

5.1.1.2 O₂ TWIN FLOWMETER, CS

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at (1013 hPa/20 °C)**

± 15% (corresponding to smallest setting value)

± 10% (all other setting values)

** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 150 x 190 mm
(6.3 x 5.9 x 7.15 in)

Material: Housing: Aluminium
Pressure dome: Polycarbonate
Flow indicator: Glass

Weight: Approx. 900 g (1.98 lb).

A O₂ Twin Flowmeter 16 l, CS **2M86561**

Gas connection: DIN probe.

Device connection: M 3/4 x 1.5 thread.

Gas colour coding: ISO and neutral colour.

B O₂ Twin Flowmeter 16 l, CS, 9/16" **2M86564**

Two flow tubes, each 16 l/min.

Gas connection: DIN probe.

Device connection: 9/16", for sterile water.

Gas colour coding: ISO and neutral colour.




FLOWMETER

5.1.1.3 O₂ FLOWMETER, RAIL

These O₂ flowmeters are used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4, 16 or 32 l/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. A 2 m (6.6 ft) connecting hose is attached to the easily operated clamp.

Accuracy of flow rate at (1013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 40 x 130 mm
(6.3 x 1.6 x 5.1 in)
Material: Housing: Aluminium
Pressure dome: Polycarbonate
Flow indicator: Glass
Weight: Approx. 950 g (2.09 lbs).



A	O₂ Flowmeter 4 l, rail	2M86516
	Gas connection: DIN probe.	
	Device connection: M 34 x 1.5 thread.	
	Gas colour coding: ISO colour.	
B	O₂ Flowmeter 4 l, rail, neutral colour	MP01191
	Gas connection: DIN probe.	
	Device connection: M 34 x 1.5 thread.	
	Gas colour coding: neutral colour.	

FLOWMETER

5.1.1.4 O₂ FLOWMETER, RAIL, 90°

Accuracy of flow rate at (1013 hPa/20 °C)**

± 15% (corresponding to smallest setting value)

± 10% (all other setting values)

** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 40 x 130 mm

(6.3 x 1.6 x 5.1 in)

Material: Housing: Aluminium

Pressure dome: Polycarbonate

Flow indicator: Glass

Weight: Approx. 950 g (2.09 lbs).

A O₂ Flowmeter 4 l, rail, 90°

2M86575

Gas connection: DIN probe.

Device connection: M 34 x 1.5 thread.

Gas colour coding: ISO colour.

B O₂ Flowmeter 4 l, rail, 90°, neutral colour

MP01197

Gas connection: DIN probe.

Device connection: M 34 x 1.5 thread.

Gas colour coding: neutral colour.

Hose: 2 m (6.6 ft) long.

C O₂ Flowmeter 16 l, rail, NIST

MP01201

Gas connection: NIST screw.

Device connection: M 34 x 1.5 and adapter to 9/16".

Gas colour coding: neutral colour.

CS hoses

8601697

Several hoses for connecting MP01201 and

MP01202 with the Central Gas Supply System.

For overview and detailed description please refer

to catalogue Ward Equipment, chapter 12-16.



FLOWMETER

5.1.2 FLOWMETER WITH SELECTOR WHEEL

Following flows can be set: 1, 2, 3, 4, 6, 8, 12 and 15 l/min.

A speciality of this device is the high accuracy.

Technical Data:

Gas-Inlet:	DIN O ₂ CS connector
Accuracy (at 4.5 + 0.2 bar):	± 0.5 l/min or ± 10%, whichever is greater
Supply pressure:	4.5 + 0.2 bar
Weight:	420 g.

A	Flowmeter with selector wheel	2M86793
	Gas outlet: 6 mm (0.2 in) nozzle.	
B	Flowmeter with selector wheel	MP01204
	Gas outlet: 9/16" for sterile water systems.	



DIGIFLOW

5.1.3 DIGIFLOW

Flowmeter with digital displaying of the setted flow. For direct connection to the wall or with rail clamp. DigiFlow has a very high level of accuracy and the flow is easy to read. Additional functions like preset of therapy time, consumption of oxygen and expired time of use are integrated.

Supply pressure:	39 to 87 psi (2.7 to 6 bar)
Resolution of the display:	0.3 to 3.0 l/min: 0.1 l/min higher: 0.5 l/min
Measurement accuracy:	± 5% of displayed value
Accuracy of the display:	± 1 digit
Dimensions (W x H x D):	With direct probe: 56 x 144 x 140 mm (2.2 x 5.67 x 5.51 in) With universal holder: 56 x 144 x 105 mm (2.2 x 5.67 x 4.13 in)
Weight:	With direct probe: 0.34 kg (0.74 lbs) With universal holder NIST: 0.74 kg (1.63 lbs).



DIGIFLOW CS VERSIONS FOR O₂

3 l/min oxygen flow meter with digital display showing the delivered flow rates. For directly plugging into an oxygen supply coupler. This version is particularly suitable for low flows in the neonatal and pediatric fields. Adjustment from 0.3 to 3 l/min in 0.1 increments.

A	DigiFlow O₂, CS, 3 l/min, DIN	MP01210
	With 9/16" port, e.g. for disposable sterile water systems or nozzle.	
	DigiFlow O₂, CS, 3 l/min, BS	MP01218
	With British Standard connection.	
	DigiFlow O₂, CS, 3 l/min, AFNOR	MP01222
	With Norm Francaise connection.	
B	DigiFlow O₂, CS, 3 l/min, DIN	MP01211
	With M 34 x 1.5 port for reusable Dräger humidifier systems or nozzle.	

DIGIFLOW

DIGIFLOW RAIL VERSIONS FOR O₂

A	DigiFlow O₂, rail, 3 l/min, NIST	MP01212
	With 9/16" port, e.g. for disposable sterile water systems or nozzle. Gas inlet: rotatable NIST union.	
B	DigiFlow O₂, rail, 3 l/min, NIST	MP01213
	With M 34 x 1.5 port for disposable Dräger humidifier, mixing unit or nozzle. Gas inlet: rotatable NIST union.	

DIGIFLOW VERSION FOR COMPRESSED AIR

C	DigiFlow Air, CS, 3 l/min, DIN	MP01214
	With 9/16" port, e.g. for disposable sterile water systems or nozzle.	
C	DigiFlow Air, CS, 3 l/min, BS	MP01220
	With British Standard connection.	
C	DigiFlow Air, CS, 3 l/min, AFNOR	MP01224
	With Norm Francaise connection.	
D	DigiFlow Air, rail, 3 l/min, NIST	MP01215
	With 9/16" port, e.g. for disposable sterile water systems or nozzle. Gas inlet: rotatable NIST union.	
E	DigiFlow Air, rail, 3 l/min, NIST	MP01235
	With M 32 x 1.5 port for reusable Dräger humidifier, mixing unit or nozzle. Gas inlet: rotatable NIST union.	



HUMIDIFIER AND NEBULIZER

5.1.4 HUMIDIFIER AND NEBULIZER

A Humidifier bubbler

2M85834

The humidifier bubbler is used to moisten the breathing gas to 50-70% relative humidity in inhalation or especially in insufflation. It moistens the dry oxygen from the piped medical gas supply or compressed gas cylinder to a physiologically favourable relative humidity. The bubbler is screwed directly to an O₂ flowmeter or DigiFlow together they are attached to a wall rail or a CS terminal. It is provided with an outlet with two connections of different diameters for inhalation and insufflation hoses. The bubbler can be autoclaved at up to 134 °C and can thus be reused, making it both environmentally friendly and cost effective.

Dimensions: Ø 62 mm (2.4 in)
height 200 mm (7.9 in)

O₂ gas connection: M 34 x 1.5 thread

Application: Corrugated hose, Ø 22 mm (0.9 in)
silicone hose, Ø 6 mm (0.3 in) (conical)

Filling capacity: Approx. 220 ml (7.6 fl. oz.).



MT-246-2000



MT-83-2000



MT-2585-95



MT-5607-2005

5.1.5 ACCESSORIES AND CONSUMABLES FOR FLOWMETERS

B Adapter M 34 x 1.5 to 9/16"

2M86680

For connecting disposable sterilized water systems to O₂ flowmeters with M 34 x 1.5 thread.

C Connection nozzle O₂, 6 mm (0.2 in)

M06258

Between a 6 mm (0.2 in) silicone hose and an O₂ Flowmeter. For use in all applications where humidification is not desired, e.g. during manual ventilation with an O₂ reservoir.

D Adapter 9/16" to 6 mm (0.2 in) nozzle

MP00416

Adapter with 6 mm (0.2 in) nozzle for e.g. disposable breathing masks.
To screw on a 9/16" connector.

HUMIDIFIER AND NEBULIZER

6. AEROSOL THERAPY

6.1 HUMIDIFIER AND NEBULIZER

6.1.1 TROPIC PLUS ULTRASONIC NEBULIZER

Ultrasonic nebulizer for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation. The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers (Tropic plus nebulizer set). For use with 110/127/230 V.

- Power consumption:

Ultrasonic nebuliser 50 VA
Hose heating 15 VA
- Ultrasonic frequency:

1.68 MHz ± 5%
- Sound pressure level:

Approx. 35 dB(A)
- Protection against moisture:

IP 32 (dripping water)
- Method of operation:

Continuous operation
- Nebuliser output:

Max. 3 ml/min
- Output with sterile water system:


Up to 2.5 ml/min
- Size of droplets:

0.2 to 4 µm
approx. 86 % is smaller than 4 µm
- Air flow:

6 to 10 l/min
when using Filter SafeStar® 55
10 to 15 l/min
when using Filter CareStar® 30
- Classification:

Class I B

Dimensions (mm):



A Tropic plus ultrasonic nebulizer

MP01205

- Consisting of:
- Basic unit
 - Short and long disposable hose
 - Bacterial filter
 - Mains cable
 - Nebulizer chamber with quartz oscillator and lid.

HUMIDIFIER AND NEBULIZER

ACCESSORIES AND CONSUMABLES FOR THE TROPIC PLUS ULTRASONIC NEBULIZER

A Table-top accessory set

MP01209

Useful accessories permitting use of the ultrasonic nebulizer Tropic plus wherever required.

Comprising:

- Plane stand
- Articulated bracket
- Hold-down device
- Positioning aid for nebulizer chamber cover.

B Trolley accessory set

MP01206

Trolley accessory set for transporting ultrasonic nebulizer Tropic plus easily.

- 5 castors (2 are electrically conductive and can be locked in position)
- Support rod
- Equipment rack (infinitely height-adjustable)
- Hinged arm retaining clip
- Bottle holder.

C Rail attachment set

MP01207

Kit for easy attachment of the Tropic plus ultrasonic nebulizer to an intensive-care rail.


Comprising:

- 1 x bracket for the wall rail
- 1 x stand
- 1 x hinged arm
- 1 x clamp
- 1 x supply bottle holder.



HUMIDIFIER AND NEBULIZER

A	Heatable hose	2M85759
	Sterilizable hose with cable and plug to heat the mist or aerosol produced by ultrasonic nebulizer Tropic plus. Length: 1.1 m (3.6 ft).	
B	Hose	8403896
	Autoclavable hose for use with McGaw or Tropic plus. Length: 1.2 m (3.9 ft).	
C	Hose	2M85813
	Sterilizable hose for ultrasonic nebulizer Tropic plus. It brings the filtered air into the nebulizer chamber.	
D	Automatically refilling set	MP01208
	Overflow-proof, automatic delivery set for the Tropic plus, for connection to a large sterile water container. For prolonged operating times without refilling of the nebulizer chamber.	
E	Tropic plus nebulizer set	MP00006
	The nebulizer set is used for medicament nebulization with the ultrasonic nebulizer Tropic plus. Single use cups and lids. Set of 48 pcs.	
F	Quartz oscillator	2M85794
	Replacement part for ultrasonic nebulizer Tropic plus: transducer (oscillator). Replacable by hand.	
G	Nebulizer chamber lid	2M85795
	Autoclavable lid for nebulizer chamber.	



HUMIDIFIER AND NEBULIZER

A	Easytube, 1 m (3.3 ft)	MX22793
	Single use hose. Length: 1 m (3.3 ft). 15 pcs.	
A	Easytube, 40 cm (15.7 in)	MX22790
	Single use hose. Length: 40 cm (15.7 in). 20 pcs.	
B	Nebulizer chamber	2M85796
	Autoclavable nebulizer chamber (without quartz module).	



MEDICAL ASPIRATION

7. MEDICAL ASPIRATION

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be fully autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality Polysulfone, are reusable, extremely robust and implosion proof. The long service life makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the unit's centre of gravity, making it easy to transport the secretion jar set quickly.



A	Secretion jar set	2M85056
	2 x 700 ml capacity.	
	Maximum capacity up to the overflow safeguard 2 x 1,000 ml.	
	Scale in steps of 10 ml up to max. 700 ml.	
	Weight: 1,000 g (empty).	
	Dimensions (W/H/D) in mm: 300 x 340 x 100.	
B	Secretion jar set with protection jar	2M85607
	2 x 700 ml capacity.	
	Maximum capacity up to the overflow safeguard 2 x 1,000 ml.	
	Scale in steps of 10 ml up to max. 700 ml.	
	With additional protection jar 300 ml.	
	Weight: 1,000 g (empty).	
	Dimensions (W/H/D) in mm: 300 x 340 x 100.	

MEDICAL ASPIRATION

A Bronchial aspirator, ejector, portable, 1 To remove secretion from the airways in pediatric applications. Capacity of secretion jar and rinsing jar 700 ml, scale in steps of 10 ml. Ejector: vacuum control range -0.5 to 0 bar (-50 to 0 kPa), maximum suction capacity: 8 l/min.*	2M85055
B Bronchial aspirator, ejector Rail: To remove secretion from the airways in pediatric applications. Capacity of secretion jar and rinsing jar 700 ml, scale in steps of 10 ml. Ejector: vacuum control range -0.5 to 0 bar (-50 to 0 kPa), maximum suction capacity: 15 l/min.*	2M85040
C Bronchial suction vacuum, ped With vacuum regulator up to -0.9 bar, fitted beneath the bed area. Portable secretion jar set, connection to central vacuum system. The vacuum regulator generates infinitely adjustable vacuum up to -0.9 bar.	2M21189

*Including Bacterial filter 767.



MEDICAL ASPIRATION

A VacuSmart®

MX23023

The VacuSmart® is a disposable cartridge and has been specially designed and thoroughly tested to work in optimal fashion with the Dräger Medical bronchial aspirators using 700 ml secretion jars, so there is absolutely no need to modify the aspirator. It is adaptable within few seconds. An overflow safeguard reliably protects the aspirator and the environment against contamination.

Technical data:

Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Material:	PE (Polyethylene)
Overflow safeguard:	Integrated, hydrophobic filter
Packaging unit:	25 pcs.
Recommended duration of use:	24 h.



B VacuSmart® Gel

MX23025

The VacuSmart® Gel is a disposable cartridge with an integrated gelling agent for all Dräger Medical bronchial aspirators using 700 ml secretion jars. The gelling agent coagulates the bronchial secretion and prevent thereby the leakage e.g. in a case of disposal in a waste press. The integrated sodium Polyacrylate is additionally packed in a water soluble bag in order to avoid the contact with the skin.

Technical data:

Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Material:	PE (Polyethylene)
Gelling agent:	Sodium Polyacrylate
Overflow safeguard:	Integrated, hydrophobic filter
Packaging unit:	25 pcs.
Recommended duration of use:	24 h.



C VacuSmart® Tube

MX23026

Disposable suction tube with finger tip vacuum control.

Technical data:

Length:	2 m (6.6 ft)
Material:	PE (Polyethylene)
Packaging unit:	25 pcs.

MEDICAL ASPIRATION

With these vacuum regulators you could regulate an infinitely variable vacuum during continuous drainage, thus reducing the drive gas considerably. Apart from the pressure gauge, all parts can be autoclaved at up to 134 °C. All VarioVac® vacuum regulators offer a dual color coding according to EN ISO 32 (yellow) and neutral color standard (black).

Shut-off valve is included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	10 lpm
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 x 200 x 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm.



A VarioVac® D Rail

MP00511

Vacuum regulator for continuous and wound drainage as well as for paediatric applications.

For connecting via CS vacuum connecting hose.

Connection thread: NIST. This rail version can be connected to all standard wall rails (in the range of 8-10 mm width and 25-35 mm height).

CS hoses: for overview and detailed description please refer to catalogue Ward Equipment, chapter 12-16.

MEDICAL ASPIRATION

A Bacterial filter 767 for old ejectors

6723976

This filter has been specially designed and thoroughly tested to work in optimal fashion with Dräger standard ejectors (model range until 2010). This product can be used for bronchial suction, continuous and wound drainage as well as for thorax drainage. The filter reliably protects against contamination of the ejector and the environment.

Technical data:

Bacterial retention:	99.992%*
Viral retention:	99.99%*
Material:	PS (Polystyrol)
Recommended duration of use:	14 days
Filtration method:	Mechanical, (HEPA)*
Max. resistance (mbar):	6 mbar
Packaging unit:	5 pcs.

*According to EN 1822-1:1998

Filter for suspended particles (HEPA and ULPA).

B Suction hose

M25780

To remove secretion with continous drainage units and bronchial aspirators. Length 1.5 m (4.9 ft).

C Silicone hose, 5 x 2

1203606

Connecting hose for bronchial aspirator, made of silicone. Internal Ø 5 mm wall thickness 2 mm (6.6 ft), by the metre.

D Secretion jar 0.3 l

2M86207

Autoclavable up to 134 °C.

Material: PSU (Polysulfone).

E Secretion jar 0.7 l

2M85594

Autoclavable up to 134 °C.

Material: PSU (Polysulfone).

F Angled connector

2M19063

Angled hose connector for secretion jar caps.

A

MT-3005-2004



B

MT-2568-95



C

MT-2219-92



D

MT-10979-2006



E

MT-2565-95



F


MT-2492-95



MEDICAL ASPIRATION

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

A	Wall holder	M26859
	Wall holder incl. fixing screws.	
B	Rail holder with clamp	M26842
	Rail holder with clamp.	
C	Ceiling holder	2M85119
	Ceiling holder with clamp.	
	Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.	
D	Connecting hose holder	2M85446
	For holding a central supply connecting hose.	
E	Suction hose holder	2M85239
	For holding an aspiration hose. Various diameters possible.	




RAIL ACCESSORIES

8. RAIL ACCESSORIES

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints of the Quickstop hinged arm can be fixed into place and released with just one quick hand – movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

A Quickstop hinged arm 2	2M85706
The Quickstep 2 offers an universal ball holder system for optional accessories. Contains: 2 x Hose clamps (2 pcs.) 1 x Hose clamps, coaxial (double) 1 x Hose clamp with ball. Length: 1,078 mm. Load capacity: max. 2 kg.	
B Quickstop hinged arm short	2M86463
Specifically designed to work in optimal fusion with OR-tables. Including universal tube holder plate for several cable – and tube dimensions as well as coaxial hoses. Contains: 1 x Universal tube holder plate for several cable- and tube dimensions. Length: 403 mm. Load capacity: max. 4 kg.	
C Hose clamp for ball mounting	8409841
For standard breathing hoses. Adults and pediatrics. Applicable for Quickstop hinged arm 2 (2M85706).	
D Hose clip, single, 2 pcs.	8406138
For standard breathing hoses. Adults and pediatrics. Applicable for Quickstop hinged arm 2 (2M85706). Set of two hose clamps.	
E Hose clamp, coaxial	MP00493
Set of two hose clamps. For coaxial breathing hoses. Adults. Applicable for Quickstop hinged arm 2 (2M85706).	
F Holder for Y-piece for ball mounting	8409746
Applicable for Quickstop hinged arm 2 (2M85706).	
G Universal tube holder plate for ball mounting	2M86465
For all standard cable- and hose dimensions as well as for coaxial and pediatric hoses. Applicable for Quickstop hinged arm 2 (2M85706).	



RAIL ACCESSORIES

Proper illumination and working conditions are vital throughout patient care. You can choose the right lightning solution for the different applications such as examination or reading at the patient's bedside.

Dräger's solutions provide ideally suited lightning for examinations, wound management and for different specific applications, e.g. the positioning of syringes and IV lines. All three solutions fit standard rail systems and are easy to mount.

A NCL examination lamp

2M85657

Customer's benefits:

NCL filter for optimal lightning and color rendering

Two-step switch to adjust the amount of light

Step I: Reading light

Step II: Diagnosis light

Minimal heat emissions through a heat protection filter and double wall cabinet

Integrated electronic safety transformer with line and thermal fuse.

Max illumination at a distance of 0.5 m:

Step I: 11,000 lux \pm 10%

Step II: 20,000 lux \pm 10%

Color temperature (Kelvin): 4,100 K \pm 5%

Color rendering index: RA 92, class 1A

Type: Philips Brilliant Line Pro

Halogen Lamp 12V/35W/24°

Plug: DIN Standard

Weight: Approx. 1.3 kg

Protection Class: II

Power cord: 3 m

Rail clamp: 10 x 25 mm (0.4 x 1 in) to

8 x 35 mm (0.3 x 1.4 in)

Measurement: 400 and 420 mm.

B Examination lamp HX 35 TM

MP00435

In contrast to the NCL examination lamp the HX 35 TM comes with a BS plug, a starter power cable as well as a lower light intensity.

Max illumination at a distance of 0.5 m:

Step I: 5,000 lux \pm 10%

Step II: 13,000 lux \pm 10%

Power cord: 1.4 m.

C Illuminant NCL 12 V, 35W, 24°

MP00681


Illuminant for NCL examination lamp (2M85657) and HX 35 TM (MP00435).



RAIL ACCESSORIES

Wire baskets

The wire baskets are used for storage of disposable catheters or disposable gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (6 in).



A Basket 150, for disposable gloves **M26146**

Size: 150 x 200 x 100 mm (5.9 x 7.9 x 3.9 in).

A Basket 300, for 300 mm (12 in) catheters **M26145**

Size: 150 x 280 x 100 mm (5.9 x 11 x 3.9 in).

A Basket 600, for 600 mm (23.6 in) catheters **M25121**

Size: 150 x 480 x 100 mm (5.9 x 18.9 x 3.9 in).


B Holder for litter bags, incl. 100 litter bags **M24695**

This stainless steel holder for litter bags is provided with a rail clamp and can be fitted to any intensive care rail. It is used for disposal of all kinds of litter such as bandages, catheters, tubes, infusion equipments, syringes etc. The metal frame is open at the front and can be pushed shut. This makes it easy to attach and remove the bags.



Set of litter bags, 100 pcs. **M26240**

Set of waste bags for the litter bag holder.



C Infusion bottle holder **M20719**

The infusion bottle holder can be attached to an intensive care rail using the rail clamp. The height of the holder can be adjusted by moving the clamp. With three hooks.



D Rail holder catheter, receptacle **MP00652**

Size: 125 x 84 x 180 mm (49.2 x 33 x 70.9 in).

E Catheter receptacle, large **MP00650**

Size: 122 x 252 x 122 mm (4.8 x 9.9 x 4.8 in) (top) and Ø 85 mm (bottom).




F Catheter receptacle, small **MP00651**

Size: 120 x 166 x 122 mm (4.7 x 6.5 x 4.8 in) (top) and Ø 60 mm (bottom).



G Clamp **2M85274**

Clamp for attachment of rail accessories to poles of different diameter. Rotable by 90 degrees to left and right. Length rail: 200 mm (7.87 in).



FLOW SENSORS

9. FLOW SENSORS/OXYGEN SENSORS

9.1 FLOW SENSORS

A	Neonatal flow sensor Y-piece	8410185
	Y-piece with flow sensor for Babylog® 8000/Evita® 4/ Evita 2 dura®/Evita® NeoFlow. Material is made of Polysulfon (PSU), sterilizable/desinfectable.	
B	Neonatal flow sensor ISO 15	8411130
	Straight flow sensor for Babylog® 8000/Evita® 4/ Evita 2 dura®/Evita® NeoFlow. Material is made of Polysulfon (PSU), sterilizable/desinfectable.	
C	Neonatal flow sensor insert, 5 pcs.	8410179
	Insert for neonatal flow sensor Y-piece (8410185) and neonatal flow sensors ISO 15 (8411130), set of 5. Material is made of Polysulfon (PSU), sterilizable/desinfectable.	
D	Flow sensor cable	8409626
	Connecting cable for Dräger neonatal flow sensors i.e. Babylog®.	



OXYGEN SENSORS

9.2 OXYGEN SENSORS

A	Oxygen sensor, O₂ capsule	6850645
Mainstream oxygen sensor. Sensors are electrochemical systems intended for the measurement of O ₂ partial pressure. The sensors work according to the galvanic cell principle. The gas mixture to be monitored diffuses through a plastic membrane into the sensor's liquid electrolyte. The electrolyte contains a working electrode (gold electrode) and a counter-electrode (lead electrode). The oxygen to be monitored is electrochemically reduced at the working electrode.		
B	Oxydig sensor housing	6850250
Sensor housing with extendable cable for the application of mainstream measurement (O ₂ capsule) in compact breathing systems (i.e. Cosy).		
C	O₂ sensor housing, Anemone	6850720
Sensor housing with smooth cable for the application of mainstream measurement (O ₂ capsule) in compact breathing systems (i.e. Cosy).		



CONTENT

1. Flow sensors	287
2. Oxygen sensors	289

FLOW SENSORS

1. FLOW SENSORS

A Spirolog® Flowsensor, 5 pcs.	8403735
Spirolog® Flowsensor is a hot-wire sensor for measuring volumetric gas flow (flow) delivered by Dräger anesthesia machines and ventilators. Spirolog® is not suitable for sterilization, but disinfection. Material is made of Acrylonitrile-Butadiene-Styrene (ABS).	
B Infinity® ID Flowsensor, 5 pcs.	6871980
The new highlight in the flow measurement field is the Infinity® ID Flowsensor. It uses RFID (Radio Frequency Identification) technology and offers you the additional benefit of an integrated compatibility control. The new Infinity® ID Flowsensor is compatible with nearly all Dräger anesthesia and ventilation devices. The compatibility control feature can be activated on all Infinity Acute Care Systems devices with integrated RFID module. Infinity® ID Flowsensor is not suitable for sterilization, but disinfection. Material is made of Acrylonitrile-Butadiene-Styrene (ABS).	
C SpiroLife® Flowsensor	MK01900
The reusable sensor of Dräger Medical. SpiroLife® is the only device which combines the advantages of the hot-wire anemometer technology with the possibility of sterilization. The SpiroLife® sensor can be used with all devices where today the Spirolog® sensor is applied, i.e. Primus®, Cicero®, Evita®, Evita® 4 or Evita® XL. For the anesthesia workstation Zeus® only the SpiroLife® can be used. Material is made of Polyphenylsulphone (PPSU).	
D Neonatal flow sensor Y-piece	8410185
Y-piece with flow sensor for Babylog® 8000/Evita® 4/ Evita 2 dura®/Evita® NeoFlow. Material is made of Polysulfon (PSU), sterilizable/desinfectable.	
E Neonatal flow sensor ISO 15	8411130
Straight flow sensor for Babylog® 8000/Evita® 4/ Evita 2 dura®/Evita® NeoFlow. Material is made of Polysulfon (PSU), sterilizable/desinfectable.	
F Neonatal flow sensor insert, 5 pcs.	8410179
Insert for neonatal flow sensor Y-piece (8410185) and neonatal flow sensors ISO 15 (8411130), set of 5. Material is made of Polysulfon (PSU), sterilizable/desinfectable.	
G Pressure difference flow sensor	8412034
Reusable flow sensor with pressure difference principle. Can be used in combination with Oxylog® 2000 & 3000 and Fabius® CE, sterilizable/desinfectable.	



FLOW SENSOR CABLES


A	Flow sensor cable	8409626
	Connecting cable for Dräger neonatal flow sensors i.e. Babylog®.	
B	MRI flow extension cable	8306370
	Connecting cable for Patient Monitor PM 8050 in MRI areas.	
C	Connecting cable for flow sensor	8305622
	Connecting cable for Dräger hot-wire anemometry flow sensors (Spirolog®/SpiroLife®/Infinity® ID).	



OXYGEN SENSORS

2. OXYGEN SENSORS

A	Oxygen sensor, O₂ capsule	6850645
	Mainstream oxygen sensor. Sensors are electrochemical systems intended for the measurement of O ₂ partial pressure. The sensors work according to the galvanic cell principle. The gas mixture to be monitored diffuses through a plastic membrane into the sensor's liquid electrolyte. The electrolyte contains a working electrode (gold electrode) and a counter-electrode (lead electrode). The oxygen to be monitored is electrochemically reduced at the working electrode. Can be used with i.e. Fabius®, Fabius® GS, Evita® family, Narkomed, Sulla®/Titus®/Trajan (Oxydig), Incubator 8000, Babylog® (Oxydig).	
B	Fast oxygen sensor	6850930
	Sidestream oxygen sensor. Sensors are electrochemical systems intended for the measurement of O ₂ partial pressure. The sensors work according to the galvanic cell principle. The gas mixture to be monitored diffuses through a plastic membrane into the sensor's liquid electrolyte. The electrolyte contains a working electrode (gold electrode) and a counter-electrode (lead electrode). The oxygen to be monitored is electrochemically reduced at the working electrode. Can be used with i.e. Primus®, Julian®, Cicero®, Cato®, Patient Monitor PM 8050 and PM 8060.	
C	Oxydig sensor housing	6850250
	Sensor housing with extendable cable for the application of mainstream measurement (O ₂ capsule) in compact breathing systems (i.e. Cosy).	
D	O₂ sensor housing, Anemone	6850720
	Sensor housing with smooth cable for the application of mainstream measurement (O ₂ capsule) in compact breathing systems (i.e. Cosy).	
E	Oxytrace VE	MX01049
	Oxygen sensor for application in Savina® ventilators.	



CONTENT

1. DRÄGERSORB®	293
2. DRÄGERSORB® CLIC	295

DRÄGERSORB®

1. DRÄGERSORB®

Soda lime in pellet form with color indicator from white to violet. For the absorption of carbon dioxide (CO₂) from breathing gas in inhalation anesthesia machines with rebreathing system.

A Drägersorb® 800+	MX00001
Packaging unit: 5 l (176 fl oz.) canister.	
B Drägersorb® Free	MX50050
In use with Sevoflurane, Drägersorb® Free prevents generation of Compound A and Carbon Monoxide. Packaging unit: 5 l (176 fl oz.) canister.	
C Canister opener	MX10209
Tool to open canister MX00001 and MX50050.	

A

D-12684-2010



B

D-12685-2010



C

MT-2357-2004




DRÄGERSORB® CLIC

2. DRÄGERSORB® CLIC, DISPOSABLE ABSORBER

The CLIC absorber (disposable absorber) for Dräger anesthesia machines is attached to the existing absorber holder by means of an adapter. A quick, clean, easy-to-use disposable solution.

A CLIC Absorber 800+	MX00004
The CLIC Absorber 800+ is filled with Drägersorb® 800+, 1.2 l (42.2 fl oz.). Packaging unit: 6 pcs.	
B CLIC Absorber Free	MX50100
The CLIC Absorber Free is filled with Drägersorb® Free, 1.2 l (42.2 fl oz.). Packaging unit: 6 pcs.	
C Infinity® ID CLIC Absorber 800+	MX50004
The Infinity® ID CLIC Absorber 800+ with RFID (Radio Frequency Identification) tag and is filled with Drägersorb® 800+, 1.2 l (42.2 fl oz.). Packaging unit: 6 pcs.	
D Infinity® ID CLIC Absorber Free	MX50120
The Infinity® ID CLIC Absorber Free with RFID (Radio Frequency Identification) tag, filled with Drägersorb® Free, 1.2 l (42.2 fl oz.). Packaging unit: 6 pcs.	
E CLIC adapter	MX50090
To use the disposable absorber at the anesthesia work stations Primus® Familie, Fabius® Familie and Zeus® IE.	
F Intermediate plate	MX00013
Please contact Dräger Service to adapt the CLIC adapter for Cato®, Cicero® and Fabius®.	
G CLIC adapter Zeus®	MX50080
To use the disposable absorber at the anesthesia work station Zeus® please contact Dräger Service.	
H Bacteria filter IBF absorber	MK02588
Only use with Zeus®/Zeus® IE. 5 pcs.	



CONTENT

OXYGEN THERAPY

1. Flowmeter	299
1.1 O ₂ Flowmeter	299
1.1.1 O ₂ Flowmeter, CS	299
1.1.2 O ₂ Twin Flowmeter, CS	300
1.1.3 O ₂ Flowmeter, rail	301
1.1.4 O ₂ Flowmeter, rail, 90 °	302
1.2 Flowmeter with selector wheel	303
1.3 Air Flowmeter	304
1.3.1 Air Flowmeter, CS	304
1.3.2 Air Flowmeter, rail	305
1.4 DigiFlow	307
1.5 Mixing unit with mixing chart	309
1.6 Humidifier and nebulizer	310
1.7 Accessories and consumables for flowmeters	311
1.8 Inhalation and insufflation	312
2. Pressure reducers	313
2.1 OxyLine®	313
Order information	314
2.1.1 Configured Oxyline® Versions	316
2.1.2 Accessories	317
2.2 Mobile O ₂ supply	319
2.2.1 Oxett	319
2.2.2 Small Oxator	320
2.2.3 Oxator 2	321
2.2.4 Accessories	322

AEROSOL THERAPY

3. Humidifier and nebulizer	323
3.1 Nebulizer	323
3.2 Inhalette	324
3.3 Tropic plus ultrasonic nebulizer	326

MEDICAL ASPIRATION

4. Bronchial aspiration	331
4.1 Drive elements	332
4.1.1 VarioVac® vacuum regulators	332
4.1.2 VarioAir® ejectors	333
4.2 Compact systems	335
4.3 Secretion jar systems	337
4.4 Accessories and consumables	338
5. OR aspiration	347
5.1 Drive elements	348
5.2 Compact systems and trolleys	349
5.3 Secretion jar systems	349
5.4 Accessories and consumables	350
6. Continuous drainages	353
6.1 Drive elements	354
6.1.1 VarioVac® vacuum regulators	354
6.1.2 VarioAir® ejectors	356
6.2 Compact systems	358
6.3 Accessories and consumables	360

RAIL ACCESSORIES

7. Hinged arms	364
8. Lamps	368
9. Monitor carriers	370
10. Fixing elements	371
11. Accessories and consumables	372

CENTRAL SUPPLY HOSES

12. DIN CS hoses	375
13. Adapter	377
14. AFNOR CS hoses	377
15. BS CS hoses	379
16. AGA CS hoses	381

O₂ FLOWMETER

1. FLOWMETER

1.1 O₂ FLOWMETER

1.1.1 O₂ FLOWMETER, CS

These O₂ Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates of up to 32 l/min can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at (1013 hPa/20 °C)**

± 15% (corresponding to smallest setting value)

± 10% (all other setting values)

** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 40 x 130 mm
(6.3 x 1.6 x 5.1 in)

Material: Housing: Aluminium
Pressure dome: Polycarbonate
Flow indicator: Glass

Weight: Approx. 500 g (1.1 lb).



A	O₂ Flowmeter 4 l, CS	2M86517
	Gas connection: DIN probe.	
	Device connection: M 34 x 1.5 thread.	
	Gas colour coding: ISO and neutral colour.	
B	O₂ Flowmeter 16 l, CS	2M86553
	Gas connection: DIN probe.	
	Device connection: M 34 x 1.5 thread.	
	Gas colour coding: ISO and neutral colour.	
C	O₂ Flowmeter 16 l, CS, 6 cm (2.4 in)	2M86563
	Flowmeter with extra long connector (length 6 cm (2.4 in)) for wall duct.	
	Gas connection: DIN probe.	
	Device connection: M 34 x 1.5 thread.	
	Gas colour coding: ISO and neutral colour.	
D	O₂ Flowmeter 16 l, CS, 9/16"	2M86562
	Gas connection: DIN probe.	
	Device connection: 9/16", for sterile water.	
	Gas colour coding: ISO and neutral colour.	

O₂ FLOWMETER

A O₂ Flowmeter 16 l, CS, British Standard

Gas connection: BS probe.

Device connection: M 34 x 1.5 thread and adapter M 34 x 1.5 to 9/16".

Gas colour coding: ISO.

MP01260



B O₂ Flowmeter 16 l, CS, Norm Francaise (French Standard)

Gas connection: NF probe.

Device connection: M 34 x 1.5 thread and adapter M 34 x 1.5 to 9/16".

Gas colour coding: ISO.

MP01261



C O₂ Flowmeter 32 l, CS

Gas connection: DIN probe.

Device connection: M 34 x 1.5 thread.

Gas colour coding: ISO and neutral colour.

2M86567



1.1.2 O₂ TWIN FLOWMETER, CS

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at (1013 hPa/20 °C)**

± 15% (corresponding to smallest setting value)

$\pm 10\%$ (all other setting values)

** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 150 x 190 mm
(6.3 x 5.9 x 7.15 in)

Material: Housing: Aluminium
Pressure dome: Polycarbonate
Flow indicator: Glass

Weight: Approx. 900 g (1.98 lb).



D O₂ Twin Flowmeter 16 l, CS

Gas connection: DIN probe.

Device connection: M 34 x 1.5 thread.

Gas colour coding: ISO and neutral colour.

2M86561



E O₂ Twin Flowmeter 16 l, CS, 9/16"

Two flow tubes, each 16 l/min.

Gas connection: DIN probe.

Device connection: 9/16", for sterile water.

Gas colour coding: ISO and neutral colour.

2M86564

O₂ FLOWMETER



1.1.3 O₂ FLOWMETER, RAIL

These O₂ flowmeters are used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4, 16 or 32 l/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. A 2 m (6.6 ft) connecting hose is attached to the easily operated clamp.

Accuracy of flow rate at (1013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)
 ** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 40 x 130 mm
 (6.3 x 1.6 x 5.1 in)
 Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass
 Weight: Approx. 950 g (2.09 lbs).

A	O₂ Flowmeter 4 l, rail	2M86516
	Gas connection: DIN probe, Device connection: M 34 x 1.5 thread. Gas colour coding: ISO colour.	
B	O₂ Flowmeter 4 l, rail, neutral colour	MP01191
	Gas connection: DIN probe. Device connection: M 34 x 1.5 thread. Gas colour coding: neutral colour.	
C	O₂ Flowmeter 16 l, rail	2M86551
	Gas connection: DIN probe. Device connection: M 34 x 1.5 thread. Gas colour coding: ISO colour.	
D	O₂ Flowmeter 16 l, rail, neutral colour	MP01192
	Gas connection: DIN probe. Device connection: M 34 x 1.5 thread. Gas colour coding: neutral colour.	
E	O₂ Flowmeter 32 l, rail	2M86568
	Gas connection: DIN probe. Device connection: M 34 x 1.5 thread. Gas colour coding: ISO colour.	
F	O₂ Flowmeter 32 l, rail, neutral colour	MP01194
	Gas connection: DIN probe. Device connection: M 34 x 1.5 thread. Gas colour coding: neutral colour. Hose: 2 m (6.6 ft) long.	



O₂ FLOWMETER

1.1.4 O₂ FLOWMETER, RAIL, 90°

Accuracy of flow rate at (1013 hPa/20 °C)**

± 15% (corresponding to smallest setting value)

± 10% (all other setting values)

** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 40 x 130 mm
(6.3 x 1.6 x 5.1 in)

Material: Housing: Aluminium
Pressure dome: Polycarbonate
Flow indicator: Glass

Weight: Approx. 950 g (2.09 lbs).

A	O₂ Flowmeter 4 l, rail, 90°	2M86575
	Gas connection: DIN probe. Device connection: M 34 x 1.5 thread. Gas colour coding: ISO colour.	
B	O₂ Flowmeter 4 l, rail, 90°, neutral colour	MP01197
	Gas connection: DIN probe. Device connection: M 34 x 1.5 thread. Gas colour coding: neutral colour. Hose: 2 m (6.6 ft) long.	
C	O₂ Flowmeter 16 l, rail, 90°	2M86571
	Gas connection: DIN probe. Device connection: M 34 x 1.5 thread. Gas colour coding: ISO colour.	
D	O₂ Flowmeter 16 l, rail 90°, neutral colour	MP01196
	Gas connection: DIN probe. Device connection: M 34 x 1.5 thread. Gas colour coding: neutral colour. Hose: 2 m (6.6 ft) long.	
E	O₂ Flowmeter, standard	2M86248
	Gas connection: 1 m (3.3 ft) NIST probe. Device connection: M 34 x 1.5 for Anesthesia devices with NIST outlet. Gas colour coding: ISO.	
F	O₂ external Flowmeter 16 l, rail, neutral colour	MP01198
	Gas connection: 1 m (3.3 ft) NIST probe. Device connection: M 34 x 1.5 for Anesthesia devices with NIST outlet. Gas colour coding: neutral colour.	



O₂ FLOWMETER

FLOWMETER WITH SELECTOR WHEEL

A	O₂ Flowmeter, 90° angled	2M86249
	Gas connection: 1 m (3.3 ft) NIST probe. Device connection: M 32 x 1.5 for Anesthesia devices with NIST outlet. Gas colour coding: ISO.	
B	O₂ Flowmeter, 90°, neutral colour	MP01199
	Gas connection: 1 m (3.3 ft) NIST probe. Device connection: M 32 x 1.5 for Anesthesia devices with NIST outlet. Gas colour coding: neutral colour.	
C	O₂ Flowmeter 16 l, rail, NIST	MP01201
	Gas connection: NIST screw for CS hose. Device connection: M 34 x 1.5 and adapter to 9/16". Gas colour coding: neutral colour.	
	CS hoses	8601697
	Several hoses for connecting MP01201 and MP01202 with the Central Gas Supply System. For CS hoses please refer to chapter 12-16.	
	1.2 FLOWMETER WITH SELECTOR WHEEL	
	Following flows can be set: 1, 2, 3, 4, 6, 8, 12 and 15 l/min. A speciality of this device is the high accuracy.	
	Technical Data:	
	Gas-Inlet:	DIN O ₂ CS connector
	Accuracy (at 4.5 + 0.2 bar):	± 0.5 l/min or ± 10%, whichever is greater
	Supply pressure:	4.5 + 0.2 bar
	Weight:	420 g.
D	Flowmeter with selector wheel	2M86793
	Gas outlet: 6 mm (0.2 in) nozzle.	
E	Flowmeter with selector wheel	MP01204
	Gas outlet: 9/16" for sterile water systems.	



AIR FLOWMETER

1.3 AIR FLOWMETER

1.3.1 AIR FLOWMETER, CS

These flowmeters are plugged directly into a wall terminal unit for medical air and are used to control the flow of medical air for aerosoltherapy. Flow rates of up to 16 or 32 l/min can be set with a high degree of accuracy. The large rotary knob makes setting easier. With integrated sintered filter.

Accuracy of flow rate at (1013 hPa/20 °C)**

± 15% (corresponding to smallest setting value)

± 10% (all other setting values)

** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 40 x 130 mm
(6.3 x 1.6 x 5.1 in)

Material: Housing: Aluminium
Pressure dome: Polycarbonate
Flow indicator: Glass

Weight: Approx. 500 g (1.1 lb).

A Air Flowmeter 16 l 2M86554

Gas connection: DIN probe.

Device connection: M 32 x 1.5 thread.

Gas colour coding: ISO colour.

B Air Flowmeter 32 l 2M86569

Gas connection: DIN probe,

Device connection: M 32 x 1.5 thread.

Gas colour coding: ISO colour.



AIR FLOWMETER

1.3.2 AIR FLOWMETER, RAIL

These Flowmeters are used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 or 32 l/min can be set with a high degree of accuracy. The large setting knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to standard rail profiles. A 2 m (6.6 ft) connecting hose is attached to the easily operated clamp mechanism.

Accuracy of flow rate at (1013 hPa/20 °C)**
 ± 15% (corresponding to smallest setting value)
 ± 10% (all other setting values)
 ** Using the flowmeter outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 40 x 130 mm
 (6.3 x 1.6 x 5.1 in)
 Material: Housing: Aluminium
 Pressure dome: Polycarbonate
 Flow indicator: Glass
 Weight: Approx. 950 g (2.09 lbs).

A	Air Flowmeter 16 l, rail	2M86552
	Gas connection: DIN probe. Device connection: M 32 x 1.5 thread. Gas colour coding: ISO colour.	
B	Air Flowmeter 16 l, rail, neutral colour	MP01193
	Gas connection: DIN probe. Device connection: M 32 x 1.5 thread. Gas colour coding: neutral colour. Hose: 2 m (6.6 ft) long.	
C	Air Flowmeter 32 l, rail	2M86570
	Gas connection: DIN probe. Device connection: M 32 x 1.5 thread. Gas colour coding: ISO colour.	
D	Air Flowmeter 32 l, rail, neutral colour	MP01195
	Gas connection: DIN probe. Device connection: M 32 x 1.5 thread. Gas colour coding: neutral colour. Hose: 2 m (6.6 ft) long.	
E	Air Flowmeter 16 l, rail, NIST	MP01202
	Gas connection: NIST screw for CS hose. Device connection: M 32 x 1.5 thread. Gas colour coding: neutral colour.	
	CS hoses	8601697
	Several hoses for connecting MP01201 and MP01202 with the Central Gas Supply System. For CS hoses please refer to chapter 12-16.	



DIGIFLOW

1.4 DIGIFLOW

Flowmeter with digital displaying of the setted flow. For direct connection to the wall or with rail clamp. DigiFlow has a very high level of accuracy and the flow is easy to read. Additional functions like preset of therapy time, consumption of oxygen and expired time of use are integrated.

Supply pressure:	39 to 87 psi (2.7 to 6 bar)
Resolution of the display:	0.3 to 3.0 l/min: 0.1 l/min higher: 0.5 l/min
Measurement accuracy:	± 5% of displayed value
Accuracy of the display:	± 1 digit
Dimensions (W x H x D):	With direct probe: 56 x 144 x 140 mm (2.2 x 5.67 x 5.51 in) With universal holder: 56 x 144 x 105 mm (2.2 x 5.67 x 4.13 in)
Weight:	With direct probe: 0.34 kg (0.74 lbs) With universal holder NIST: 0.74 kg (1.63 lbs).



DIGIFLOW CS VERSIONS FOR O₂

3 l/min oxygen flow meter with digital display showing the delivered flow rates. For directly plugging into an oxygen supply coupler. This version is particularly suitable for low flows in the neonatal and pediatric fields. Adjustment from 0.3 to 3 l/min in 0.1 increments.

A	DigiFlow O₂, CS, 3 l/min, DIN	MP01210
	With 9/16" port, e.g. for disposable sterile water systems or nozzle.	
	DigiFlow O₂, CS, 3 l/min, BS	MP01218
	With British Standard connection.	
	DigiFlow O₂, CS, 3 l/min, AFNOR	MP01222
	With Norm Francaise connection.	
B	DigiFlow O₂, CS, 3 l/min, DIN	MP01211
	With M 34 x 1.5 port for reusable Dräger humidifier systems or nozzle.	

DIGIFLOW

16 l/min oxygen flow meter with digital display of set flow.

For directly plugging into an oxygen supply coupler.

Adjustment from 0.3 to 3 l/min in 0.1 increments,
from 3 l/min in 0.5 increments.

A DigiFlow O₂, CS, 16 l/min, DIN MP01226

With 9/16" port, e.g. for disposable sterile water systems or nozzle.

DigiFlow O₂, CS, 16 l/min, BS MP01219

With British Standard connection.

DigiFlow O₂, CS, 16 l/min, AFNOR MP01223

With Norm Francaise connection.

B DigiFlow O₂, CS, 16 l/min, DIN MP01227

With M 34 x 1.5 port for reusable Dräger humidifier systems or nozzle.

DIGIFLOW RAIL VERSIONS FOR O₂

C DigiFlow O₂, rail, 3 l/min, NIST MP01212

With 9/16" port, e.g. for disposable sterile water systems or nozzle. Gas inlet: rotatable NIST union.

D DigiFlow O₂, rail, 3 l/min, NIST MP01213

With M 34 x 1.5 port for disposable Dräger humidifier, mixing unit or nozzle. Gas inlet: rotatable NIST union.

E DigiFlow O₂, rail, 16 l/min, NIST MP01228

With 9/16" port, e.g. for disposable sterile water systems or nozzle. Gas inlet: rotatable NIST union.

F DigiFlow O₂, rail, 16 l/min, NIST MP01229

With M 34 x 1.5 port for reusable Dräger humidifier, mixing unit or nozzle. Gas inlet: rotatable NIST union.



DIGIFLOW

MIXING UNIT WITH MIXING CHART

DIGIFLOW VERSION FOR COMPRESSED AIR

A	DigiFlow Air, CS, 3 l/min, DIN	MP01214
	With 9/16" port, e.g. for disposable sterile water systems or nozzle.	
	DigiFlow Air, CS, 3 l/min, BS	MP01220
	With British Standard connection.	
	DigiFlow Air, CS, 3 l/min, AFNOR	MP01224
	With Norm Francaise connection.	
A	DigiFlow Air, CS, 16 l/min, DIN	MP01216
	With 9/16" port, e.g. for disposable sterile water systems or nozzle.	
	DigiFlow Air, CS, 16 l/min, BS	MP01221
	With British Standard connection.	
	DigiFlow Air, CS, 16 l/min, AFNOR	MP01225
	With Norm Francaise connection.	
B	DigiFlow Air, rail, 3 l/min, NIST	MP01215
	With 9/16" port, e.g. for disposable sterile water systems or nozzle. Gas inlet: rotatable NIST union.	
C	DigiFlow Air, rail, 3 l/min, NIST	MP01235
	With M 32 x 1.5 port for reusable Dräger humidifier, mixing unit or nozzle. Gas inlet: rotatable NIST union.	
B	DigiFlow Air, rail, 16 l/min, NIST	MP01217
	With 9/16" port, e.g. for disposable sterile water systems or nozzle. Gas inlet: rotatable NIST union.	
C	DigiFlow Air, rail, 16 l/min, NIST	MP01255
	With M 32 x 1.5 port for reusable Dräger humidifier, mixing unit or nozzle. Gas inlet: rotatable NIST union.	
	CS hoses	8601697
	Several hoses for connecting DigiFlow rail versions with the Central Gas Supply System. For CS hoses please refer to chapter 12-16.	

1.5 MIXING UNIT WITH MIXING CHART

D	Mixing unit with mixing chart	2M85728
	The mixing unit allows oxygen and medical air to be mixed in any ratio. An oxygen concentration of 21% to 100% can be set. This is of particular significance for treating small children who cannot be given 100% oxygen. A mixing chart is included.	



HUMIDIFIER AND NEBULIZER

1.6 HUMIDIFIER AND NEBULIZER

A Humidifier bubbler

2M85834

The humidifier bubbler is used to moisten the breathing gas to 50-70% relative humidity in inhalation or especially in insufflation. It moistens the dry oxygen from the piped medical gas supply or compressed gas cylinder to a physiologically favourable relative humidity. The bubbler is screwed directly to an O₂ flowmeter or DigiFlow together they are attached to a wall rail or a CS terminal. It is provided with an outlet with two connections of different diameters for inhalation and insufflation hoses. The bubbler can be autoclaved at up to 134 °C and can thus be reused, making it both environmentally friendly and cost effective.

Dimensions: Ø 62 mm (2.4 in)
height 200 mm (7.9 in)

O₂ gas connection: M 34 x 1.5 thread

Application: Corrugated hose, Ø 22 mm (0.9 in)
silicone hose, Ø 6 mm (0.3 in) (conical)

Filling capacity: Approx. 220 ml (7.6 fl oz.).

B Humidifier nebulizer

2M85835

The humidifier nebulizer is used to moisten the breathing gas in inhalation. By generating an aerosol the nebulizer moistens the dry oxygen from the piped medical gas supply or compressed gas cylinder until it reaches 100% relative humidity. In addition to humidifying the breathing air, the tiny aerosol drops have a therapeutic effect.

The nebulizer is screwed directly to an O₂ flowmeter or DigiFlow together they are attached to a wall rail or a CS probe.

An effective humidification is given with a flow more than 6 l/min.

The nebulizer can be autoclaved at up to 134 °C and can thus be reused, making it both environmentally friendly and cost effective.

Dimensions: Ø 62 mm (2.4 in)
height 200 mm (7.9 in)

O₂ gas connection: M 34 x 1.5 thread

Application: Corrugated hose, Ø 22 mm (0.9 in)

Filling capacity: Approx. 220 ml (7.6 fl oz.).

C Connection nozzle O₂, 6 mm (0.2 in)

M06258

Between a 6 mm (0.2 in) silicone hose and an O₂ flowmeter or DigiFlow. For use in all applications where humidification is not desired, e.g. during manual ventilation with an O₂ reservoir.

D Nebulizer connector

2M85853

Adapter for connecting a mixing valve to a humidifier.

E Connection nozzle (M 32 x 1.5)

2M85575

Nozzle for connecting an application device to a medical air flowmeter by means of a hose.



ACCESSORIES AND CONSUMABLES FOR FLOWMETERS

1.7 ACCESSORIES AND CONSUMABLES FOR FLOWMETERS

A	Adapter M 34 x 1.5 to 9/16"	2M86680
	For connecting disposable sterilized water systems to O ₂ flowmeters or DigiFlow with M 34 x 1.5 thread.	
B	Adapter 9/16" to 6 mm (0.2 in) nozzle	MP00416
	Adapter with 6 mm (0.2 in) nozzle for e.g. disposable breathing masks. To screw on a 9/16" connector.	
C	O₂ distributor for rail fixation	2M18810
	Distributor for Oxygen with 3 DIN outlet couplings. NIST gas inlet for O ₂ hose. For rail fixation.	
	Air distributor for rail fixation	2M19090
	Distributor for medical air with 3 DIN outlet couplings. NIST gas inlet for air hose. For rail fixation.	



INHALATION AND INSUFFLATION

1.8 INHALATION AND INSUFFLATION

A	Inhalation unit	2M85912
	Inhalation unit for oro-nasal inhalation. With open inhalation mask with head strap, corrugated hose Ø 22 mm (0.8 in) (2 pieces à 1 m (3.3 ft)) and connection nozzle.	
B	Oxygen mask with tubing (2.1 m/6.9 ft), medium concentration, adult, 50 pcs.	MX30101
C	Oxygen mask with tubing (2.1 m/6.9 ft) and reservoir, high concentration, adult, 50 pcs.	MX30108
D	Aerosol mask, adult, 30 pcs.	2M85911
	Masks: For overview and detailed description please refer to catalogue Breathing System, chapter 5.3.	
E	Nasal cannula	5730354
	O ₂ single use nasal cannula 2.1 m (6.9 ft) „no crush“ lumen for adults. 50 pcs.	



OXYLINE®

2. PRESSURE REDUCERS

2.1. OXYLINE®

Type:	Single-stage pre-set pressure reducer
Permissible inlet pressure range:	11 to 300 kPa x 100
Nominal outlet pressure (p2):	Fixed setting 3 bar, 4 bar or 5 bar
Weight:	1.2 to 2 kg (2.6 to 4.4 lb) (depending on the type of connector)
Material:	Brass with chemical nickel surface.

A OxyLine®

MP00100

The OxyLine® range gives you the chance to precisely put together the pressure reducer you need for mobile O₂ supply.

Independent of a centralized gas supply system and tailored to your needs, the OxyLine® range offers:

- A modular design
- Excellent reliability, quality and durability
- Outstanding flow performance
- Country-specific connections.

Modular design

OxyLine's modular design means you can accurately choose the pressure reducer you need from the following components:

- O₂ or air pressure reducer with 200 or 300 bar
- Fixed or digital display manometer
- Flow regulator settings (1, 2, 3, 4, 6, 8, 12 and 15 l/min) and 9/16" sterile water connector
- Flowmeter for up to 16 l/min with connector for Dräger Reusable Humidifier, sterile water connector and 6 mm (0.2 in) nozzle for an oxygen mask
- Self-closing NIST connector
- Centralized gas supply coupling, e.g. to connect up a mains-operated ventilation device
- Ejector for short-time suction of eg. secret.


Existing components such as a medicament nebulizer can also be connected to OxyLine®.

A



MT-1358-2003

OXYLINE®



OXYLINE®

2.1.1 CONFIGURATED OXYLINE® VERSIONS

A	Oxetthead with flowmeter	MP01101
	Consisting of: G3/4" high pressure inlet for 200 bar; adjustable shut off Ejektor; 16 l/min flowmeter with connector for Dräger-humidifier, sterile water container and 6 mm (0.2 in) hose; DIN-CS coupling; NIST-connector.	
B	Oxetthead with flowregulator	MP01102
	Consisting of: G3/4" high pressure inlet for 200 bar; adjustable shut off Ejektor; Flowregulator for 1, 2, 3, 4, 6, 8, 12, 15 l/min flow with 9/16" connector; DIN-CS coupling; NIST-connector.	
C	Oxatorhead	MP01103
	Consisting of: G3/4" high pressure inlet for 200 bar; adjustable shut off Ejektor; two DIN-CS couplings; NIST-connector.	
D	OxyLine® with flowmeter	MP01104
	Consisting of: G3/4" high pressure inlet for 200 bar; 16 l/min flowmeter with M 34 x 1.5 thread for Dräger-humidifier.	
E	OxyLine® with NIST	MP01105
	Consisting of: G3/4" high pressure inlet for 200 bar; NIST-connector for e.g. CS hose to drive a ventilator.	



OXYLINE®

2.1.2 ACCESSORIES

Adapter NIST to CS-Coupling O₂	M35056
Adapter NIST to CS-Coupling Air	M35058
A Humidifier bubbler	2M85834
<p>The humidifier bubbler is used to moisten the breathing gas to 50-70% relative humidity in inhalation or especially in insufflation. It moistens the dry oxygen from the piped medical gas supply or compressed gas cylinder to a physiologically favourable relative humidity. The bubbler is screwed directly to an O₂ flowmeter or DigiFlow together they are attached to a wall rail or a CS terminal. It is provided with an outlet with two connections of different diameters for inhalation and insufflation hoses. The bubbler can be autoclaved at up to 134 °C and can thus be reused, making it both environmentally friendly and cost effective.</p> <p>Dimensions: Ø 62 mm (2.4 in) height 200 mm (7.9 in)</p> <p>O₂ gas connection: M 34 x 1.5 thread</p> <p>Application: Corrugated hose, Ø 22 mm (0.9 in) silicone hose, Ø 6 mm (0.3 in) (conical)</p> <p>Filling capacity: Approx. 220 ml (7.6 fl oz.).</p>	
B Humidifier nebulizer	2M85835
<p>The humidifier nebulizer is used to moisten the breathing gas in inhalation. By generating an aerosol the nebulizer moistens the dry oxygen from the piped medical gas supply or compressed gas cylinder until it reaches 100% relative humidity. In addition to humidifying the breathing air, the tiny aerosol drops have a therapeutic effect.</p> <p>The nebulizer is screwed directly to an O₂ flowmeter or DigiFlow together they are attached to a wall rail or a CS probe.</p> <p>An effective humidification is given with a flow more than 6 l/min. The nebulizer can be autoclaved at up to 134 °C and can thus be reused, making it both environmentally friendly and cost effective.</p> <p>Dimensions: Ø 62 mm (2.4 in) height 200 mm (7.9 in)</p> <p>O₂ gas connection: M 34 x 1.5 thread</p> <p>Application: Corrugated hose, Ø 22 mm (0.9 in)</p> <p>Filling capacity: Approx. 220 ml (7.6 fl oz.).</p>	
C Inhalation unit	2M85912
<p>Inhalation unit for oro-nasal inhalation.</p> <p>With open inhalation mask with head strap, corrugated hose Ø 22 mm (0.8 in) (2 pieces à 1 m (3.3 ft)) and connection nozzle.</p>	



OXYLINE®

A	Oxygen mask with tubing (2.1 m/6.9 ft), medium concentration, adult, 50 pcs.	MX30101
B	Oxygen mask with tubing (2.1 m/6.9 ft) and reservoir, high concentration, adult, 50 pcs.	MX30108
	Masks: For overview and detailed description please refer to catalogue Breathing System, chapter 5.3.	
C	Nasal cannula	5730354
	O ₂ single use nasal cannula 2.1 m (6.9 ft) „no crush“ lumen for adults. 50 pcs.	



MOBILE O₂ SUPPLY

2.2 MOBILE O₂ SUPPLY

2.2.1 OXETT

A Oxett

In conjunction with the O₂ pressure reducer with manifold (Oxett head), the carrying frame is the ideal mobile oxygen supply unit (Oxett). The Oxett can be hung on bed, rail or stretcher, with the result that treatment no longer has to be interrupted. The portable Oxett unit is the easy way to meet the practical requirements of hospital and emergency medical routine, dispensing with the need for all other provisional supply arrangements.

Consisting of: Carrying frame with secretion jar and aspiration accessories.

B Oxett basic unit

2M86204

Carrying frame with secretion jar.

Dimensions (W x H x D): 356 x 534 x 151 mm (14 x 21 x 6 in), weight without bottle: 2.2 kg.

C Oxett top, choosable from OxyLine®

MP00100

The oxett head is the central element for the following types of therapy: inhalation, insufflation, aerosol therapy, bronchial aspiration, manual or automatic short time ventilation. With its hand tightening wheel, the Oxett head can be easily attached to O₂ cylinders without the need for tools. The cylinder pressure is reduced to 5 bar by the pressure reducer. The low-noise adjustable and switch-off ejector generates a vacuum of up to -0.9 bar. The air drawn in by the bronchial aspirator is expelled via a bacterial filter. All devices intended for use with the piped medical gas supply can be adapted to the standard O₂ terminal.

D Adapter, rail

2M86205

Using the adapter plate, the Oxett can be hung higher up at the bedside, making operation easier and the Oxett more stable. The adapter plate is fixed to the Oxett carrying frame by means of two screws.

A

MT-4101-2006



B

MT-4516-2007



C

MT-8525-2005




C

MT-6525-2005



D

MT-110-2001



MOBILE O₂ SUPPLY

2.2.2 SMALL OXATOR

A Small Oxator

Space-saving solution for transportation of large gas-cylinder.
The stable trolley can be used flexible.

B Cylinder trolley

MP00038

The cylinder trolley is designed for the safe transport of a gas cylinder up to 11 l volume.

C Cylinder trolley

2M86029

Comfortable and very stable cylinder trolley for the safe transport of a 11 l gas cylinder. For cylinder transport, the cylinder holder 2M86174 is necessary.

Cylinder holder

2M86174

Holder for safe fixation of a gas cylinder on the cylinder trolley 2M86029.

D Oxator top, choosable from OxyLine®

MP00100

The oxator head is the central element for the following types of therapy: inhalation, insufflation, aerosol therapy, bronchial aspiration, manual or automatic short term ventilation. With its hand tightening wheel, the Oxator head can be easily attached to O₂ cylinders without the need for tools. The cylinder pressure is reduced to 5 bar by the pressure reducer. The low-noise switch-off ejector generates a vacuum of up to -0.9 bar, which is infinitely adjustable and is shown on the pressure gauge. The air drawn in by the bronchial aspirator is expelled via a bacterial filter. All devices intended for use with the piped medical gas supply can be adapted to the standard O₂ terminals.

E Compact rail for 38 mm (1.5 in) tube, complete

2M85337

All-round rail profile provides universal fitting potential for rail-mounted accessories at a 38 mm (1.5 in) tube.
Each side length: 10 cm, weight: 0.9 kg,
load capacity: 30 kg (66 lbs).
Length rail: 4 x 100 mm (0.16 x 4 in).

F Secretion jar set

2M85056

2 x 700 ml capacity.
Maximum capacity up to the overflow safeguard 2 x 1,000 ml.
Scale in steps of 10 ml up to max. 700 ml.
Weight: 1,000 g (empty).
Dimensions (W/H/D) in mm: 300 x 340 x 100.

G Rail holder with clamp

M26842

Rail holder with clamp for attaching a bronchial aspirator or a secretion jar set to a wall rail. The devices are only latched and can be detached and moved easily if this is required.



MOBILE O₂ SUPPLY

2.2.3 OXATOR 2

A Oxator 2

The Oxator 2 oxygen supply unit is a portable multipurpose device which can be fitted with different modules to suit requirements. The unit offers six types of therapy: inhalation, insufflation, aerosoltherapy, bronchial aspiration, manual short term ventilation, automatic short-term ventilation. Care was taken to ensure that all equipment requiring an oxygen supply can be connected to the Oxator head and used together with the Oxator 2. The Oxator 2 is operated from an oxygen cylinder, but can also be connected to a piped oxygen supply system.



MT-4092-2006



MT-604-98

NECESSARY ACCESSORIES FOR OPERATION

B Oxator 2 trolley

2M85493

Trolley for mobile oxygen supply with large storage compartment and fixed secretion jar unit.*

C Oxator top, choosable from OxyLine®

MP00100

The oxator head is the central element for the following types of therapy: inhalation, insufflation, aerosol therapy, bronchial aspiration, manual or automatic short term ventilation. With its hand tightening wheel, the Oxator head can be easily attached to O₂ cylinders without the need for tools. The cylinder pressure is reduced to 5 bar by the pressure reducer. The low-noise switch-off ejector generates a vacuum of up to -0.9 bar, which is infinitely adjustable and is shown on the pressure gauge.

The air drawn in by the bronchial aspirator is expelled via a bacterial filter. All devices intended for use with the piped medical gas supply can be adapted to the standard O₂ terminals.*



MT-8521-2005



MT-768-2000

D Cylinder jacket

2M86410

The plastic cylinder jackets improve the external appearance of compressed gas cylinders, wherever they may be used.*

*For CS hoses please refer to chapter 12-16.

MOBILE O₂ SUPPLY

2.2.4 ACCESSORIES

A	Oxator top, choosable from OxyLine®	MP00100
<p>The oxator head is the central element for the following types of therapy: inhalation, insufflation, aerosol therapy, bronchial aspiration, manual or automatic short term ventilation. With its hand tightening wheel, the Oxator head can be easily attached to O₂ cylinders without the need for tools. The cylinder pressure is reduced to 5 bar by the pressure reducer. The low-noise switch-off ejector generates a vacuum of up to -0.9 bar, which is infinitely adjustable and is shown on the pressure gauge. The air drawn in by the bronchial aspirator is expelled via a bacterial filter. All devices intended for use with the piped medical gas supply can be adapted to the standard O₂ terminals.</p>		
B	Oxett top, choosable from OxyLine®	MP00100
<p>The oxett head is the central element for the following types of therapy: inhalation, insufflation, aerosol therapy, bronchial aspiration, manual or automatic short time ventilation. With its hand tightening wheel, the Oxett head can be easily attached to O₂ cylinders without the need for tools. The cylinder pressure is reduced to 5 bar by the pressure reducer. The low-noise adjustable and switch-off ejector generates a vacuum of up to -0.9 bar. The air drawn in by the bronchial aspirator is expelled via a bacterial filter. All devices intended for use with the piped medical gas supply can be adapted to the standard O₂ terminal.</p>		
C	Cylinder trolley	MP00038
<p>The cylindertrolley is designed for the safe transport of a gas cylinder up to 11 l volume.</p>		
D	Cylinder trolley	2M86029
<p>Comfortable and very stable cylinder trolley for the safe transport of a 11 l gas cylinder. For cylinder transport, the cylinder holder 2M86174 is necessary.</p>		
	Cylinder holder	2M86174
<p>Holder for safe fixation of a gas cylinder on the cylinder trolley 2M86029.</p>		
E	Rail, 40 cm (15.8 in) for 38 mm (1.5 in) tube	2M86185
<p>Compact rail provides universal fitting potential for rail-mounted accessories at a 38 mm (1.5 in) tube. Length: 40 cm (15.8 in).</p>		
<p>For CS hoses please refer to chapter 12-16.</p>		



AEROSOL THERAPY

3. HUMIDIFIER AND NEBULIZER

3.1 NEBULIZER

A Nebulizer	8411030
Nebulizer for neonatal use with quick connector for Babylog® 8000.	
B Nebulizer, white	8412935
Medicament nebulizer for Evita® 4, Evita 2 dura®, Evita® XL and Savina®.	
C Pneumatic medicament nebulizer	8405000
Medicament nebulizer for Evita® and Evita® 2.	
D Accessories nebulizer	8411031
Connectors to adapt nebulizer (8412935, 8405000) to hose sets for neonates.	



INHALETTE

3.2 INHALETTE

Pneumatically operated medicament nebulizer for clinical use.

Operating pressure:	5 bar
Gas consumption:	Flowmeter: 1 to 15 l/min Toggle switch valve: 10 l/min
Nebulizer output:	At 6 l/min: > 2 ml/10 min At 12 l/min: > 3 ml/10 min
Weight:	Nebulizer housing with mask: about 110 g Flowmeter with hose: about 700 g Flowmeter Central supply system: about 270 g Adjusting valve: about 350 g
Materials:	Mask and nebulizer housing: Polyamide Atomiser and medicament container: Polysulphone.



A Inhalette S

2M85674

Medicament nebulizer which generates an aerosol with an average droplet size of 3.7 µm. The medicament aerosol reaches the bronchial and alveolar areas and is thus suitable for all standard applications. The medicament container is sturdy and can be autoclaved at up to 134 °C. Thanks to the toggle switch valve the device is extremely easy and convenient to operate, and can be connected either to an oxygen or medical air DIN outlet.

Consisting of:

- Toggle switch valve
- Connecting hose
- Nebulizer housing
- Inhalation mask
- Mouthpiece.

B Inhalette Vario CS

2M85692

Medicament nebulizer which generates an aerosol with an setable droplet size from 2.5 to 7 µm. The medicament aerosol reaches the bronchial and alveolar areas and is thus suitable for all standard applications. The medicament container is sturdy and can be autoclaved at up to 134 °C. The Inhalette "Vario" can be connected either to an oxygen or medical air DIN outlet.

Consisting of:

- Flowmeter
- Connecting hose
- Nebulizer housing
- Inhalation mask
- Mouthpiece.

INHALETTE

A Inhalette Vario Rail 2M85693

Medicament nebulizer which generates an aerosol with an setable droplet size from 2.5 to 7 µm. The medicament aerosol reaches the bronchial and alveolar areas and is thus suitable for all standard applications. The medicament container is sturdy and can be autoclaved at up to 134 °C. The flowmeter can be fitted at all european standard rails with the rail clamp. The Inhalette "Vario" can be connected either to an oxygen or medical air DIN outlet with the connecting hose.

Consisting of:

- Flowmeter incl. 2 m hose with DIN plug
- Connecting hose
- Nebulizer housing
- Inhalation mask
- Mouthpiece.



ACCESSORIES AND CONSUMABLES FOR THE INHALETTE

B Adapter/flowmeter 2M16843

Adaptor for connecting an O₂ flowmeter to an O₂/medical air connecting hose. Especially for the Inhalette.

Connecting hoses

O₂/medical air-connecting hoses for connecting the outlet of a flowmeter/valve to a pneumatically driven device, e.g. Inhalette. Connections: M 15 x 1 thread at both ends.



C O₂/Air connecting hose M17716

Length: 1.5 m (4.9 ft), black.

D O₂/Air connecting hose M17717

Length: 3 m (9.8 ft), black.

E Nebulizer element 2M85571

Pneumatic nebulizer for delivery of medicament aerosols in hospitals and surgeries.



F Inhalation mask M11015

For the Inhalette.



G Mouthpiece M12394

For the Inhalette.




TROPIC PLUS ULTRASONIC NEBULIZER

3.3 TROPIC PLUS ULTRASONIC NEBULIZER

Ultrasonic nebulizer for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation. The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers (Tropic plus nebulizer set). For use with 110/127/230 V.

Power consumption:	Ultrasonic nebuliser 50 VA Hose heating 15 VA
Ultrasonic frequency:	1.68 MHz \pm 5%
Sound pressure level:	Approx. 35 dB(A)
Protection against moisture:	IP 32 (dripping water)
Method of operation:	Continuous operation
Nebuliser output:	Max. 3 ml/min
Output with sterile water system:	Up to 2.5 ml/min
Size of droplets:	0.2 to 4 μ m approx. 86% is smaller than 4 μ m
Air flow:	6 to 10 l/min when using Filter SafeStar® 55 10 to 15 l/min when using Filter CareStar® 30
Classification:	Class I B
Dimensions (mm):	



MT-367-2008



MT-365-2008

A Tropic plus ultrasonic nebulizer

MP01205

- Consisting of:
- Basic unit
 - Short and long disposable hose
 - Bacterial filter
 - Mains cable
 - Nebulizer chamber with quartz oscillator and lid.

TROPIC PLUS ULTRASONIC NEBULIZER

ACCESSORIES AND CONSUMABLES FOR THE TROPIC PLUS ULTRASONIC NEBULIZER

A Table-top accessory set

MP01209

Useful accessories permitting use of the ultrasonic nebulizer Tropic plus wherever required.

Comprising:

- Plane stand
- Articulated bracket
- Hold-down device
- Positioning aid for nebulizer chamber cover.

A



MT-1499-2008

B Trolley accessory set

MP01206

Trolley accessory set for transporting ultrasonic nebulizer Tropic plus easily.

- 5 castors (2 are electrically conductive and can be locked in position)
- Support rod
- Equipment rack (infinitely height-adjustable)
- Hinged arm
- Retaining clip
- Bottle holder.

B



MT-372-2008

C Rail attachment set

MP01207

Kit for easy attachment of the Tropic plus ultrasonic nebulizer to an intensive-care rail.

Comprising:

- 1 x bracket for the wall rail
- 1 x stand
- 1 x hinged arm
- 1 x clamp
- 1 x supply bottle holder.

C



MT-373-2008

TROPIC PLUS ULTRASONIC NEBULIZER

A	Heatable hose	2M85759
	Sterilizable hose with cable and plug to heat the mist or aerosol produced by ultrasonic nebulizer Tropic plus. Length: 110 cm (43.3 in).	
B	Hose	8403896
	Autoclavable hose for use with McGaw or Tropic plus. Length: 120 cm (47.3 in).	
C	Hose	2M85813
	Sterilizable hose for ultrasonic nebulizer Tropic plus. It brings the filtered air into the nebulizer chamber.	
D	Automatically refilling set	MP01208
	Overflow-proof, automatic delivery set for the Tropic plus, for connection to a large sterile water container. For prolonged operating times without refilling of the nebulizer chamber.	
E	Tropic plus nebulizer set	MP00006
	The nebulizer set is used for medicament nebulization with the ultrasonic nebulizer Tropic plus. Single use cups and lids. Set of 48 pcs.	
F	Filter SafeStar® 55	MP01790
	HEPA breathing system filter with very high filtration efficiency (bacterial: 99.9999%, viral: 99.9999%); internal volume: 55 ml.	
G	Filter CareStar® 30	MP01770
	Breathing system filter with high filtration efficiency (bacterial: 99.999%, viral: 99.99%); internal volume: 30 ml.	



TROPIC PLUS ULTRASONIC NEBULIZER

A Quartz oscillator	2M85794
Replacement part for ultrasonic nebulizer Tropic plus: transducer (oscillator). Replacable by hand.	
B Nebulizer chamber lid	2M85795
Autoclavable lid for nebulizer chamber.	
C Easytube, 1 m (3.3 ft)	MX22793
Single use hose, length: 1 m (3.3 ft). 15 pcs.	
C Easytube, 40 cm (15.8 in)	MX22790
Single use hose, length: 40 cm (15.8 in). 20 pcs.	
D Nebulizer chamber	2M85796
Autoclavable nebulizer chamber (without quartz module).	




4. BRONCHIAL ASPIRATION

Dräger Medical offers an extensive line of bronchial aspirators, while also providing individual solutions to meet your specific needs in the ICU and OR.

Generally you have the choice between vacuum or air pressure as the drive gas. We differ by the driving units between the ejectors and the vacuum regulators.

In addition, we can supply the attachments and hose brackets you need to ensure an ergonomically efficient workplace.

You could also choose the connection you require and the fitting jar system. We offer reusable solutions as well as disposables.



1	MP00501	VarioVac® B DIN
2	MP00502	VarioVac® B BS
3	MP00503	VarioVac® B AFNOR
4	MP00504	VarioVac® B AGA
5	MP00505	VarioVac® B/OR Rail
6	MP00506	VarioVac® B compact
7	MP00530	VarioAir® B DIN
8	MP00531	VarioAir® B BS
9	MP00532	VarioAir® B AFNOR
10	MP00533	VarioAir® B AGA
11	MP00534	VarioAir® B UNI
12	MP00535	VarioAir® B/OR Rail
13	MP00545	VarioAir® P Rail
14	MP00536	VarioAir® B compact
15	MP00547	VarioAir® P compact
16	MP00555	VarioSafe for VarioAir®

17	2M85056	Secretion jar set
18	2M85607	Secretion jar set with protection jar
19	M26859	Wall holder
20	M26842	Rail holder with clamp
21	2M85119	Ceiling holder
22	2M86207	Secretion jar 0.3 l
23	2M85594	Secretion jar 0.7 l
24	2M86758	Protection jar
25	2M85446	Connecting hose holder
26	2M85239	Suction hose holder
27	MX23023	VacuSmart®, 700 ml
28	MX23025	VacuSmart® Gel, 700 ml
29	MX23026	VacuSmart® Tube (2 m (6.6 ft))
30	MP00570	Shut-off valve
31	6723976	Bacterial filter 767 for old ejectors

DRIVE ELEMENTS

4.1 DRIVE ELEMENTS

4.1.1 VARIOVAC® VACUUM REGULATORS

The vacuum regulator is connected directly to a central vacuum supply system or to rails. The vacuum is infinitely variable up to max. -90 kPa (-900 mbar) and is shown on a turnable, manually adjustable pressure gauge. All plastic parts, which may become contaminate (except for the frame with pressure gauge) can be autoclaved at up to 134 °C. All VarioVac® vacuum regulators offer a dual color coding according to EN ISO 32 (yellow) and neutral colour standard (black). Shut-off valve is included.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	50 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 x 200 x 160
Maximum sound level:	55 dB (A)
Hose nozzle:	Ø 6 mm.

A	VarioVac® B DIN	MP00501
	Vacuum regulator for bronchial suction. For direct connection to the central vacuum supply, according to german standards (DIN).	
B	VarioVac® B BS	MP00502
	Vacuum regulator for bronchial suction. For direct connection to the central vacuum supply, according to british standards (BS).	
C	VarioVac® B AFNOR	MP00503
	Vacuum regulator for bronchial suction. For direct connection to the central vacuum supply, according to french standards (AFNOR/NF, Air Liquide).	
D	VarioVac® B AGA	MP00504
	Vacuum regulator for bronchial suction. For direct connection to the central vacuum supply, according to scandinavian standards (AGA).	
E	VarioVac® B/OR Rail	MP00505
	Vacuum regulator for bronchial suction as well as for pneumatic OR suction. For connecting via CS vacuum connecting hose. Connection thread: NIST. This rail version can be connected to all standard wall rails (in the range of 8-10 mm width and 25-35 mm height). For CS hoses please refer to chapter 12-16.	



DRIVE ELEMENTS

4.1.2 VARIOAIR® EJECTOR

The VarioAir® ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -90 kPa (-900 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

The vacuum adjusting knob is also the on/off switch to interrupt the suction without reset the values.

All VarioAir® ejectors offer a dual color coding according to EN ISO 32 (yellow for vacuum setting to the patient) and neutral colour standard (black). A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination.

One piece of the new VarioSafe filter system is always included.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 x 200 x 160 (without VarioSafe) 80 x 330 x 160 (with VarioSafe)
Maximum sound level:	57 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*.



A	VarioAir® B DIN	MP00530
	Ejector for bronchial suction. For the direct connection to the central gas supply with CS connectors according to German standards (DIN).	
B	VarioAir® B BS	MP00531
	Ejector for bronchial suction. For the direct connection to the central gas supply with CS connectors according to British standards (BS).	
C	VarioAir® B AFNOR	MP00532
	Ejector for bronchial suction. For the direct connection to the central gas supply with CS connectors according to French standards (AFNOR/NF).	

*According to Nelson Laboratories, Inc., Salt Lake City, USA.

DRIVE ELEMENTS

A	VarioAir® B AGA	MP00533
	Ejector for bronchial suction. For the direct connection to the central gas supply with CS connectors according to Swedish standards (AGA).	
B	VarioAir® B UNI	MP00534
	Ejector for bronchial suction. For the direct connection to the central gas supply with CS connectors according to Italian standards (UNI).	
C	VarioAir® B/OR Rail	MP00535
	Ejector for bronchial suction as well as for pneumatic OR aspiration. For connecting via CS vacuum connecting hose. Connection thread: NIST.* This rail version can be connected to all common wall rails (in the range of 8-10 mm width and 25-35 mm height).	
D	VarioAir® P Rail	MP00545
	Ejector for bronchial suction, especially for pediatric use. For connecting via CS vacuum connecting hose. Connection thread: NIST.* This rail version can be connected to all common wall rails (in the range of 8-10 mm width and 25-35 mm height).	

*For CS hoses please refer to chapter 12-16.



COMPACT SYSTEMS

4.2 COMPACT SYSTEMS

Drive unit (VarioVac® or VarioAir®) and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly.

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 x 340 x 160
Hose nozzle:	Ø 6 mm
Color coding:	ISO 32 (yellow for vacuum setting to the patient) and neutral color standard (black).



A VarioVac® B compact

MP00506

Vacuum regulator for bronchial suction.
Complete system including secretion jar set and integrated vacuum regulator. Connection thread NIST.**

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	50 l/min
Maximum sound level:	55 dB (A).

B VarioAir® B compact

MP00536

Ejector for bronchial suction.
Complete system including secretion jar set and integrated ejector. Connection thread NIST.**
A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe filter system is always included.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Maximum sound level:	57 dB (A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*.

*According to Nelson Laboratories, Inc., Salt Lake City, USA.

**For CS hoses please refer to chapter 12-16.

COMPACT SYSTEMS

A VarioAir® P compact

MP00547

Ejector for bronchial suction, especially for pediatric use.

Complete system including secretion jar set and integrated ejector. Connection thread NIST.**

A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe filter system is always included.

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 l/min
Maximum sound level:	57 dB (A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*.

*According to Nelson Laboratories, Inc., Salt Lake City, USA.

**For CS hoses please refer to chapter 12-16.

A

D-33493-2009



SECRETION JAR SYSTEMS

4.3 SECRETION JAR SYSTEMS

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be fully autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service life makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the unit's centre of gravity, making it easy to transport the secretion jar set quickly.




A	Secretion jar set	2M85056
	2 x 700 ml capacity.	
	Maximum capacity up to the overflow safeguard 2 x 1,000 ml.	
	Scale in steps of 10 ml up to max. 700 ml.	
	Weight: 1,000 g (empty).	
	Dimensions (W/H/D) in mm: 300 x 340 x 100.	
B	Secretion jar set with protection jar	2M85607
	2 x 700 ml capacity.	
	Maximum capacity up to the overflow safeguard 2 x 1,000 ml.	
	Scale in steps of 10 ml up to max. 700 ml.	
	With additional protection jar 300 ml.	
	Weight: 1,000 g (empty).	
	Dimensions (W/H/D) in mm: 300 x 340 x 100.	

ACCESSORIES AND CONSUMABLES

4.4 ACCESSORIES AND CONSUMABLES

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

A	Wall holder	M26859
	Wall holder incl. fixing screws.	
B	Rail holder with clamp	M26842
	Rail holder with clamp.	
C	Ceiling holder	2M85119
	Ceiling holder with clamp.	
	Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.	
D	Connecting hose holder	2M85446
	For holding a central supply connecting hose.	
E	Suction hose holder	2M85239
	For holding an aspiration hose. Various diameters possible.	



ACCESSORIES AND CONSUMABLES

A VacuSmart®

MX23023

The VacuSmart® is a disposable cartridge and has been specially designed and thoroughly tested to work in optimal fashion with the Dräger Medical bronchial aspirators using 700 ml secretion jars, so there is absolutely no need to modify the aspirator. It is adaptable within few seconds. An overflow safeguard reliably protects the aspirator and the environment against contamination.

Technical data:

Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Material:	PE (Polyethylene)
Overflow safeguard:	Integrated, hydrophobic filter
Packaging unit:	25 pcs.
Recommended duration of use:	24 h.



MT-171-2003



MT-3716-2008

B VacuSmart® Gel

MX23025

The VacuSmart® Gel is a disposable cartridge with an integrated gelling agent for all Dräger Medical bronchial aspirators using 700 ml secretion jars. The gelling agent coagulates the bronchial secretion and prevent thereby the leakage e.g. in a case of disposal in a waste press. The integrated sodium polyacrylate is additionally packed in a water soluble bag in order to avoid the contact with the skin.

Technical data:

Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Material:	PE (Polyethylene)
Gelling agent:	Sodium polyacrylate
Overflow safeguard:	Integrated, hydrophobic filter
Packaging unit:	25 pcs.
Recommended duration of use:	24 h.



MT-953-2000

C VacuSmart® Tube

MX23026

Disposable suction tube with finger tip vacuum control.

Technical data:

Length:	2 m (6.6 ft)
Material:	PE (Polyethylene)
Packaging unit:	25 pcs.

ACCESSORIES AND CONSUMABLES

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:

A	All-in-one Disposable System Solution	MP00061
The disposable system solution comprises a 700 ml VacuSmart® cartridge and the VacuSmart® suction tube, 2 m (6.6 ft), with finger tip vacuum control.		
B	Mini-Set	MP00062
Consists of 1,000 units VacuSmart® 700 ml cartridges and the secretion jar set (2M85056).		



ACCESSORIES AND CONSUMABLES

A Bacterial filter 767 for old ejectors

6723976

This filter has been specially designed and thoroughly tested to work in optimal fashion with Dräger standard ejectors (model range until 2010). This product can be used for bronchial suction, continuous and wound drainage as well as for thorax drainage. The filter reliably protects against contamination of the ejector and the environment.

Technical data:

Bacterial retention:	99.992%*
Viral retention:	99.99%*
Material:	PS (Polystyrol)
Recommended duration of use:	14 days
Filtration method:	Mechanical, (HEPA)*
Max. resistance (mbar):	6 mbar
Packaging unit:	5 pcs.



MT-3005-2004



MT-091-2003

A Bacterial filter 767

CH00102

This filter has been specially designed and thoroughly tested to work in optimal fashion with Dräger standard ejectors (model range until 2010). This product can be used for bronchial suction, continuous and wound drainage as well as for thorax drainage. The filter reliably protects against contamination of the ejector and the environment.

Technical data:

Bacterial retention:	99.992%*
Viral retention:	99.99%*
Material:	PS (Polystyrol)
Recommended duration of use:	14 days
Filtration method:	Mechanical, (HEPA)*
Max. resistance (mbar):	6 mbar
Packaging unit:	1 pcs.

B Filter

MK00514

Bacteria filter for (vacuum and ejector) suction on anesthesia devices of the Primus®, Fabius®, and Zeus® product families. These filters are suitable for bronchial suction. This filter reliably protects against contamination of the anesthesia and suction device.

Technical data:

Bacterial retention:	99.999%*
Viral retention:	99.999%*
Material:	Acryl
Recommended duration of use:	14 days
Filtration method:	Hydrophobic, (HEPA)*
Packaging unit:	20 pcs.

*According to EN 1822-1:1998

Filter for suspended particles (HEPA and ULPA).

ACCESSORIES AND CONSUMABLES

A VarioSafe

MP00555

The VarioSafe bacterial and viral filter system has been specially designed and thoroughly tested to work in optimal fashion with compressed air driven suction devices (model range ex 2010 VarioAir®).

A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe filter system is always included within a VarioAir® ejector.

Technical data:

Maximum capacity:	90 ml
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (Polystyrol)
Recommended duration of use:	7 days
Filtration method::	Mechanical and hydrophobic, (HEPA)
Max. resistance (mbar):	15 mbar
Packaging unit:	10 pcs.

*According to Nelson Laboratories, Inc., Salt Lake City, USA.

A

D-28537-2009



ACCESSORIES AND CONSUMABLES

A Protection jar	2M86758
Stand alone version, especially for rail adaption, with clamp. Autoclavable up to 134 °C. Material jar: PSU (Polysulfone).	
B Suction hose	M25780
To remove secretion with continous drainage units and bronchial aspirators. Length 1.5 m (4.9 ft).	
C Silicone hose, 5 x 2	1203606
Connecting hose for bronchial aspirator, made of silicone. Internal Ø 5 mm wall thickness 2 mm (6.6 ft), by the metre.	
D Jar cap and ring with overflow safeguard	2M85011
Cap for the 700 ml secretion jar.	
E Cap for secretion jar	2M85013
Cap with fistular indicator for continuous drainage unit protection jar. Available for continuous- and thorax-drainage.	
F Jar cap with safety valve	2M85012
Jar cap with overflow safeguard and pressure relieve valve (ex 0.1 kPa) to avoid pressure increase on patient side. Applicable for continuous- and thorax-drainage.	





ACCESSORIES AND CONSUMABLES

A	Secretion jar 0.3 l	2M86207
	Autoclavable up to 134 °C. Material: PSU (Polysulfone).	
B	Secretion jar 0.7 l	2M85594
	Autoclavable up to 134 °C. Material: PSU (Polysulfone).	
C	Angled connector	2M19063
	Angled hose connector for secretion jar caps.	
D	Vacuum nozzle	M30574
	To adapt vacuum thread to nozzle connector 6 mm (0.2 in) for hose 6.3 x 3 mm (0.25 x 0.12 in). Connection: ISO 228 G 1/4" internal thread.	
D	Vacuum nozzle	M30606
	To adapt vacuum thread to nozzle connector 4 mm (0.16 in) for hose 4 x 3 mm (0.16 x 0.12 in). Connection: ISO 228 G 1/4" internal thread.	
E	Shut-off valve	MP00570
	Additional shutt-off possibility for the vacuum regulator by replacing the connection nozzle.	



ACCESSORIES AND CONSUMABLES

A Vario Vac® B/OR caps black, 10 box Adaptable to all Dräger vacuum regulators with the intendend use for bronchial aspiration as well as OR-aspiration.	MP00496
B Vario Vac® B/OR caps ISO, 10 box Adaptable to all Dräger vacuum regulators with the intendend use for bronchial aspiration as well as OR-aspiration.	MP00494
C Pressure gauge -100 kPa Pressure gauge for vacuum level up to -100 kPa (-1,000 mbar) With double scale in kPa and mmHg. For all VarioVac® vacuum regulators and VarioAir® ejectores with the intendend use for bronchial suction.	MP00578



5. OR ASPIRATION


During surgical, endoscopic and minimally invasive procedures you do not have to abandon the easy use of these products.

A modular design facilitates the easy replacement of components and allows the system to be upgraded with any of Dräger Medical's rail-mounted accessories.

The negative pressure can be generated either by a vacuum regulator or an ejector.

An overflow safeguard in the secretion jar and an additional protection jar reduce the risk of contamination of the drive element and the pressure or vacuum generating system.

The OR aspirators can be connected either to the central vacuum system or, when used with an ejector drive unit, to the piped oxygen or medical air supply system.



1	MP00505	VarioVac® B/OR Rail
2	MP00535	VarioAir® B/OR Rail
3	MP00555	VarioSafe for VarioAir®
4	2M85441	Trolley for OR aspirator
5	2M86752	Evac 40 with foot switch for 230 V
6	MP00560	Evac 40 with foot switch for 110 V

7	2M85442	Secretion jar 4 l
8	2M85443	Secretion jar 4 l, reserve
9	2M86757	Rail bracket
10	2M86758	Protection jar
11	2M85446	Connecting hose holder
12	2M85239	Suction hose holder
13	MX37021	Bacterial filter for Evac 40
14	2M85594	Secretion jar 0.7 l

DRIVE ELEMENTS

5.1 DRIVE ELEMENTS

A VarioAir® B/OR Rail

MP00535

Ejector for bronchial suction as well as for pneumatic OR-aspiration.
For connecting via CS vacuum connecting hose.
Connection thread: NIST.**

This rail version can be connected to all common wall rails
(in the range of 8-10 mm width and 25-35 mm height).

A new VarioSafe® disposable filter system reliably protects
the VarioAir® series and the patient environment against
contamination.

One piece of the new VarioSafe filter system is always
included within a VarioAir® ejector.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 x 200 x 160 (without VarioSafe) 80 x 330 x 160 (with VarioSafe)
Maximum sound level:	57 dB (A)
Hose nozzle:	Ø 6 mm
Color coding:	ISO 32 and neutral color standard (black)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*.

B VarioVac® B/OR Rail

MP00505

Vacuum regulator for bronchial suction as well as for
pneumatic OR suction. For connecting via CS vacuum
connecting hose. Connection thread: NIST.**

This rail version can be connected to all standard wall rails
(in the range of 8-10 mm width and 25-35 mm height).

All plastic parts, which may become contaminate (except for
the frame with pressure gauge) can be autoclaved at up to 134 °C.
Shut-off valve is included.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	50 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 x 200 x 160
Maximum sound level:	55 dB (A)
Hose nozzle:	Ø 6 mm
Color coding:	ISO 32 and neutral color standard (black).

*According to Nelson Laboratories, Inc., Salt Lake City, USA.

**For CS hoses please refer to chapter 12-16.



COMPACT SYSTEMS AND TROLLEYS

SECRETION JAR SYSTEMS

5.2. COMPACT SYSTEMS AND TROLLEYS

A Trolley for OR aspirator **2M85441**

Trolley for OR aspirator incl. protection jar but without 4 l secretion jars.

Optional: Two 4 l secretion jars are large enough to cope when large amounts of liquid, so the jars need to be replaced less often.

An overflow safeguard in the secretion jar and an additional protection jar reduce the risk of contamination of the drive element and pressure-generating system.

Evac 40

The portable electrical aspirator Evac 40 is used for the aspiration and collection of secretions, body fluids, tissue parts and lavage fluids during surgical, endoscopic or minimally invasive procedures. The vacuum pump with membrane technology is designed for continuous operation and distinguishes itself by its quiet running properties. With the foot switch the aspiration can be easily started or stopped.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	40 l/min
Secretion jars:	2 x 4 l optional
Weight:	18 kg
Dimensions (W/H/D) in mm:	435 x 999 x 436
Maximum sound level:	50 dB (A).

B Evac 40 for 230 V **2M86752**

With foot-switch and two rails.

Power plug:	DIN
Rated voltage:	230 V, 50/60 Hz.

B Evac 40 for 110 V **MP00560**

With foot-switch and two rails.

Power plug:	NEMA
Rated voltage:	110 V, 50/60 Hz.

5.3 SECRETION JAR SYSTEMS

C Secretion jar 4 l **2M85442**

Capacity: 4 l, with basket and cap.

Autoclavable up to 134 °C.

Material: PSU (Polysulfone).

D Secretion jar 4 l, reserve **2M85443**

Capacity: 4 l, with basket, reserve jar.

Overflow safeguard included.

Autoclavable up to 134 °C.


Material: PSU (Polysulfone).



ACCESSORIES AND CONSUMABLES

5.4 ACCESSORIES AND CONSUMABLES

A	Protection jar	2M86758
	Stand alone version, especially for rail adaption, with clamp. Autoclavable up to 134 °C. Material jar: PSU (Polysulfone).	
B	Rail bracket	2M86757
	Rail bracket for attachment of the secretion jars. Dimensions 25 x 10 mm (1 x 0.4 in).	
C	Bacterial filter for Evac 40	MX37021
	This filter reliably protects against contamination of the environment and the drive unit. Packaging unit 10 pieces.	
D	Connecting hose holder	2M85446
	For holding a central supply connecting hose.	
E	Suction hose holder	2M85239
	For holding an aspiration hose. Various diameters possible.	
F	Secretion jar 4 l	M25742
	Autoclavable up to 134 °C. Material: PSU (Polysulfone).	




6. CONTINUOUS DRAINAGES

Continuous drainages are used for drainage of secretion, blood and/or air from body cavities over long periods, following operations, particularly after open-thorax surgery.

All of Dräger Medical's continuous drainages are made from high-quality materials and are designed with space in mind.

Individual solutions allows you to choose between pneumatic or electrical driven drainages, while also assisting you in optimizing your specific needs and requirements.



1	MP00507	VarioVac® D DIN
2	MP00508	VarioVac® D BS
3	MP00509	VarioVac® D AFNOR
4	MP00510	VarioVac® D AGA
5	MP00511	VarioVac® D Rail
6	MP00512	VarioVac® D Rail WV
7	MP00537	VarioAir® D DIN
8	MP00538	VarioAir® D BS
9	MP00539	VarioAir® D AFNOR
10	MP00540	VarioAir® D AGA
11	MP00541	VarioAir® D UNI
12	MP00542	VarioAir® D Rail
13	MP00544	VarioAir® T Rail WV
14	MP00555	VarioSafe for VarioAir®

15	2M85154	Continuous drainage 4
16	2M85151	Continuous drainage 1
17	2M85153	Continuous drainage 3
18	2M85056	Secretion jar set
19	2M85607	Secretion jar set with protection jar
20	2M85163	Secretion jar unit, 0.7 l
21	MP00518	Water vacuum gauge
22	M26859	Wall holder
23	M26842	Rail holder with clamp
24	2M85119	Ceiling holder
25	2M85446	Connecting hose holder
26	2M85239	Suction hose holder
27	6723976	Bacterial filter 767 for old ejectors

DRIVE ELEMENTS

6.1 DRIVE ELEMENTS

6.1.1 VARIOVAC® VACUUM REGULATORS

With these vacuum regulators you could regulate an infinitely variable vacuum during continuous drainage, thus reducing the drive gas considerably. Apart from the pressure gauge, all parts can be autoclaved at up to 134 °C. All VarioVac® vacuum regulators offer a dual color coding according to EN ISO 32 (yellow) and neutral color standard (black). Shut-off valve is included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	10 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 x 200 x 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm.

A VarioVac® D DIN

MP00507

Vacuum regulator for continuous and wound drainage.
For direct connection to the central vacuum supply,
according to german standards (DIN).

B VarioVac® D BS

MP00508

Vacuum regulator for continuous and wound drainage.
For direct connection to the central vacuum supply,
according to british standards (BS).

C VarioVac® D AFNOR

MP00509

Vacuum regulator for continuous and wound drainage.
For direct connection to the central vacuum supply,
according to French standards (AFNOR/NF, Air Liquide).

D VarioVac® D AGA

MP00510

Vacuum regulator for continuous and wound drainage.
For direct connection to the central vacuum supply,
according to scandinavian standards (AGA).

E VarioVac® D Rail

MP00511

Vacuum regulator for continuous and wound drainage.
For connecting via CS vacuum connecting hose.
Connection thread: NIST.
This rail version can be connected to all standard wall rails
(in the range of 8-10 mm width and 25-35 mm height).
For CS hoses please refer to chapter 12-16.



DRIVE ELEMENTS

A VarioVac® D Rail WV

MP00512


Vacuum regulator for thoracic drainage, water vacuum meter included. For connecting via CS vacuum connecting hose. Connection thread: NIST.*

This rail version can be connected to all standard wall rails (in the range of 8-10 mm width and 25-35 mm height).
Double scaled immersion pipe (kPa and cmH₂O).

Technical data:

Maximum vacuum:	-5 to 0 kPa (-5 to 0 mbar)
Maximum suction flow:	8 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 x 650 x 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm

*For CS hoses please refer to chapter 12-16.



DRIVE ELEMENTS

6.1.2 VARIOAIR® EJECTOR

The VarioAir® ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -15 kPa (-150 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

All VarioAir® ejectors offer a dual color coding according to EN ISO 32 (yellow for vacuum setting to the patient) and neutral colour standard (black). A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe filter system is always included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 x 200 x 160 (without VarioSafe) 80 x 330 x 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*.

A	VarioAir® D DIN	MP00537
	Ejector for continuous and wound drainage. For the direct connection to the central gas supply with CS connectors according to German standards (DIN).	
B	VarioAir® D BS	MP00538
	Ejector for continuous and wound drainage. For the direct connection to the central gas supply with CS connectors according to British standards (BS).	
C	VarioAir® D AFNOR	MP00539
	Ejector for continuous and wound drainage. For the direct connection to the central gas supply with CS connectors according to French standards (AFNOR/NF).	

*According to Nelson Laboratories, Inc., Salt Lake City, USA.



COMPACT SYSTEMS

A VarioAir® D AGA Ejector for continuous and wound drainage. For the direct connection to the central gas supply with CS connectors according to Swedish standards (AGA).	MP00540
B VarioAir® D UNI Ejector for continuous and wound drainage. For the direct connection to the central gas supply with CS connectors according to Italian standards (UNI).	MP00541
C VarioAir® D Rail Ejector for continuous and wound drainage. For connecting via CS vacuum connecting hose. Connection thread: NIST.* This rail version can be connected to all common wall rails (in the range of 8-10 mm width and 25-35 mm height).	MP00542
D VarioAir® T Rail WV Ejector for thoracic drainage, water vacuum meter included. For connecting via CS vacuum connecting hose. Connection thread: NIST.* This rail version can be connected to all common wall rails (in the range of 8-10 mm width and 25-35 mm height). Double scaled immersion pipe (kPa and cmH ₂ O). Technical data: Maximum vacuum: -5 to 0 kPa (-5 to 0 mbar) Minimum suction flow: 15 l/min Maximum gas consumption: 30 l/min Weight: 1,100 g Dimensions (W/H/D) in mm: 80 x 650 x 160.	MP00544

*For CS hoses please refer to chapter 12-16.



COMPACT SYSTEMS

6.2 COMPACT SYSTEMS

The vacuum can either be generated by an ejector or via a vacuum regulator. When used with the ejector, a bacterial filter reliably protects against contamination of the environment. All these pneumatic continuous drainages can be used in potentially explosive areas. The secretion is sucked into a collection jar. When the secretion jar is full, an overflow safeguard and the protection jar ensure that secretion cannot enter the drive unit, thus protecting the hospital's central vacuum system from contamination. All parts which may become contaminated can be autoclaved at up to 134 °C.

The continuous drainage systems 1 and 3 can be used for continuous- and wound drainage as well as for thoracic drainage in the combination with a regulator from the VarioVac® D and VarioAir® D series. An additional precision regulator makes it easy to adjust lowest vacuum levels.



A Continuous drainage 1

2M85151

Precision regulator, fistula indicator and Bacterial filter 767 included.

700 ml capacity; Maximum capacity up to the overflow safeguard 1,000 ml.

Scale in steps of 10 ml up to max. 700 ml.

Technical data:

Maximum vacuum: -10 to 0 kPa (-100 to 0 mbar)

Maximum suction flow: 14 l/min

Weight: 3 kg (empty)

Dimensions (W/H/D) in mm: 285 x 340 x 160.

B Continuous drainage 3

2M85153

Precision regulator, water vacuummeter, fistula indicator and Bacterial filter 767 included.

700 ml capacity; Maximum capacity up to the overflow safeguard 1,000 ml.

Scale in steps of 10 ml up to max. 700 ml.

Technical data:

Maximum vacuum: -5 to 0 kPa (-50 to 0 mbar)

Maximum suction flow: 14 l/min

Weight: 5.5 kg (empty)

Dimensions (W/H/D) in mm: 260 x 800 x 180.

COMPACT SYSTEMS

A Continuous drainage 4

2M85154

The continuous drainage system 4 can be used for continuous- and wound drainage as well as for thoracic drainage. Precision regulator, water vacuummeter, fistula indicator and Bacterial filter 767 included. 700 ml capacity; Maximum capacity up to the overflow safeguard 1,000 ml. Scale in steps of 10 ml up to max. 700 ml. The unit is driven by an electrical vacuum pump (15 W) 220 V/50 Hz.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	14 l/min
Weight:	6 kg (empty)
Dimensions (W/H/D) in mm:	260 x 800 x 180.

B VarioVac® D Rail WV

MP00512

Vacuum regulator for thoracic drainage, water vacuum meter included. For connecting via CS vacuum connecting hose. Connection thread: NIST.*

This rail version can be connected to all standard wall rails (in the range of 8-10 mm width and 25-35 mm height). Double scaled immersion pipe (kPa and cmH₂O).

Technical data:

Maximum vacuum:	-5 to 0 kPa (-5 to 0 mbar)
Maximum suction flow:	8 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 x 650 x 160
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm.

*For CS hoses please refer to chapter 12-16.


C Secretion jar unit, 0.7 l

2M85163

E.g. for continuous drainage units, rail.

Consisting of:

- 1 x Autoclavable secretion jar up to 134 °C, material: PSU (Polysulfone)
- 1 x Rail bracket
- 1 x Cap with safety valve for positive pressure (ex 0.1 kPa; 1 mbar)
- 1 x Suction hose with secretion sight glass.



MT-3702-2008



MT-0028-2004



MT-2573-95

ACCESSORIES AND CONSUMABLES

6.3 ACCESSORIES AND CONSUMABLES

A Water vacuum gauge

MP00518

Water vacuum gauge for the thoracic drainage.

The water vacuum meter can be used for thoracic drainage in the combination with a regulator from the VarioVac® D and VarioAir® D series.

This rail version can be connected to all common wall rails (in the range of 8-10 mm width and 25-35 mm height).

Double scaled immersion pipe (kPa and cmH₂O).

Technical data:

Maximum vacuum: -5 to 0 kPa (-50 to 0 mbar)

Maximum suction flow: 10 l/min

Pressure relief valve: Ex 0.1 kPa (1 mbar)

Hose nozzle: 2 x Ø 6 mm

Weight: 1 kg (empty)

Dimensions (W/H/D) in mm: 80 x 650 x 160.

A

MT-10950-2006



B

MT-3005-2004



B Bacterial filter 767 for old ejectors

6723976

This filter has been specially designed and thoroughly tested to work in optimal fashion with Dräger standard ejectors (model range until 2010). This product can be used for bronchial suction, continuous and wound drainage as well as for thorax drainage. The filter reliably protects against contamination of the ejector and the environment.

Technical data:

Bacterial retention: 99.992%*

Viral retention: 99.99%*

Material: PS (Polystyrol)

Recommended duration of use: 14 days

Filtration method: Mechanical, (HEPA)*

Max. resistance (mbar): 6 mbar

Packaging unit: 5 pcs.

* According to EN 1822-1:1998

Filter for suspended particles (HEPA and ULPA).

ACCESSORIES AND CONSUMABLES

A Bacterial filter 767

CH00102

This filter has been specially designed and thoroughly tested to work in optimal fashion with Dräger standard ejectors (model range until 2010). This product can be used for bronchial suction, continuous and wound drainage as well as for thorax drainage. The filter reliably protects against contamination of the ejector and the environment.

Technical data:

Bacterial retention:	99.992%*
Viral retention:	99.99%*
Material:	PS (Polystyrol)
Recommended duration of use:	14 days
Filtration method:	Mechanical, (HEPA)*
Max. resistance (mbar):	6 mbar
Packaging unit:	1 pcs.

A

MT-3005-2004



B

D-28537-2009



B VarioSafe

MP00555

The VarioSafe bacterial and viral filter system has been specially designed and thoroughly tested to work in optimal fashion with compressed air driven suction devices (model range ex 2010 VarioAir®).

A new VarioSafe disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe filter system is always included within a VarioAir® ejector.

Technical data:

Maximum capacity:	90 ml
Bacterial retention:	99.99998%**
Viral retention:	99.9998%**
Material:	PS (Polystyrol)
Recommended duration of use:	7 days
Filtration method::	Mechanical and hydrophobic, (HEPA)
Max. resistance (mbar):	15 mbar
Packaging unit:	10 pcs.

*According to EN 1822-1:1998

Filter for suspended particles (HEPA and ULPA).

**According to Nelson Laboratories, Inc., Salt Lake City, USA.



ACCESSORIES AND CONSUMABLES

A	Secretion jar unit, 0.7 l	2M85163
	E.g. for continuous drainage units, rail. Consisting of: – 1 x Autoclavable secretion jar up to 134 °C, material: PSU (Polysulfone) – 1 x Rail bracket – 1 x Cap with safety valve for positive pressure (ex 0.1 kPa; 1 mbar) – 1 x Suction hose with secretion sight glass.	
B	Immersion tube	M16395
	For water vacuum meter, not scaled.	
B	Rubber plug	2M85139
	For immersion tube. 2 pcs.	
C	Water container	M20668
	For rail mounted continuous drainage device.	
C	Water container	M16394
	Without thread. For continuous drainage device 2 to 4.	
D	VarioVac® D caps black, 10 box	MP00497
	Adaptable to all Dräger vacuum regulators with the intended use for continuous drainage as well as for wound drainage.	
E	VarioVac® D caps ISO, 10 box	MP00495
	Adaptable to all Dräger vacuum regulators with the intended use for continuous drainage as well as for wound drainage.	
F	Pressure gauge -16 kPa	MP00579
	Pressure gauge for vacuum range up to -16 kPa (-160 mbar) Double scale in kPa and mmHg. Applicable for all VarioVac® vacuum regulators and VarioAir® ejectores with the intended use for continuous- and wound drainage.	



ACCESSORIES AND CONSUMABLES

A Immersion pipe, scaled	MP00569
For water vacuum meter. Double scale in kPa and cmH ₂ O. Material: stainless steel.	
B Locking screw for immersion pipe	MP00596
Applicable for VarioVac® D Rail WV (MP00512); VarioAir® T Rail (MP00544) and Water vacuum gauge (MP00518). Gaskets included.	
C Water container with thread	MP00565
Applicable for VarioVac® D Rail WV (MP00512); VarioAir® T Rail (MP00544) and Water vacuum gauge (MP00518). Gaskets included.	
D Cover for water vacuum gauge	MP00595
Applicable for VarioVac® D Rail WV (MP00512); VarioAir® T Rail (MP00544) and Water vacuum gauge (MP00518). Gaskets included.	



RAIL ACCESSORIES

7. HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints of the Quickstop hinged arm can be fixed into place and released with just one quick hand – movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

A Quickstop hinged arm 1

2M85705

Contains:

3 x Hose clamps (2 pcs.)

1 x Hose clamp, coaxial (2 pcs.).

Length: 1,067 mm.

Load capacity: max. 2 kg.

B Quickstop hinged arm 2

2M85706

The Quickstep 2 offers an universal ball holder system for optional accessories.

Contains:

2 x Hose clamps (2 pcs.)

1 x Hose clamp, coaxial (double)

1 x Hose clamp with ball.

Length: 1,078 mm.

Load capacity: max. 2 kg.

C Quickstop hinged arm short

2M86463

Specifically designed to work in optimal fusion with OR-tables. Including universal tube holder plate for several cable – and tube dimensions as well as coaxial hoses.

Contains:

1 x Universal tube holder plate for several cable- and tube dimensions.

Length: 403 mm.

Load capacity: max. 4 kg.

D Quickstop hinged arm for Pod


2M86464

Hinged arm for rail systems to support precise positioning and safe fixation of Dräger monitoring pods, especially for HemoMed Pods.

For the fixation of Dräger monitoring pods.

Length: 460 mm.

Load capacity: max. 1.5 kg.



HINGED ARMS

A Hinged arm 240 degree

8409609


Hinged arm (with 3 hinges) for rail systems to route the breathing hoses to the patient.

Including:

1 x Hose clamp with ball

1 x Holder for Y-piece.

Including universal ball holder system for optional accessories.



B Infinity Acute Care System Hinged arm

MP00690

The Infinity ACS Hinged arm is for all exact positioning and fixation of ventilation hoses.

This arm can be fixed into place without a hand movement through a patent registered fiction torque-breaking system.

Including:

1 x Universal hose clip


1 x Double hose clip, grey.

Load capacity: max. 0.5 kg.




HINGED ARMS

A	Hose clamp for ball mounting	8409841
	For standard breathing hoses. Adults and pediatrics. Applicable for Quickstop hinged arm 2 (2M85706) and Hinged arm 240 degree (8409609).	
B	Hose clip, single, 2 pcs.	8406138
	For standard breathing hoses. Adults and pediatrics. Applicable for Quickstop hinged arm 1 (2M85705), Quickstop hinged arm 2 (2M85706) and Hinged arm 240 degree (8409609). Set of two hose clamps.	
C	Hose clamp, coaxial	MP00493
	For coaxial breathing hoses. Adults. Applicable for Quickstop hinged arm 1 (2M85705), Quickstop hinged arm 2 (2M85706) and Hinged arm 240 degree (8409609). Set of two hose clamps.	
D	Holder for Y-piece for ball mounting	8409746
	Applicable for Quickstop hinged arm 2 (2M85706), Hinged arm 240 degree (8409609) and Infinity ACS Hinged arm (MP00690).	
E	Universal tube holder plate for ball mounting	2M86465
	For all standard cable- and hose dimensions as well as for coaxial and pediatric hoses. Applicable for Quickstop hinged arm 2 (2M85706), Hinged arm 240 degree (8409609) and Infinity ACS Hinged arm (MP00690).	



HINGED ARMS

A Quickstop Set MultiMed Pod Extension kit of the Quickstop hinged arm Pod (2M86464). MultiMed Pods and NeoMed Pods.	MP00653
B Universal hose clip For all standard cable- and hose dimensions as well as for coaxial and pediatric hoses. Applicable for Infinity ACS Hinged arm (MP00690).	MP00692
C Double hose clip, grey Applicable for Infinity ACS Hinged arm (MP00690).	MP00693



LAMPS

8. LAMPS

Proper illumination and working conditions are vital throughout patient care. You can choose the right lightning solution for the different applications such as examination or reading at the patient's bedside.

Dräger's solutions provide ideally suited lightning for examinations, wound management and for different specific applications, e.g. the positioning of syringes and IV lines. All three solutions fit standard rail systems and are easy to mount.

A NCL examination lamp

2M85657

NCL filter for optimal lightning and color rendering.

Two-step switch to adjust the amount of light

- Step I: Reading light
- Step II: Diagnosis light.

Minimal heat emissions through a heat protection filter and double wall cabinet.

Integrated electronic safety transformer with line and thermal fuse.

Max illumination at a distance of 0.5 m:

Step I: 11,000 lux \pm 10%

Step II: 20,000 lux \pm 10%

Color temperature (Kelvin): 4,100 K \pm 5%

Color rendering index: RA 92, class 1A

Type: Philips Brilliant Line Pro
Halogen Lamp 12V/35W/24°

Plug: DIN Standard

Weight: Approx. 1.3 kg

Protection class: II

Power cord: 3 m

Rail clamp: 10 x 25 mm (0.4 x 1 in) to
8 x 35 mm (0.3 x 1.4 in)

Measurement: 400 and 420 mm.

B Examination lamp HX 35 TM

MP00435

In contrast to the NCL examination lamp the HX 35 TM comes with a BS plug, a starter power cable as well as a lower light intensity.

Max illumination at a distance of 0.5 m:

Step I: 5,000 lux \pm 10%

Step II: 13,000 lux \pm 10%

Power cord: 1.4 m.

C Illuminant NCL 12 V, 35W, 24°

MP00681

Illuminant for NCL examination lamp (2M85657) and HX 35 TM (MP00435).



LAMPS

A Reading lamp		2M86199
Glare free reading light.		
Light intensity also suitable for specific applications.		
High ease of use through space-saving and compact design.		
Integrated electronic safety transformer with line and thermal fuse.		
Max illumination at a distance of 0.5 m:		
	6,000 lux \pm 10%	
Color temperature (Kelvin):	4,000 K \pm 5%	
Color rendering index:	RA 80, class 1B	
Type:	Philips compact reading lamp	
	PL-S 11 W/840/4P	
Plug:	DIN Standard	
Weight:	Approx. 1.3 kg	
Protection class:	II	
Power cord:	3 m	
Rail clamp:	10 x 25 mm (0.4 x 1 in) to	
	8 x 35 mm (0.3 x 1.4 in)	
Measurement:	450 and 510 mm.	



MONITOR CARRIERS

9. MONITOR CARRIERS


A Monitor shelf 5035, without drawer Monitor shelf for safe mounting of monitoring equipment. The screws on the vertical supports mean that the monitor shelf is suitable for different wall distances. To protect from injury, the corners of the monitor shelf are covered with pieces of rubber which can be removed for cleaning. Dimensions (W x D): 500 x 355 mm (19.7 x 14 in). Load capacity: max 20 kg (44 lbs). Weight: 5 kg.	2M85003
B Monitor shelf 5450, with drawer Monitor shelf for safe mounting of monitoring equipment. The spacious drawer can be used for storage, for example of monitoring accessories. The screws on the vertical supports mean that the monitor shelf is suitable for different wall distances. Dimensions (W x D): 500 x 355 mm (19.7 x 14 in). Load capacity: max 20 kg (44 lbs). Weight: 8.7 kg.	M24692
C Tray 3020 Handy tray for depositing instruments, bandages, plasters, infusion pumps, O ₂ measuring devices and the like. To protect from injury, the corners of the tray are covered with pieces of rubber which can be removed for cleaning. Dimensions (W x D): 300 x 200 mm (11.8 x 7.9 in). Load capacity: max 5 kg. Weight: 1.2 kg.	M24678
D Spacer Needed for greater wall to rail distances. The spacer can be used for all monitor trays.	M26391



FIXING ELEMENTS

10. FIXING ELEMENTS

A Clamp	2M85274
Clamp for attachment of rail accessories to poles of different diameter. Rotable by 90 degrees to left and right. Length rail: 200 mm (7.87 in).	
B Lever-type clamp	M25739
For rapid attachment of equipment to 25 x 10 mm (1 x 0.4 in) rails. Drilling distance 22 mm (0.9 in), for M5 threaded screws.	
C Lever-type clamp, incl. set of screws	2M85049
As M 25 739 with set of screws provided (M5 thread).	
D Screw-type clamp	M20650
For attachment of equipment to 25 x 10 mm (1 x 0.4 in) rails. Drilling distances 22 mm (0.9 in), for M5 threaded screws.	
E Suction hose holder	2M85239
For holding an aspiration hose (various diameters possible). For attachment to an intensive care rail or compact rail.	
F Connecting hose holder	2M85446
For holding a central supply connecting hose. For attachment to an intensive care rail or compact rail.	
G Rail holder with clamp	M26842
Holder for attaching a compact bronchial aspirator or a secretion jar set to a wall rail. The devices are only latched and can be detached and moved easily if this is required.	



FIXING ELEMENTS


ACCESSORIES AND CONSUMABLES

A Ceiling holder	2M85119
Holder for attaching a compact bronchial aspirator or a secretion jar set to rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.	
11. ACCESSORIES AND CONSUMABLES	
Wire baskets	
The wire baskets are used for storage of disposable catheters or disposable gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).	
B Basket 150, for disposable gloves	M26146
Size: 150 x 200 x 100 mm (5.9 x 7.9 x 3.9 in).	
B Basket 300, for 300 mm (12 in) catheters	M26145
Size: 150 x 280 x 100 mm (5.9 x 11 x 3.9 in).	
B Basket 600, for 600 mm (23.6 in) catheters	M25121
Size: 150 x 480 x 100 mm (5.9 x 18.9 x 3.9 in).	
Catheter receptacle	
These receptacles are for storage of sterile insufflation catheters. The catheter receptacle is provided with a rail clamp and can be attached to intensive care rails. The diameter of the receptacle is 50 mm. Catheter receptacle 510 is designed for catheters up to 600 mm (23.6 in) long, and catheter receptacle 510 for catheters up to 400 mm (15.7 in) long.	
C Rail holder catheter receptacle	MP00652
Size: 125 x 84 x 180 mm (49.2 x 33 x 70.9 in).	
D Catheter receptacle, large	MP00650
Size: 122 x 252 x 122 mm (4.8 x 9.9 x 4.8 in) (top) and Ø 85 mm (bottom).	
E Catheter receptacle, small	MP00651
Size: 120 x 166 x 122 mm (4.7 x 6.5 x 4.8 in) (top) and Ø 60 mm (bottom).	




ACCESSORIES AND CONSUMABLES

A Dish, with rail clamp	2M85233
For depositing used treatment materials. The dish can be attached to a 25 x 10 mm (1 x 0.4 in) rail using the clamp.	
B Telescopic arm	MP00498
<p>With simple telescopic system for visually separating patient beds.</p> <p>Maximum extension: 160 cm (63 in), minimum retraction: 74 cm (29.1 in), minimum retraction when folded in: 11 cm (4.3 in).</p> <p>The scope of supply includes two antibacterial, washable, boil proofed curtains (dimensions 85 cm x 195 cm) including clips and an universal rail bracket for a range of 10 mm x 25 mm (0.4 x 1 in) to 8 mm x 35 mm (0.32 x 1.4 in) for all standard wall rails.</p>	
C Clip	M21112
Binder for Telescopic curtain support.	
D Rail Trolley Sorty	MP00090
<p>This trolley is designed for the transportation of different rail accessories, e.g. of a complete and ready for use bronchial aspiration system. Additionally this trolley is excellent for fitting different rail accessories like catheter receptacles, baskets or an examination lamp.</p> <p>Technical data:</p> <ul style="list-style-type: none"> – 4 wheels, thereof 2 with breaks, all with ESD protection – Dimensions (W x H x D): 550 x 465 x 810 mm (21.7 x 18.3 x 31.9 in). 	
E Holder for litter bags, incl. 100 litter bags	M24695
<p>This stainless steel holder for litter bags is provided with a rail clamp and can be fitted to any intensive care rail. It is used for disposal of all kinds of litter such as bandages, catheters, tubes, infusion equipments, syringes etc. The metal frame is open at the front and can be pushed shut. This makes it easy to attach and remove the bags.</p>	
Set of litter bags, 100 pcs.	M26240
Set of waste bags for the litter bag holder.	
F Infusion bottle holder	M20719
<p>The infusion bottle holder can be attached to an intensive care rail using the rail clamp. The height of the holder can be adjusted by moving the clamp. With three hooks.</p>	



ACCESSORIES AND CONSUMABLES

A Cable guides for rails, 10 pcs. Cable holder set for guiding cables and hoses along standard rails (10 x 25 mm (0.4 x 1 in)), consisting of 10 plastic rail clips.	G15225
A Cable guides for 38 mm (1.5 in) pole, 4 pcs. Cable holder set for guiding cables and hoses along support tubes with a diameter of 38 mm (1.5 in), consisting of 4 two-part plastic clamps and screws.	G13171
B Compact rail for 38 mm (1.5 in) tube, complete All-round rail profile provides universal fitting potential for rail-mounted accessories at a 38 mm (1.5 in) tube. Each side length: 10 cm. Weight: 0.9 kg. Load capacity: 30 kg (66 lbs). Length rail: 4 x 100 mm (0.16 x 4 in).	2M85337
C Cable extension arm Mounting to standard rail profile 10 x 25 mm (0.4 x 1 in). Universal guiding support for cables and hoses. Consisting of: 1 x 2-piece standard rail 10 x 25 mm (0.4 x 1 in) 1 x Holding clamp for attachment to rail profile 4 x Cable/hose guide channels.	G13040
D Support rail set Mounting to standard rail profile 10 x 25 mm (0.4 x 1 in). Provides additional mounting area for all types of rail-mounted accessories and small equipment. Consisting of: 1 x Standard rail 10 x 25 mm (0.4 x 1 in) with end caps 1 x Double clamp for attachment to rail profile. Length: 300 mm (11.8 in). Weight: 0.9 kg. Net carrying capacity: 5.0 kg.	G13768
E Infusion bottle holder Standard rail mounting. Suitable to accommodate up to 6 infusion bottles. Consisting of: 1 x Height adjustable extension rod with bottle holders 1 x Fixation clamp for horizontal standard rail. Weight: 2.0 kg. Width: 600 mm (23.6 in). Height adjustment range: 380 mm (14.96 in).	G12985



CENTRAL SUPPLY HOSES

12. DIN CS HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489
	O₂ CS hose 3 m (9.8 ft) NIST EN DIN	M35490
	O₂ CS hose 5 m (16.4 ft) NIST EN DIN	M35491
	Central pressure supply hose for O ₂ , German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495
	AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496
	AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497
	Central pressure supply hose for AIR, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (black & white).	
C	VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498
	VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499
	VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000
	Central pressure supply hose for VAC, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (yellow).	
D	AIR/O₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001
	AIR/O₂ CS hose 3 m (9.8 ft) NIST EN DIN	M36002
	AIR/O₂ CS hose 5 m (16.4 ft) NIST EN DIN	M36003
	Central pressure supply hose for AIR/O ₂ , German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white & black).	



DIN CS HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004
	O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005
	O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006
	Central pressure supply hose for O ₂ , German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
B	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012
	Central pressure supply hose for AIR, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
C	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015
	Central pressure supply hose for VAC, German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
D	AIR/O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016
	AIR/O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017
	AIR/O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018
	Central pressure supply hose for AIR/O ₂ , German DIN standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	



ADAPTER AFNOR CS HOSES

13. ADAPTER

A	Adapter O₂ NIST/DIN	M32493
	Adapter N₂O NIST/DIN	M32494
	Adapter AIR NIST/DIN	M32495
	Adapter VAC NIST/DIN	M32496
	Adapter AIR/O₂ NIST/DIN	M32497

14. AFNOR CS HOSES

B	O₂ CS hose 1.5 m (4.9 ft) NIST EN NF	M35416
	O₂ CS hose 3 m (9.8 ft) NIST EN NF	M35417
	O₂ CS hose 5 m (16.4 ft) NIST EN NF	M35330
	Central pressure supply hose for O ₂ , French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
C	AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420
	AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421
	AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332
	Central pressure supply hose for AIR, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (black & white).	
D	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424
	Central pressure supply hose for VAC, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (yellow).	



AFNOR CS HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434
	O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435
	O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436
	Central pressure supply hose for O ₂ , French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
B	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454
	Central pressure supply hose for AIR, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	
C	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457
	Central pressure supply hose for VAC, French NF standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black).	



BS CS HOSES

15. BS CS HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN BS	M35389
	O₂ CS hose 3 m (9.8 ft) NIST EN BS	M35390
	O₂ CS hose 5 m (16.4 ft) NIST EN BS	M35333
	Central pressure supply hose for O ₂ with 90 ° angular connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393
	AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394
	AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335
	Central pressure supply hose for AIR with 90 ° angular connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (black & white).	
C	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397
	Central pressure supply hose for VAC with 90 ° angular connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (yellow).	



BS CS HOSES


A	O₂ CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398
	O₂ CS hose 3 m (9.8 ft) NIST EN BS straight	M35399
	O₂ CS hose 5 m (16.4 ft) NIST EN BS straight	M35339
	Central pressure supply hose for O ₂ with straight coupling connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with color coding EN ISO 32 (white).	
B	AIR CS hose 1.5 m (4.9 ft) NIST BS straight	M35402
	AIR CS hose 3 m (9.8 ft) NIST BS straight	M35403
	AIR CS hose 5 m (16.4 ft) NIST BS straight	M35340
	Central pressure supply hose for AIR with straight coupling connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black & white).	
C	VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404
	VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405
	VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406
	Central pressure supply hose for VAC with straight coupling connector, British BS standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (yellow).	



AGA CS HOSES

16. AGA CS HOSES

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35375
	O₂ CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35376
	O₂ CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35377
	Central pressure supply hose for O ₂ , with straight coupling connector, AGA standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (white).	
B	AIR CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35383
	AIR CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35384
	AIR CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35385
	Central pressure supply hose for AIR, with straight coupling connector, AGA standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (black & white).	
C	VAC CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35386
	VAC CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35387
	VAC CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35388
	Central pressure supply hose for VAC, with straight coupling connector, AGA standard for 1.5 m (4.9 ft), 3 m (9.8 ft), 5 m (16.4 ft) with neutral color coding (yellow).	
System workplace for CS hoses		8601697
Please have a look into that system workplace for other CS hoses.		



INDEX

1	1190520	24	2166046	23, 39	4714437	139
	1198343	216	2166054	43, 239	4721408	120
	1203606	277, 343	2166062	23, 26, 43	4721416	120
	1270318	169	2166070	43	4721424	120
	1276067	144	2166097	59, 236	4721614	120
	1276075	144	2166100	59	4721788	139, 252
	1276653	144	2166119	59	4721796	139
	1276679	143	2166127	43, 239		
	1276695	144	2170205	159	5190447	144
	1276737	144	2170221	106, 159	5191221	85
2	1678270	130	2870173	116, 161, 248	5192112	120
			2870181	116, 161, 248	5194779	93, 243
	2112760	33, 34	2870199	116, 161, 248	5195024	93, 243
	2120186	61	2870207	116, 161, 248	5195180	123
	2120194	61	2870215	116, 161, 248	5195198	86
	2121018	61, 237	2870298	111, 249	5196980	119
	2121026	61, 237	2878564	169	5196998	119
	2121034	61, 237			5198333	109
	2165600	40, 232	3361164	150, 169	5201319	110
	2165619	30, 35, 39	3368383	121	5201327	110
3	2165627	30, 35, 39	3368391	85	5201335	110
	2165635	35, 39	3368425	86, 117	5201343	110
	2165643	32, 34, 39	3368433	97, 104, 106, 247	5202747	86
	2165651	36, 37, 40, 219, 224, 225, 232	3368458	125	5204644	110
	2165678	24, 25, 27, 29, 40	3375834	97, 104, 106, 247	5204651	110
	2165686	24, 25, 43, 239	3375933	124	5204669	110, 250
	2165694	43	3375941	119	5206227	151
	2165708	43	3375958	119, 127	5206573	121
	2165716	43			5206581	124
	2165724	43	4315961	118	5206607	121
4	2165732	59, 236	4316621	95, 149	5206854	144
	2165740	59, 236	4319310	135	5207415	143
	2165759	59	4319344	150	5588095	121
	2165763	43, 239	4319435	118	5588822	118
	2165775	43, 239	4321563	122	5589663	86
	2165783	43	4322975	138	5590539	85, 146, 243
	2165821	27, 29, 31, 36, 40, 223, 224, 225, 232	4329160	119	5591925	118
	2165848	27, 31, 36, 40, 223, 224, 225, 232	4329822	110, 250	5591933	118
	2165856	31, 36, 40, 223, 224, 225, 232	4329848	110	5592097	150
	2165902	40	4329889	110	5592147	121
5	2165910	59, 236	4527750	91, 154	5592154	109
	2165953	43, 239	4528741	124	5592162	93, 243
	2165961	24, 25, 40, 232	4529038	146	5592535	145, 255
	2166011	26, 28, 39	4529988	145, 255	5597377	150
	2166038	23, 26, 28, 39	4710211	150	5597898	146, 251
			4711201	146, 255	5598128	86
			4714387	139	5701930	176, 181
			4714395	139	5701931	176, 181
			4714429	139	5701932	176

INDEX

5701935	103, 167, 173, 179	6733895	67	7499614	169
5702056	171, 177	6850250	283, 289	7499804	94, 148
5702218	100, 164, 172, 177, 244	6850645	283, 289	7499812	94, 148
5702321	240	6850720	283, 289	7499820	94, 148
5702322	240	6850930	289	7499838	94, 148
5702551	164, 172, 178	6870279	69	7499846	94, 148
5702876	174, 180	6870280	69, 226	7499853	94, 148
5702877	174, 180	6871500	69, 226	7863710	95, 148
5702878	174, 180, 245	6871950	69, 226	7863728	95, 148
5702879	174, 180, 245	6871980	287	7864155	122
5702880	176	6872020	143	7864908	122
5702888	174, 180, 245	6872128	143	7869469	140, 253
5702889	174, 180, 245	6872130	143	7869477	140
5703041	15, 16	6872160	143	7869485	141, 253
5704964	16			7869493	141
5730354	312, 318	7 7014616	110, 163, 250	7869501	142
5731281	121	7257988	86	7869519	142
5732354	150	7262764	106, 157, 168	7869527	140
5734400	91	7265114	137	7869535	139
5734418	91	7265122	137	7869543	140
5735332	151	7267151	122	7869550	139, 253
5736744	129	7270304	100, 164, 171, 177	7869568	141
5739870	151	7270312	100, 164, 171, 177	7869576	142
5740704	136	7270460	119	7869584	141, 254
5740738	136	7486140	91	7869592	140
5741975	125	7486876	123	7869600	141, 253
5947226	91	7486991	169	7869618	142, 254
5947697	150	7489417	123	7870947	135
5947804	130	7489433	122	7871093	86
5950196	85	7492106	169	7872174	133
5954859	130	7492601	99, 247	7872984	144
5956359	95, 148	7496875	101, 165, 172, 178, 244	7874501	144
5956367	95, 148	7496883	101, 165, 172, 178	7876910	132
5956433	90	7496891	100, 244		
5956441	90	7496909	100, 164, 172, 178, 244	8 8201012	106, 159, 246
5956458	90	7496917	100, 164, 172, 178, 244	8201013	159, 246
5956466	90	7496925	101, 103, 165, 167, 174, 180, 244, 245	8201015	155
5956474	90			8290285	42
5956482	90	7496933	101, 165, 244, 245	8290286	143, 144
5956490	91	7496941	103, 167, 175, 181	8305622	288
5956508	91	7496958	103, 167, 175, 181, 245	8306370	288
5957100	138, 252	7496966	102, 166, 173, 179, 245	8306487	233
5957118	138, 252	7496974	102, 166, 173, 179, 245	8401644	35
5957126	138	7496982	102, 166, 173, 179	8401645	31, 36, 42, 216, 223, 224, 225
5957134	138	7496990	102, 166, 173, 179	8402041	30, 35
5957142	138	7497006	101, 165, 172, 178	8402868	67
		7497014	100, 164, 171, 177, 244	8402918	30
6 6723976	277, 331, 341, 353, 360	7497709	137	8402953	24, 25
6724492	67	7498947	123		

INDEX

8403056	31, 223	8410079	24	8413293	34
8403070	37, 219, 221	8410179	233, 282, 287	8414776	68
8403073	221	8410185	233, 282, 287	8414966	75, 258
8403075	24, 25, 31, 36, 42, 223, 224, 225, 233	8410230	67	8414968	75, 258
8403076	30, 35	8410535	72	8414969	74
8403077	41, 216, 233	8410536	72	8414986	35
8403080	37, 219, 221	8410600	71	8414987	36, 225
8403201	45	8410709	37, 219, 221	8414989	75, 258
8403208	216	8410813	38, 221	8414991	21
8403333	31, 223	8410814	38, 220, 222	8414992	75
8403345	71	8410816	38, 220, 222	8414993	36, 74, 225
8403377	216	8410817	222	8414994	21
8403566	30, 35	8410929	34	8418077	240
8403684	216	8411024	79, 260	8418282	73, 257
8403685	30, 33, 35	8411030	77, 260, 323	8418283	73, 257
8403735	287	8411031	77, 260, 323	8418289	71, 221, 222
8403896	271, 328	8411040	38, 222	8418404	38, 220
8403944	216	8411041	37, 219	8418405	38, 220
8404760	31, 223	8411044	36, 37, 219, 224, 225	8418407	38, 220
8404985	26, 28, 30, 35	8411045	35, 37, 74, 219, 224	8418410	227
8405000	323	8411047	73, 257	8418411	227
8405000	77	8411048	75, 258	8418414	227
8405029	71	8411050	76, 259	8418415	228, 231
8405031	71	8411073	73, 257	8418416	228, 231
8405371	72	8411074	74, 257	8418417	228, 231
8405435	30, 41	8411075	191	8418418	230
8405752	31, 223	8411097	75, 258	8418419	230
8406138	279, 366	8411130	233, 282, 287	8418420	230
8407475	33, 45	8411148	38, 222	8418421	230
8408647	71	8411153	38, 220	8418422	230
8409609	365	8411154	38, 74, 220, 258	8418423	230
8409625	37, 38, 219, 220	8411352	32, 216	8418433	76, 259
8409626	233, 282, 288	8411353	32, 216	8418435	231
8409627	27, 29, 31, 36, 37, 38, 219, 220, 221, 222, 223, 224, 225	8411354	216	8418455	38, 220
8409634	36, 224, 225	8411471	32, 217	8418458	37, 219
8409646	45	8411472	32, 217	8418462	75
8409683	65, 238	8412001	34	8418471	230
8409742	36, 37, 38, 45, 219, 220, 221, 222, 224, 225, 240	8412034	34, 287	8418472	230
8409746	279, 366	8412068	34	8418473	230
8409840	72	8412081	224	8418474	230
8409841	279, 366	8412092	30	8418475	230
8409897	36, 37, 219, 221, 222, 224, 225	8412217	73	8418476	230
8409898	216	8412218	73	8418490	228, 231
8410019	221, 222	8412235	29, 34	8418491	228, 231
		8412344	31, 223	8418531	228, 231
		8412860	32	8418534	229, 231
		8412888	26, 32, 35, 41	8418535	229, 231
		8412913	34	8418536	229, 231
		8412935	77, 260, 323	8418537	229, 231

INDEX

8418538	229, 231	2M21514	191	2M85692	324
8418539	229	2M22130	193	2M85693	325
8418540	230	2M22171	191, 193	2M85705	364
8418550	231	2M22315	194	2M85706	279, 364
8418583	227	2M22460	215	2M85728	309
8418605	228	2M22461	215	2M85759	271, 328
8418619	228	2M22462	215	2M85794	271, 329
8419160	125	2M22464	215	2M85795	271, 329
8420077	125	2M22478	194, 215	2M85796	272, 329
8500347	162	2M30078	189	2M85813	271, 328
8500348	162	2M30079	189	2M85834	268, 310, 315, 317
8539983	125	2M30084	187	2M85835	310, 315, 317
8600224	27, 42, 143	2M30160	189	2M85853	310
8600225	27, 42, 143	2M30161	189	2M85911	62, 312
8600859	155	2M30263	187	2M85912	312, 315, 317
8601321	163	2M30462	213	2M86029	320, 322
8601474	163	2M50385	192	2M86174	320, 322
8601697	264, 303, 305, 309	2M50412	192	2M86185	322
8601697	381	2M85003	370	2M86199	369
8603839	39	2M85011	343	2M86204	319
		2M85012	343	2M86205	319
9 9004979	146, 251	2M85013	343	2M86207	277, 331, 344
		2M85040	274	2M86248	302
2M 2M12754	24	2M85049	371	2M86249	303
2M13259	72	2M85055	274	2M86410	321
2M14190	189	2M85056	273, 320, 331, 337, 353	2M86463	279, 364
2M16520	189	2M85119	278, 331, 338, 353, 372	2M86464	85, 118, 364
2M16843	325	2M85139	362	2M86465	279, 366
2M17909	194	2M85151	353, 358	2M86511	33
2M18810	189, 311	2M85153	353, 358	2M86516	263, 301
2M19063	277, 344	2M85154	353, 359	2M86517	261, 299
2M19090	311	2M85163	353, 359, 362	2M86551	301
2M19250	189	2M85233	373	2M86552	305
2M20434	193	2M85239	278, 331, 338, 347, 350, 353, 371	2M86553	299
2M20684	194	2M85274	281, 371	2M86554	304
2M20736	193	2M85337	320, 374	2M86561	262, 300
2M20827	187	2M85441	347, 349	2M86562	299
2M20907	193	2M85442	347, 349	2M86563	299
2M21009	214	2M85443	347, 349	2M86564	262, 300
2M21010	214	2M85446	278, 331, 338, 347, 350, 353, 371	2M86567	300
2M21012	187	2M85493	321	2M86568	301
2M21023	194	2M85571	325	2M86569	304
2M21158	188	2M85575	310	2M86570	305
2M21161	188	2M85594	277, 331, 344, 347	2M86571	302
2M21186	192	2M85607	273, 331, 337, 353	2M86575	264, 302
2M21187	188, 190	2M85657	280, 368	2M86680	268, 311
2M21189	188, 190, 274	2M85674	324	2M86752	347, 349
2M21191	188			2M86757	347, 350
2M21342	189			2M86758	331, 343, 347, 350

INDEX

	2M86793	265, 303		M25567	216		M35370	155, 247
	2M86800	33		M25647	23, 24, 25, 26, 27, 28,		M35371	155, 247
	2M86832	33			29, 30, 35, 42		M35372	163
	2M86837	15		M25649	26, 29, 30, 35, 42		M35373	163
	2M86841	15		M25650	41		M35374	163
				M25682	41		M35375	381
A	AM00201	27		M25739	371		M35376	381
	AM00202	27		M25742	350		M35377	381
	AM00203	41		M25780	277, 343		M35383	381
	AM00209	27, 41		M26145	281, 372		M35384	381
	AM00354	27		M26146	281, 372		M35385	381
				M26240	281, 373		M35386	381
C	CH00102	341, 361		M26391	370		M35387	381
				M26842	278, 320, 331, 338,		M35388	381
G	G12985	374			353, 371		M35389	379
	G13040	374		M26859	278, 331, 338, 353		M35390	379
	G13171	374		M27077	25, 27, 41, 233		M35393	379
	G13768	374		M27542	25		M35394	379
	G15225	374		M30146	23		M35395	379
				M30543	41		M35396	379
M	M06258	268, 310		M30574	344		M35397	379
	M11015	79, 325		M30606	344		M35398	380
	M11044	65, 238		M32493	377		M35399	380
	M12394	79, 325		M32494	377		M35402	380
	M14631	60, 236		M32495	377		M35403	380
	M14632	60, 236		M32496	377		M35404	380
	M14633	60		M32497	377		M35405	380
	M14737	59		M32692	143		M35406	380
	M16394	362		M33278	23, 41		M35416	377
	M16395	362		M33681	24		M35417	377
	M17716	325		M34568	24, 25, 42, 233		M35420	377
	M17717	325		M35056	315		M35421	377
	M19334	24		M35058	315		M35422	377
	M19335	24		M35330	377		M35423	377
	M19336	24		M35332	377		M35424	377
	M19338	24		M35333	379		M35434	378
	M19347	216		M35335	379		M35435	378
	M19351	36, 37, 38, 219, 220,		M35339	380		M35436	378
		221, 222, 224, 225		M35340	380		M35452	378
	M20650	371		M35360	154		M35453	378
	M20668	362		M35361	154		M35454	378
	M20719	281, 373		M35362	154		M35455	378
	M21112	373		M35363	154		M35456	378
	M22764	60, 236		M35364	153		M35457	378
	M23840	30, 35		M35365	153		M35489	375
	M24678	370		M35366	153		M35490	375
	M24692	370		M35367	153		M35491	375
	M24695	281, 373		M35368	153		M35495	375
	M25121	281, 372		M35369	153		M35496	375

INDEX

M35497	375	MP00300	9	MP00497	362
M35498	375	MP00301	13	MP00498	373
M35499	375	MP00302	13	MP00501	331, 332
M36000	375	MP00303	13	MP00502	331, 332
M36001	375	MP00304	13	MP00503	331, 332
M36002	375	MP00305	11	MP00504	331, 332
M36003	375	MP00306	14	MP00505	331, 332, 347, 348
M36004	376	MP00307	14	MP00506	331, 335
M36005	376	MP00308	14, 218	MP00507	353, 354
M36006	376	MP00309	14, 218	MP00508	353, 354
M36010	376	MP00310	17, 199	MP00509	353, 354
M36011	376	MP00311	17, 199	MP00510	353, 354
M36012	376	MP00312	17	MP00511	276, 353, 354
M36013	376	MP00313	17	MP00512	353, 355, 359
M36014	376	MP00315	11	MP00518	353, 360
M36015	376	MP00316	11	MP00530	331, 333
M36016	376	MP00327	11	MP00531	331, 333
M36017	376	MP00329	11	MP00532	331, 333
M36018	376	MP00330	13	MP00533	331, 334
M36032	160	MP00331	13	MP00534	331, 334
M36033	160	MP00333	13	MP00535	331, 334, 347, 348
M36034	160	MP00334	10	MP00536	331, 335
M36035	160	MP00335	15, 16	MP00537	353, 356
M36036	160	MP00337	10	MP00538	353, 356
M36039	249	MP00338	9	MP00539	353, 356
M36039	162	MP00340	18	MP00540	353, 357
M36040	249	MP00341	20	MP00541	353, 357
M36040	162	MP00342	18	MP00542	353, 357
		MP00343	21, 218	MP00544	353, 357
MK MK00514	341	MP00344	21	MP00545	331, 334
MK01900	287	MP00345	21	MP00547	331, 336
MK02588	295	MP00349	9	MP00555	331, 342, 347, 353, 361
MK02933	28	MP00350	9	MP00560	347, 349
MK02934	29	MP00351	9	MP00565	363
MK02935	27	MP00355	11	MP00569	363
MK04248	26	MP00356	11	MP00570	331, 344
MK04249	27	MP00361	10	MP00578	345
		MP00362	10	MP00579	362
MP MP00004	130	MP00363	10	MP00595	363
MP00006	271, 328	MP00380	12	MP00596	363
MP00038	320, 322	MP00381	12	MP00650	281, 372
MP00061	340	MP00383	12	MP00651	281, 372
MP00062	340	MP00384	12	MP00652	281, 372
MP00090	373	MP00416	268, 311, 315	MP00653	85, 118, 367
MP00100	313, 319, 320, 321, 322	MP00435	280, 368	MP00681	280, 368
MP00220	68	MP00493	279, 366	MP00690	365
MP00222	12	MP00494	345	MP00692	367
MP00224	68	MP00495	362	MP00693	367
MP00234	14, 218	MP00496	345	MP00715	145, 255

INDEX

MP00716	145, 255	MP01037	79, 260	MP01260	300
MP00717	145, 255	MP01060	68	MP01261	300
MP00718	145	MP01061	68	MP01325	19
MP00721	85	MP01062	69	MP01326	18
MP00722	145	MP01063	69, 226	MP01329	20
MP00740	162	MP01101	316	MP01330	20
MP00741	162	MP01102	316	MP01340	18
MP00742	162	MP01103	316	MP01341	18
MP00743	162	MP01104	316	MP01343	20
MP00790	105, 175, 181	MP01105	316	MP01347	19
MP00791	105, 175, 181	MP01191	263, 301	MP01348	18
MP00792	105, 175, 181, 245	MP01192	301	MP01401	201
MP00793	105, 175, 181, 245	MP01193	305	MP01402	195, 198
MP00794	105, 175, 181, 245	MP01194	301	MP01403	195
MP00795	105, 171, 177	MP01195	305	MP01404	195, 198
MP00796	105, 171, 177	MP01196	302	MP01405	195
MP00797	176	MP01197	264, 302	MP01414	213
MP00798	176, 181	MP01198	302	MP01415	212
MP00911	112	MP01199	303	MP01416	212
MP00912	112	MP01201	264, 303	MP01417	212
MP00913	112	MP01202	305	MP01418	212
MP00915	112	MP01204	265, 303	MP01423	212
MP00916	113	MP01205	269, 326	MP01424	212
MP00917	113	MP01206	270, 327	MP01425	212
MP00918	113	MP01207	270, 327	MP01426	212
MP00919	113	MP01208	271, 328	MP01427	212
MP00921	113	MP01209	270, 327	MP01501	56, 234
MP00924	114	MP01210	266, 307	MP01502	56, 234
MP00925	114	MP01211	266, 307	MP01503	56
MP00926	114	MP01212	267, 308	MP01504	56
MP00928	114	MP01213	267, 308	MP01505	56
MP00929	114	MP01214	267, 309	MP01506	56
MP00930	114	MP01215	267, 309	MP01510	57, 235
MP00931	115	MP01216	309	MP01511	57, 235
MP00932	115	MP01217	309	MP01512	57, 235
MP00934	115	MP01218	266, 307	MP01513	57
MP00945	111	MP01219	308	MP01514	57
MP00953	111	MP01220	267, 309	MP01515	57
MP01001	76, 259	MP01221	309	MP01516	57
MP01002	74, 257	MP01222	266, 307	MP01521	58, 235
MP01006	76	MP01223	308	MP01522	58, 235
MP01007	35, 41, 76	MP01224	267, 309	MP01523	58
MP01008	74	MP01225	309	MP01524	58
MP01010	78, 260	MP01226	308	MP01531	58, 235
MP01030	78, 260	MP01227	308	MP01532	58, 235
MP01031	78	MP01228	308	MP01533	58
MP01032	78, 260	MP01229	308	MP01534	58
MP01035	79	MP01235	267, 309	MP01543	58
MP01036	79	MP01255	309	MP01544	58

INDEX

MP01545	58	MP01790	48, 328	MS16158	89
MP01546	58	MP01795	48	MS16159	89
MP01551	65, 238	MP01800	47	MS16160	88
MP01552	65	MP01801	47	MS16161	88
MP01557	63, 238	MP01805	47	MS16229	88
MP01558	63	MP01810	47	MS16230	88
MP01559	63, 238	MP01815	47	MS16231	89
MP01560	63	MP01820	47, 241	MS16232	88
MP01561	63, 238	MP01825	47, 241	MS16233	88
MP01562	63	MP01840	51	MS16256	87, 89
MP01573	53	MP01845	51	MS16444	98, 156
MP01574	53	MP01850	51	MS16445	98, 155
MP01575	53	MP01855	51	MS16446	98, 156
MP01576	55	MP01860	51	MS16447	98, 156
MP01577	55	MP01890	51	MS16448	98, 156
MP01578	55	MP01895	51	MS16449	98, 155
MP01579	55	MP02400	45	MS16492	88, 90
MP01580	55	MP02401	45	MS16546	89
MP01581	55	MP02405	45	MS16547	89
MP01583	63			MS16685	117
MP01584	63	MS MS13218	133	MS16705	117
MP01585	65	MS13235	98, 155	MS16905	117
MP01590	65, 238	MS13504	144	MS16916	127
MP01591	64	MS13506	144	MS16918	127
MP01592	64	MS13826	144	MS16919	127
MP01610	61, 237	MS13865	144	MS16920	127
MP01611	61, 237	MS13926	99, 247	MS17041	99, 247
MP01612	61	MS14555	87	MS17075	117
MP01613	61	MS14556	87	MS17185	87
MP01614	61	MS14559	87	MS17330	97, 104, 106, 247
MP01615	61	MS14560	87	MS17441	127
MP01617	65, 238	MS14679	88, 95, 149	MS17522	104
MP01618	65	MS14680	88, 95, 149	MS18630	149, 169
MP01620	54	MS14681	88, 95, 149	MS18680	99, 247
MP01621	54	MS14682	87	MS18683	97, 104, 106, 247
MP01622	54	MS14683	87	MS19705	117
MP01623	54	MS14796	131	MS20093	85
MP01624	54	MS15007	132	MS20094	85
MP01625	54	MS15053	132	MS22905	149, 169
MP01632	64	MS15084	133	MS24303	104
MP01730	50	MS15085	132		
MP01735	50	MS15086	133	MU MU03876	201, 204, 206, 208
MP01740	50, 242	MS15087	133	MU03891	208
MP01745	50, 242	MS15421	149, 169	MU04472	206
MP01750	50	MS15893	117	MU04765	204
MP01755	49	MS15894	117	MU04767	204
MP01765	49	MS15895	117	MU04776	204, 240
MP01770	49, 328	MS15896	117	MU04991	205
MP01785	48	MS16157	89	MU06008	206

INDEX

MU06009	205, 206	MU12533	202	MX50070	107, 158
MU06010	205, 206	MU12551	202	MX50071	107, 157, 168
MU06011	207	MU12702	201	MX50080	295
MU06558	196, 200, 203, 205, 207, 210, 211	MU13161	203	MX50090	295
MU06560	196, 200, 203, 205, 207, 210, 211	MU13162	203	MX50100	295
MU06570	201, 204, 206, 208	MU13202	203	MX50120	295
MU06571	201	MU13223	203		
MU06662	209	MU16052	206		
MU06664	209	MU21093	203		
MU06665	209	MU21120	203		
MU06666	209				
MU06667	209	MX MX00001	293		
MU06668	210	MX00004	295		
MU06732	209	MX00013	295		
MU06933	208	MX01004	106, 157, 168		
MU06941	200	MX01005	157		
MU06942	200	MX01049	289		
MU06943	200, 202	MX01050	191		
MU06944	200, 202	MX10209	293		
MU06951	196, 207, 208	MX11000	188, 190, 193, 194		
MU06955	208	MX11001	188, 190, 193, 194		
MU08394	196, 200, 203, 205, 207, 210, 211	MX11002	188, 190, 193, 194, 200		
MU09390	195	MX17012	190		
MU09577	195, 197	MX17015	191		
MU09578	195	MX17018	192		
MU09579	195, 197	MX22790	272, 329		
MU09580	195	MX22793	272, 329		
MU09945	198	MX23023	275, 331, 339		
MU10169	196	MX23025	275, 331, 339		
MU10175	196	MX23026	275, 331, 339		
MU10384	196	MX30101	62, 312, 315, 318		
MU10833	208	MX30108	62, 312, 315, 318		
MU10841	199	MX37021	347, 350		
MU10900	199	MX50004	295		
MU10902	198	MX50030	22, 240		
MU10915	197	MX50031	22, 240		
MU10916	197	MX50032	22, 240		
MU10917	198	MX50034	22		
MU10918	198	MX50041	22		
MU10923	197	MX50045	27, 29, 44, 239		
MU11225	197	MX50046	29, 44, 239		
MU11228	197	MX50047	44		
MU12249	201	MX50048	44		
MU12504	202	MX50050	293		
MU12520	202	MX50065	107, 157, 168		
MU12525	202	MX50066	107, 158, 168		
		MX50067	107, 158, 168, 246		
		MX50068	107, 158, 168, 246		
		MX50069	158		

INDEX

A	Access door cuff, reusable	MU12702	201	AIR CS hose 3 m (9.8 ft)	M35384	381
	Access port cuff, oval, disposable	MU06570	201, 204, 206, 208	NIST EN AGASSg straight		
	Accessories nebulizer	8411031	77, 260, 323	AIR CS hose 3 m (9.8 ft)	M35394	379
	Adapter 9/16" to 6 mm (0.2 in) nozzle	MP00416	268, 311, 315	NIST EN BS		
	Adapter 900 MR 533	8418407	38, 220	AIR CS hose 3 m (9.8 ft)	M35496	375
	Adapter 900 MR 830	8418455	38, 220	NIST EN DIN		
	Adapter 9-15 pin	MS13506	144	AIR CS hose 3 m (9.8 ft)	M35421	377
	Adapter AIR NIST/DIN	M32495	377	NIST EN NF		
	Adapter AIR/O ₂ NIST/DIN	M32497	377	AIR CS hose 3 m (9.8 ft)	M36011	376
	Adapter cable	2M20736	193	NIST NEUTRAL DIN		
	Adapter for prong or neo mask	8418411	227	AIR CS hose 3 m (9.8 ft)	M35453	378
	Adapter for skin temperature probe 4, reusable	MU12520	202	NIST NEUTRAL NF		
	Adapter for thermometer	8403056	31, 223	AIR CS hose 5 m (16.4 ft)	M35340	380
	Adapter M 34 x 1.5 to 9/16"	2M86680	268, 311	NIST BS straight		
	Adapter MonoLead to MultiMed 5 Pod	MS14679	88, 95, 149	AIR CS hose 5 m (16.4 ft)	M35385	381
	Adapter MonoLead to MultiMed 6 Pod	MS14680	88, 95, 149	NIST EN AGASSg straight		
	Adapter N ₂ O NIST/DIN	M32494	377	AIR CS hose 5 m (16.4 ft)	M35335	379
	Adapter NIST to CS-Coupling Air	M35058	315	NIST EN BS		
	Adapter NIST to CS-Coupling O ₂	M35056	315	AIR CS hose 5 m (16.4 ft)	M35497	375
	Adapter O ₂ NIST/DIN	M32493	377	NIST EN DIN		
	Adapter pin, neonatal electrodes	5194779	93, 243	AIR CS hose 5 m (16.4 ft)	M35332	377
	Adapter VAC NIST/DIN	M32496	377	NIST EN NF		
	Adapter, adult	8403076	30, 35	AIR CS hose 5 m (16.4 ft)	M36012	376
	Adapter, rail	2M86205	319	NIST NEUTRAL DIN		
	Adapter, set of 6 pcs.	6872128	143	AIR CS hose 5 m (16.4 ft)	M35454	378
	Adapter/flowmeter	2M16843	325	NIST NEUTRAL NF		
	Aeroneb Pro	MP01010	78, 260	Air distributor for rail fixation	2M19090	311
	Aerosol mask, adult	2M85911	62, 312	Air filter Caleo®	MX17015	191
	AIR CS hose 1.5 m (4.9 ft)	M35402	380	Air Flowmeter 16 l	2M86554	304
	NIST BS straight			Air Flowmeter 16 l, rail	2M86552	305
	AIR CS hose 1.5 m (4.9 ft)	M35383	381	Air Flowmeter 16 l, rail, neutral colour	MP01193	305
	NIST EN AGASSg straight			Air Flowmeter 16 l, rail, NIST	MP01202	305
	AIR CS hose 1.5 m (4.9 ft)	M35393	379	Air Flowmeter 32 l	2M86569	304
	NIST EN BS			Air Flowmeter 32 l, rail	2M86570	305
	AIR CS hose 1.5 m (4.9 ft)	M35495	375	Air Flowmeter 32 l, rail, neutral colour	MP01195	305
	NIST EN DIN			Air temperature probe	MU06955	208
	AIR CS hose 1.5 m (4.9 ft)	M35420	377	AIR/O ₂ CS hose 1.5 m (4.9 ft)	M36001	375
	NIST EN NF			NIST EN DIN		
	AIR CS hose 1.5 m (4.9 ft)	M36010	376	AIR/O ₂ CS hose 1.5 m (4.9 ft) N	M36016	376
	NIST NEUTRAL DIN			NIST NEUTRAL DI		
	AIR CS hose 1.5 m (4.9 ft)	M35452	378	AIR/O ₂ CS hose 3 m (9.8 ft)	M36002	375
	NIST NEUTRAL NF			NIST EN DIN		
	AIR CS hose 3 m (9.8 ft)	M35403	380	AIR/O ₂ CS hose 3 m (9.8 ft)	M36017	376
	NIST BS straight			NIST NEUTRAL DIN		
				AIR/O ₂ CS hose 5 m (16.4 ft)	M36003	375
				NIST EN DIN		

INDEX

AIR/O ₂ CS hose 5 m (16.4 ft)	M36018	376	Basket 600, for 600 mm (23.6 in)	M25121	281, 372
NIST NEUTRAL DIN			catheters		
Airway adapter, elbow	1276737	144	Bed sheet clip Assembly	5739870	151
Airway adapter, straight	1276067	144	Breathing circuit for bag,	MU10900	199
All-in-one Disposable System	MP00061	340	15 mm (0.6 in), disposable		
Solution			Breathing circuit, 15 mm (0.6 in),	MU10841	199
All-Round face mask, reusable,	2165732	59, 236	disposable, for AutoBreath		
size 1, small			Breathing hose 15/22, 1.5 m (4.9 ft)	AM00354	27
All-Round face mask, reusable,	2165740	59, 236	Breathing hose set	M30146	23
size 2, medium			Breathing Tube SU 180	2M86841	15
All-Round face mask, reusable,	2165759	59	Bronchial aspirator, ejector	2M85040	274
size 3, large			Bronchial aspirator, ejector,	2M85055	274
Analog cable	8306487	233	portable, 1		
Anesthesia Set Basic, latex	MP00302	13	Bronchial suction ejector, ped	2M21187	188, 190
Anesthesia Set Basic, latex free	MP00301	13	Bronchial suction vacuum, ped	2M21189	188, 190, 274
Anesthesia Set Flex, latex	MP00304	13			
Anesthesia Set Flex, latex free	MP00303	13	C Cable extension arm	G13040	374
Anesthetic filter 633	6724492	67	Cable guides for 38 mm (1.5 in) pole	G13171	374
Angled connector	2M19063	277, 344	Cable guides for rails	G15225	374
Angled connector for CPAP	8409683	65, 238	Cable Masimo extension,	5702880	176
application, disposable			1.22 m (4 ft)		
Angled connector, 90° (transparent)	8412235	29, 34	Cable Masimo, 1.22 m (4 ft)	5701930	176, 181
Aquamod HFV hose set	8411148	38, 222	Cable Masimo, 2.44 m (8 ft)	5701931	176, 181
Aquamod hose set, pediatric	8410813	38, 221	Cable Masimo, 3.66 m (12 ft)	5701932	176
Aquamod humidification module	8410600	71	Calibration gas 20,9% O ₂ /5% CO ₂	MP00717	145, 255
Aquamod temperature sensor	8408647	71	Calibration kit MultiGas	5207415	143
Aquapor EL hose set, pediatric	8412344	31, 223	Cally	2M30462	213
Aquapor hose set, adult	8412092	30	Canister opener	MX10209	293
Automatically refilling set	MP01208	271, 328	Cap for secretion jar	2M85013	343
			Cap L (large)	8418536	229, 231
B BabyFlow, disposable	8418583	227	Cap M (medium)	8418535	229, 231
BabyFlow, disposable Demo Package	8418550	231	Cap S (small)	8418534	229, 231
BabyFlow, reusable	8418410	227	Cap XL (extra large)	8418537	229, 231
BabyFlow, reusable Starter Package	8418435	231	Cap XXL (extra extra large)	8418538	229, 231
Babylog® 2000 hose set for use	8411353	32, 216	Cap XXL plus (extra extra large plus)	8418539	229
in Transport Incubator TI 5400			Cap, 11 mm (0.43 in)	8401644	35
Babylog® 2000 hose set for ward use	8411352	32, 216	Cap, 7 mm (0.3 in)	8401645	31, 36, 42,
Babylog® 2000/Aquapor hose set	8411471	32, 217			216, 223,
Babylog® 2000/F&P MR 730	8411472	32, 217			224, 225
Babylog® 8000/Aquapor hose set	8411040	38, 222	CARE-FOR-ME, temperature probe	MU06943	200, 202
Bacteria filter IBF absorber	MK02588	295	cover, hydrogel based, large, disposable		
Bacterial filter	8402868	67	CARE-FOR-ME, temperature probe	MU06944	200, 202
Bacterial filter 767	CH00102	341, 361	cover, hydrogel based, small, disposable		
Bacterial filter 767 for old ejectors	6723976	277, 331, 341,	Carina® expiratory valve	MP00220	68
	353, 360		Carina® SyncVent	MP00224	68
Bacterial filter for Evac 40	MX37021	347, 350	Catheter receptacle, large	MP00650	281, 372
Basket 150, for disposable gloves	M26146	281, 372	Catheter receptacle, small	MP00651	281, 372
Basket 300, for 300 mm (12 in)	M26145	281, 372	Ceiling holder	2M85119	278, 331, 338,
catheters					353, 372

INDEX

Chloroprene breathing bag, 0.5 l (17.5 fl oz.)	MX50045	27, 29, 44, 239	ComfortStar® anesthesia face mask, MP01531	58, 235
Chloroprene breathing bag, 1 l (35 fl oz.)	MX50046	29, 44, 239	disposable, bubble gum scented, with hook ring, size 1, new born	
Chloroprene breathing bag, 2 l (70 fl oz.)	MX50047	44	ComfortStar® anesthesia face mask, MP01532	58, 235
Chloroprene breathing bag, 3 l (105.5 fl oz.)	MX50048	44	disposable, bubble gum scented, with hook ring, size 2, infant	
Clamp	2M85274	281, 371	ComfortStar® anesthesia face mask, MP01533	58
ClassicStar® non-vented, nasal mask for non-invasive ventilation, size S	MP01623	54	disposable, bubble gum scented, with hook ring, size 3, toddler	
ClassicStar® non-vented, nasal mask for non-invasive ventilation, size M	MP01624	54	ComfortStar® anesthesia face mask, MP01534	58
ClassicStar® non-vented, nasal mask for non-invasive ventilation, size L	MP01625	54	disposable, bubble gum scented, with hook ring, size 4, small adult	
ClassicStar® SE, full-face mask for non-invasive ventilation, size S	MP01573	53	ComfortStar® anesthesia face mask, MP01543	58
ClassicStar® SE, full-face mask for non-invasive ventilation, size M	MP01574	53	disposable, mint scented, with hook ring, size 3, toddler	
ClassicStar® SE, full-face mask for non-invasive ventilation, size L	MP01575	53	ComfortStar® anesthesia face mask, MP01544	58
ClassicStar® vented, nasal mask for non-invasive ventilation, size S	MP01620	54	disposable, mint scented, with hook ring, size 4, small adult	
ClassicStar® vented, nasal mask for non-invasive ventilation, size M	MP01621	54	ComfortStar® anesthesia face mask, MP01545	58
ClassicStar® vented, nasal mask for non-invasive ventilation, size L	MP01622	54	disposable, mint scented, with hook ring, size 5, medium adult	
CLIC Absorber 800+	MX00004	295	ComfortStar® anesthesia face mask, MP01546	58
CLIC Absorber Free	MX50100	295	disposable, mint scented, with hook ring, size 6, large adult	
CLIC adapter	MX50090	295	ComfortStar® anesthesia face mask, MP01510	57, 235
CLIC adapter Zeus®	MX50080	295	disposable, standard, with hook ring, size 0, neonate	
Clip	M21112	373	ComfortStar® anesthesia face mask, MP01511	57, 235
CNAP™ Connection Cable	MS15893	117	disposable, standard, with hook ring, size 1, new born	
CNAP™ Cuff Controller	MS16705	117	ComfortStar® anesthesia face mask, MP01512	57, 235
CO catheter cable	8419160	125	disposable, standard, with hook ring, size 2, infant	
CO catheter cable	MS16918	127	ComfortStar® anesthesia face mask, MP01513	57
CO intermediate cable	MS16916	127	disposable, standard, with hook ring, size 3, toddler	
CO intermediate cable, 1 m (3.3 ft)	3368458	125	ComfortStar® anesthesia face mask, MP01514	57
CO thermistor cable	MS16919	127	disposable, standard, with hook ring, size 4, small adult	
CO thermistor cable, Edwards	8539983	125	ComfortStar® anesthesia face mask, MP01515	57
CO thermistor cable, Ohmeda	8420077	125	disposable, standard, with hook ring, size 5, medium adult	
CO thermistor T-piece Ohmeda	5741975	125	ComfortStar® anesthesia face mask, MP01516	57
CO ₂ cuvette, disposable, adults	MP01062	69	disposable, standard, with hook ring, size 6, large adult	
CO ₂ cuvette, disposable, pediatric	MP01063	69, 226	ComfortStar® anesthesia face mask, MP01522	58, 235
CO ₂ cuvette, reusable, adults	6870279	69	disposable, strawberry scented, with hook ring, size 1, new bornx	
CO ₂ cuvette, reusable, pediatric	6870280	69, 226		
CO ₂ scrubber cartridge	1276679	143		

INDEX

ComfortStar® anesthesia face mask, MP01522	58, 235		
disposable, strawberry scented,			
with hook ring, size 2, infant			
ComfortStar® anesthesia face mask, MP01523	58		
disposable, strawberry scented,			
with hook ring, size 3, toddler			
ComfortStar® anesthesia face mask, MP01524	58		
disposable, strawberry scented,			
with hook ring, size 4, small adult			
Compact rail for 38 mm (1.5 in) tube, complete	2M85337	320, 374	
Condensate Management Hose	MU21120	203	
Cone 22 A	8405752	31, 223	
Connecting cable for flow sensor	8305622	288	
Connecting hose holder	2M85446	278, 331, 338, 347, 350, 353, 371	
Connection nozzle (M 32 x 1.5)	2M85575	310	
Connection nozzle O ₂ , 6 mm (0.2 in)	M06258	268, 310	
Connection set for bacterial filter	8410230	67	
Connector	M25567	216	
Connector for tracheal tube, size 11,	M19351	36, 37, 38, 219, 220, 221, 222, 224, 225	
Connector for tracheal tube, size 12.5	M23840	30, 35	
Connector for tracheal tube, size 9	M19347	216	
Continuous drainage 1	2M85151	353, 358	
Continuous drainage 3	2M85153	353, 358	
Continuous drainage 4	2M85154	353, 359	
Contour bag, 2 l (70 fl oz.)	MX50041	22	
Control module cable	MP01036	79	
Corrugated bellows, children	8410079	24	
Corrugated hose	8402041	30, 35	
Corrugated hose	8409634	36, 224, 225	
Corrugated hose, 14 cm (5.5 in)	8403333	31, 223	
Corrugated hose, flexible, 20 cm (7.9 in)	8410709	37, 219, 221	
Cot, complete, BT 8004	2M30263	187	
Cover for humidity reservoir	MU13161	203	
Cover for water vacuum gauge	MP00595	363	
Critter cover, temperature probe cover, foam, disposable	MU06941	200	
Critter cover, temperature probe cover, foam, disposable	MU06942	200	
CS hoses	8601697	264, 303, 305, 309	
Cuff Controller Forearm Strap	MS16685	117	
Cuff, adult, 1t, Luer Slip connector	M36034	160	
Cuff, child, 1t, Luer Slip connector	M36032	160	
Cuff, large adult, 1t, Luer Slip connector	M36035	160	
Cuff, neonatal, size 1	2870181	116, 161, 248	
Cuff, neonatal, size 2	2870199	116, 161, 248	
Cuff, neonatal, size 3	2870207	116, 161, 248	
Cuff, neonatal, size 4	2870215	116, 161, 248	
Cuff, neonatal, size 5	2870173	116, 161, 248	
Cuff, small adult, 1t, Luer Slip connector	M36033	160	
Cuff, thigh, 1t, Luer Slip connector	M36036	160	
Cylinder holder	2M86174	320, 322	
Cylinder jacket	2M86410	321	
Cylinder trolley	2M86029	320, 322	
Cylinder trolley	MP00038	320, 322	
D D280 membranizing kit for tcpO ₂ /tcpCO ₂ electrode	MP00715	145, 255	
D282 fixation kit for tc electrode	MP00716	145, 255	
Delta/DeltaXL/Kappa cable, 1.5 m (4.9 ft)	MS13865	144	
Delta/DeltaXL/Kappa cable, 2 m (6.6 ft)	7872984	144	
Delta/DeltaXL/Kappa cable, 3 m (9.8 ft)	5190447	144	
Delta/DeltaXL/Kappa cable, 30 cm (11.8 in)	7874501	144	
Delta/DeltaXL/Kappa cable, 30 cm (11.8 in)	MS13504	144	
Deposit plate	2M21158	188	
Diaphragm	8403377	216	
DigiFlow Air, CS, 16 l/min, AFNOR	MP01225	309	
DigiFlow Air, CS, 16 l/min, BS	MP01221	309	
DigiFlow Air, CS, 16 l/min, DIN	MP01216	309	
DigiFlow Air, CS, 3 l/min, AFNOR	MP01224	267, 309	
DigiFlow Air, CS, 3 l/min, BS	MP01220	267, 309	
DigiFlow Air, CS, 3 l/min, DIN	MP01214	267, 309	
DigiFlow Air, rail, 16 l/min, NIST	MP01217	309	
DigiFlow Air, rail, 16 l/min, NIST	MP01255	309	
DigiFlow Air, rail, 3 l/min, NIST	MP01215	267, 309	
DigiFlow Air, rail, 3 l/min, NIST	MP01235	267, 309	
DigiFlow O ₂ , CS, 16 l/min, AFNOR	MP01223	308	
DigiFlow O ₂ , CS, 16 l/min, BS	MP01219	308	
DigiFlow O ₂ , CS, 16 l/min, DIN	MP01226	308	
DigiFlow O ₂ , CS, 16 l/min, DIN	MP01227	308	
DigiFlow O ₂ , CS, 3 l/min, AFNOR	MP01222	266, 307	
DigiFlow O ₂ , CS, 3 l/min, BS	MP01218	266, 307	
DigiFlow O ₂ , CS, 3 l/min, DIN	MP01211	266, 307	

INDEX

DigiFlow O ₂ , CS, 3 l/min, DIN	MP01210	266, 307	ECG 3-lead, grabber,	MS16231	89
DigiFlow O ₂ , rail, 16 l/min, NIST	MP01228	308	single pin connector,		
DigiFlow O ₂ , rail, 16 l/min, NIST	MP01229	308	IEC2 (AHA/US color code)		
DigiFlow O ₂ , rail, 3 l/min, NIST	MP01212	267, 308	ECG 5-lead C grabber set,	5956508	91
DigiFlow O ₂ , rail, 3 l/min, NIST	MP01213	267, 308	1.5 m (4.9 ft), IEC1 European		
Dish, with rail clamp	2M85233	373	ECG 5-lead grabber set,	5956466	90
Disposable PEEP Valve	2M86832	33	1 m (3.3 ft), IEC1 European		
Disposable suction bottle,	MU10918	198	ECG 5-lead grabber set,	5956458	90
800 ml (27 fl oz.)			1 m (3.3 ft), IEC2 AHA/US		
Double cone 11A	8409897	36, 37, 219, 221, 222, 224, 225	ECG 5-lead limb,	5734418	91
Double hose clip, grey	MP00693	367	radiotranslucent lead,		
Dräger SpO ₂ finger sensor, adult	MS13235	98, 155	1.5 m (4.9 ft), IEC2 AHA/US		
Dräger SpO ₂ sensor, adult, foam	MS16445	98, 155	ECG 5-lead V grabber set,	5956490	91
Dräger SpO ₂ sensor, adult, vinyl	MS16449	98, 155	1.5 m (4.9 ft), IEC2 AHA/US		
Dräger SpO ₂ sensor, infant, cloth	MS16447	98, 156	ECG 5-lead, grabber,	MS16158	89
Dräger SpO ₂ sensor, neonatal, cloth	MS16446	98, 156	single pin connector,		
Dräger SpO ₂ sensor, pediatric, foam	MS16444	98, 156	IEC1 (European color code)		
Dräger SpO ₂ sensor, pediatric, vinyl	MS16448	98, 156	ECG 5-lead, grabber,	MS16546	89
Dräger/Nellcor® SpO ₂ cable,	MS18683	97, 104, 106, 247	single pin connector,		
1.2 m (3.3 ft)			IEC2 (AHA/US color code)		
Dräger/Nellcor® SpO ₂ cable,	MS17330	97, 104, 106, 247	ECG 6-lead grabber set,	5956482	90
3 m (9.8 ft)			1 m (3.3 ft), IEC1 European		
Dräger/Nellcor® SpO ₂	3368433	97, 104, 106, 247	ECG 6-lead grabber set,	5956474	90
extension cable, shielded			1 m (3.3 ft), IEC2 AHA/US		
(blue latch), 1 m (3.3 ft)			ECG 6-lead, grabber,	MS16157	89
Dräger/Nellcor® SpO ₂	3375834	97, 104, 106, 247	single pin connector,		
extension cable, shielded			IEC1 (European color code)		
(blue latch), 2 m (6.6 ft)			ECG 6-lead, grabber,	MS16547	89
Drägersorb® 800+	MX00001	293	single pin connector,		
Drägersorb® Free	MX50050	293	IEC2 (AHA/US color code)		
Draw wire, for reusable	8411050	76, 259	ECG adapter cable,	5592162	93, 243
hose systems, 1.5 m (4.9 ft)			NeoMed Pod, 1.5 m (4.9 ft)		
Dual SpO ₂ cable with converter	7499614	169	ECG basic cable, 3-lead,	M35369	153
Dual temperature sensor	8411048	75, 258	1.5 m (4.9 ft)		
for MR 700/730, 1.1 m (3.6 ft)			ECG basic cable, 3-lead,	M35364	153
			2.75 m (9 ft)		
			ECG basic cable, 3-lead,	M35367	153
			HF, 1.5 m (4.9 ft)		
			ECG basic cable, 3-lead,	M35366	153
			HF, 2.75 m (9 ft)		
			ECG basic cable, 5-lead,	M35365	153
			2.75 m (9 ft)		
			ECG basic cable, 5-lead,	M35368	153
			HF, 2.75 m (9 ft)		
			ECG C/V 5-lead, no connect plug	5734400	91
			ECG cable CATHCOR/RECOR	5735332	151
			Infinity®, 3 m (9.8 ft)		
			ECG electrodes, disposable	4527750	91, 154

E Easytube, 1 m (3.3 ft)	MX22793	272, 329
Easytube, 40 cm (15.7 in)	MX22790	272, 329
ECG 3-lead grabber set,	5956433	90
1 m (3.3 ft), IEC1 European		
ECG 3-lead grabber set,	5956441	90
1 m (3.3 ft), IEC2 AHA/US		
ECG 3-lead, grabber,	MS16159	89
single pin connector,		
IEC1 (European color code)		

INDEX

ECG electrodes, neonatal, disposable	5195024	93, 243	ECG patient cable, 3-lead	M35360	154
ECG ESU block, 5-lead	5947226	91	ECG patient cable, 3-lead, HF	M35361	154
ECG ESU block, 6-lead	7486140	91	ECG patient cable, 5-lead	M35362	154
ECG MonoLead 3, dual pin, IEC1 (European color code), 2 m (6.6 ft)	MS16160	88	ECG patient cable, 5-lead, HF	M35363	154
ECG MonoLead 3, dual pin, IEC2 (AHA/US color code), 2 m (6.6 ft)	MS16233	88	EEG intermediate cable, 2.5 m (8.2 ft)	1678270	130
ECG MonoLead 3, single pin connector, IEC1 (European color code), 2 m (6.6 ft)	MS14555	87	EEG-ZipPrep, 75 electrodes	MP00004	130
ECG MonoLead 3, single pin connector, IEC2 (AHA/US color code), 2 m (6.6 ft)	MS14556	87	Elbow connector	M25649	26, 29, 30, 35, 42
ECG MonoLead 5, chest, dual pin, IEC1 (European color code), 3.1 m (10 ft)	MS16232	88	Electrode holder kit	MP00718	145
ECG MonoLead 5, chest, dual pin, IEC2 (AHA/US color code), 3.1 m (10 ft)	MS16230	88	ErgoStar® AC 90	MP01890	51
ECG MonoLead 5, dual pin, IEC1 (European color code), 2.5 m (8.2 ft)	MS16161	88	ErgoStar® AC 95	MP01895	51
ECG MonoLead 5, dual pin, IEC2 (AHA/US color code), 2.5 m (8.2 ft)	MS16229	88	ErgoStar® CM 40	MP01840	51
ECG MonoLead 5, single pin connector, IEC1 (European color code), 2.5 m (8.2 ft)	MS14559	87	ErgoStar® CM 45	MP01845	51
ECG MonoLead 5, single pin connector, IEC2 (AHA/US color code), 2.5 m (8.2 ft)	MS14560	87	ErgoStar® CM 50	MP01850	51
ECG MonoLead 6 OR, single pin connector, IEC1 (European color code), 4.9 m (16 ft)	MS17185	87	ErgoStar® CM 55	MP01855	51
ECG MonoLead 6, single pin connector, IEC1 (European color code), 3.1 m (10 ft)	MS14683	87	ErgoStar® CM 60	MP01860	51
ECG MonoLead 6, single pin connector, IEC2 (AHA/US color code), 3.1 m (10 ft)	MS14682	87	etCO ₂ & Respiratory mechanics kit, adult	7497709	137
			etCO ₂ & Respiratory Mechanics Pod	5740704	136
			etCO ₂ airway adapter, adult, reusable	4721796	139
			etCO ₂ airway adapter, neonatal, reusable	4721788	139, 252
			etCO ₂ airway adapter, sidestream	4714437	139
			etCO ₂ capnostat III sensor with 2.4 m (7.9 ft) cable	4322975	138
			etCO ₂ Microstream airway adapter for ICU, adult/pediatric	7869543	140
			etCO ₂ Microstream airway adapter for ICU, neonatal/pediatric	7869550	139, 253
			etCO ₂ Microstream airway adapter, adult/pediatric	7869535	139
			etCO ₂ Microstream nasal sampling cannula + O ₂ , adult	7869493	141
			etCO ₂ Microstream nasal sampling cannula + O ₂ , pediatric	7869485	141, 253
			etCO ₂ Microstream nasal sampling cannula for ICU, adult	7869592	140
			etCO ₂ Microstream nasal sampling cannula for ICU, neonatal/pediatric	7869618	142, 254
			etCO ₂ Microstream nasal sampling cannula for ICU, pediatric	7869600	141, 253
			etCO ₂ Microstream nasal sampling cannula, adult	7869477	140
			etCO ₂ Microstream nasal sampling cannula, pediatric	7869469	140, 253
			etCO ₂ Microstream nasal/mouth sampling cannula + O ₂ , adult	7869568	141

INDEX

etCO ₂ Microstream nasal/mouth sampling cannula + O ₂ , adult/pediatric	7869576	142	Filter SafeStar® 60A	MP01795	48
etCO ₂ Microstream nasal/mouth sampling cannula + O ₂ , pediatric	7869584	141, 254	Filter SafeStar® 80	MP01785	48
etCO ₂ Microstream nasal/mouth sampling cannula, adult	7869527	140	Filter/HME TwinStar® 10A	MP01825	47, 241
etCO ₂ Microstream nasal/mouth sampling cannula, adult/pediatric	7869519	142	Filter/HME TwinStar® 25	MP01815	47
etCO ₂ Microstream nasal/mouth sampling cannula, pediatric	7869501	142	Filter/HME TwinStar® 55	MP01805	47
etCO ₂ Module	4319310	135	Filter/HME TwinStar® 65A	MP01810	47
etCO ₂ Module kit with sensor	7265122	137	Filter/HME TwinStar® 8	MP01820	47, 241
etCO ₂ nafion tubing	4714429	139	Filter/HME TwinStar® 90	MP01800	47
etCO ₂ Pod	5740738	136	Filter/HME TwinStar® HEPA	MP01801	47
etCO ₂ Pod kit with sensor	7265114	137	FiO ₂ sensor cable	5597898	146, 251
etCO ₂ S-cannula, adult	4714395	139	Fisher & Paykel Hose set for MR 850 (RT 212)	8414991	21
etCO ₂ S-cannula, pediatric	4714387	139	Fisher & Paykel Hose set for MR 850 (RT 225)	8414994	21
Evac 40 for 110 V	MP00560	347, 349	Fixation strap L	8418474	230
Evac 40 for 230 V	2M86752	347, 349	Fixation strap M	8418473	230
Evita® disposable expiration valve	8414776	68	Fixation strap S	8418472	230
Examination lamp HX 35 TM	MP00435	280, 368	Fixation strap XL	8418475	230
Expiratory valve housing	8409898	216	Fixation strap XS	8418471	230
Extension cable, 2 m (6.6 ft)	MS16256	87, 89	Fixation strap XXL	8418476	230
Extension cable, 2 m (6.6 ft), dual pin	MS16492	88, 90	Flourescent lamp, blue	2M21010	214
External airway filter 0.8 µm	1276695	144	Flourescent lamp, white	2M21009	214
F F&P Adapter	8409625	37, 38, 219, 220	Flow sensor cable	8409626	233, 282, 288
F&P Humidification chamber MR 290	8418282	73, 257	Flowmeter with selector wheel	2M86793	265, 303
F&P Humidification chamber MR 290	8418283	73, 257	Flowmeter with selector wheel	MP01204	265, 303
F&P Humidification chamber MR 340	8411047	73, 257	Foregger face mask, reusable, size 1, petite	2165910	59, 236
F&P Humidification chamber MR 370	8412217	73	Foregger face mask, reusable, size 2, small	2166097	59, 236
Fast oxygen sensor	6850930	289	Foregger face mask, reusable, size 3, medium	2166100	59
Filler cap for Aeroneb Pro	MP01035	79	Foregger face mask, reusable, size 4, large	2166119	59
Filling kit for Aquapor EL	8405031	71	G Gas scavenging adapter	1276653	144
Filter	MK00514	341	Gel mattress for BabyTherm® 8000 WB/8010	2M20827	187
Filter CareStar® 30	MP01770	49, 328	H Halogen lamp, 12 V, 50 W	2M30084	187
Filter CareStar® 40A	MP01765	49	Handle, complete, BT 8000 WB	2M21161	188
Filter CareStar® 45	MP01755	49	Headband XS (extra small)	8418418	230
Filter for T-piece	8600225	27, 42, 143	Headband S (small)	8418419	230
Filter paper for MR 340	8411073	73, 257	Headband M (medium)	8418420	230
Filter paper for MR 370	8412218	73	Headband L (large)	8418421	230
Filter SafeStar® 55	MP01790	48, 328	Headband XL (extra large)	8418422	230
			Headband XXL (extra extra large)	8418423	230
			Headband XXL plus (extra extra large plus)	8418540	230

INDEX

Headgear for NovaStar® AAV, full-face masks for non-invasive ventilation	MP01584	63	Holder for cover	2M21342	189
Headgear for NovaStar® SE, full-face masks for non-invasive ventilation	MP01583	63	Holder for litter bags, incl. 100 litter bags	M24695	281, 373
Headgear, disposable, soft fabric, large	MP01560	63	Holder for Y-piece for ball mounting	8409746	279, 366
Headgear, disposable, soft fabric, small	MP01559	63, 238	Hook ring for LiteStar® anesthesia face masks, disposable, with 15 mm (0.6 in) OD connector, for LiteStar® anesthesia face masks, size 1-2	MP01551	65, 238
Headgear, disposable, soft rubber, large	MP01562	63	Hook ring for LiteStar® anesthesia face masks, disposable, with 22 mm (0.9 in) ID connector, for LiteStar® anesthesia face masks, size 3-6	MP01552	65
Headgear, disposable, soft rubber, small	MP01561	63, 238	Hook ring for Silicone face masks, reusable, with 15 mm (0.6 in) OD connector, for Silicone face masks, size 0-1	MP01617	65, 238
Headgear, reusable, silicone, large	MP01558	63	Hook ring for Silicone face masks, reusable, with 22 mm (0.9 in) ID connector, for Silicone face masks, size 2-5	MP01618	65
Headgear, reusable, silicone, small	MP01557	63, 238	Hook springing (with fixation), fits All-Round and Foregger face masks	M11044	65, 238
Heatable hose	2M85759	271, 328	Hose	1198343	216
Hemo Pod adapter, 10-pin	3375958	119, 127	Hose	8403896	271, 328
Hemo Pod adapter, Abbott/Medex	5196998	119	Hose	2M85813	271, 328
Hemo Pod adapter, Edwards	5196980	119	Hose 4 x 1.5	1190520	24
Hemo Pod adapter, Memscap (Capto/SensoNor), 7-pin	4329160	119	Hose clamp for ball mounting	8409841	279, 366
Hemo Pod adapter, Ohmeda	3375941	119	Hose clamp, coaxial	MP00493	279, 366
Hemo transducer plate, Abbott II-III/Braun	5192112	120	Hose clip, single	8406138	279, 366
Hemo transducer plate, Abbott/Transpac IV	7270460	119	Hose clips	8403566	30, 35
Hemo2 Pod	4319435	118	Hose heater adapter for MR 700/730, disposable hose sets	8418462	75
Hemo2 transducer plate, Memscap (Capto/SensoNor)	4721614	120	Hose heater adapter for MR 700/730, reusable hose sets	8411097	75, 258
Hemo2 transducer plate, universal	4721408	120	Hose heater adapter for MR 730, third party hose sets	8418433	76, 259
Hemo4 Pod	4315961	118	Hose heater adapter for MR 850, disposable hose sets	8414992	75
Hemo4 transducer plate, Memscap (Capto/SensoNor)	4721416	120	Hose heater adapter for MR 850, double heated hose sets	MP01006	76
Hemo4 transducer plate, universal	4721424	120	Hose heater adapter for MR 850, reusable hose sets	8414968	75, 258
HemoMed connection cable, 3 m (9.8 ft)	5591925	118	Hose heater adapter for MR 850, third party hose sets	MP01001	76, 259
HemoMed connection cable, 5 m (16.4 ft)	5591933	118	Hose heater, 1.1 m (3.6 ft)	8411045	35, 37, 74, 219, 224
HemoMed Pod	5588822	118			
HFV hose set for Fisher & Paykel	8411153	38, 220			
Hinged arm 240 degree	8409609	365			
HME filter, compressor inlet	MU04991	205			
HME hose set	8412860	32			
HME HumidStar® 10A	MP01740	50, 242			
HME HumidStar® 2	MP01745	50, 242			
HME HumidStar® 25	MP01735	50			
HME HumidStar® 55	MP01730	50			
HME HumidStar® Trach	MP01750	50			

INDEX

Hose heater, 1.1 m (3.6 ft)	8414993	36, 74, 225	
Hose heater, 1.5 m (4.9 ft)	8414969	74	
Hose heater, 70 cm (27.6 in), HFV	8411154	38, 74, 220, 258	
Hose set for Fisher & Paykel	8411041	37, 219	
Hose set for Fisher & Paykel	8414986	35	
MR 850, adult			
Hose set for Fisher & Paykel	8414987	36, 225	
MR 850, pediatric			
Hose set for Fisher & Paykel,	8412081	224	
pediatric			
Hose set for pediatric circle system	M27542	25	
Hose, lightweight, 25 cm (9.8 in)	8410817	222	
Hose, lightweight, 40 cm (15.7 in)	8410816	38, 220, 222	
Hose, lightweight, 65 cm (25.6 in)	8410814	38, 220, 222	
Hose, lightweight, 70 cm (29.5 in)	8418404	38, 220	
Humidifier bubbler	2M85834	268, 310,	
		315, 317	
Humidifier Microfilter, Dew-ette® 2	MU06662	209	
Humidifier nebulizer	2M85835	310, 315, 317	
Humidity pad, antibacterial	MU06008	206	
Humidity reservoir	MU13162	203	
Humidity reservoir	MU13202	203	
Humidity reservoir	MU21093	203	
I			
IBP adapter, 10-pin to 7-pin	3368383	121	
IBP disposable set Memscap	7489433	122	
(Capto/SensoNor) 844			
IBP intermediate cable Memscap	4321563	122	
(Capto/SensoNor), 3.7 m (12.1 ft)			
IBP intermediate cable, Ohmeda,	3375933	124	
3.7 m (12.1 ft)			
IBP intermediate Y-cable, Abbott,	5206573	121	
3.7 m (12.1 ft)			
IBP intermediate Y-cable, Edwards,	5206607	121	
3.7 m (12.1 ft)			
IBP intermediate Y-cable, Memscap	5195180	123	
(Capto/SensoNor), 3.7 m (12.1 ft)			
IBP intermediate Y-cable,	5206581	124	
Ohmeda, 3.7 m (12.1 ft)			
IBP Mounting Set, Memscap	7267151	122	
(Capto/SensoNor) 840			
IBP Mounting Set, Memscap	7864155	122	
(Capto/SensoNor) 844			
IBP replacement dome for	7864908	122	
Memscap (Capto/SensoNor) 844			
IBP transducer extension cable	7486876	123	
Memscap (Capto/SensoNor) 844			
IBP transducer Memscap	7498947	123	
(Capto/SensoNor) 844 kit			
IBP transducer Memscap	7489417	123	
(Capto/SensoNor) 844, reusable			
IBP Y-adapter, 10-pin	5731281	121	
IBP Y-adapter, 7-pin	5592147	121	
IBP Y-cable adapter, 10-pin to 7-pin	5588095	121	
Illuminant NCL 12 V, 35W, 24°	MP00681	280, 368	
Immersion pipe, scaled	MP00569	363	
Immersion tube	M16395	362	
Incandescent lamp 20 W, 230 V,	2M30079	189	
for BabyTherm® 8004/8010			
Incandescent lamp 7 W, 230 V,	2M30078	189	
for BabyTherm® 8004/8010			
Incubator Cover C2000/	MP01424	212	
Isolette® 8000			
Incubator Cover Caleo®	MP01423	212	
Incubator Cover Incubator 8000	MP01425	212	
Infinity Acute Care System	MP00690	365	
Hinged arm			
Infinity® BISx SmartPod®	MS14796	131	
Infinity® CNAP™ SmartPod®	MS17075	117	
Starter Kit			
Infinity® CNAP™ SmartPod®*	MS16905	117	
Infinity® Delta/Delta XL SLA	5597377	150	
battery charger			
Infinity® Delta/Delta XL SLA	5592097	150	
battery pack			
Infinity® EEG Pod	5736744	129	
Infinity® etCO ₂ Microstream Pod	7870947	135	
Infinity® Gamma/Gamma XL	4710211	150	
battery charger			
Infinity® Gamma/Gamma XL	5732354	150	
Lithium-ion battery			
Infinity® Gamma/Gamma XL	5947697	150	
replacement battery			
Infinity® ID Breathing Bag Set	MP00341	20	
Infinity® ID Breathing Bag Set	MP01329	20	
(N) 110			
Infinity® ID Breathing Bag Set	MP01343	20	
(P) 110			
Infinity® ID Breathing Bag Set 150	MP01330	20	
Infinity® ID Breathing Circuit Basic	MP01340	18	
(P) 180			
Infinity® ID Breathing Circuit Basic	MP01348	18	
250			
Infinity® ID Breathing Circuit Coaxial	MP00342	18	
Infinity® ID Breathing Circuit	MP01347	19	
Flex 220			
Infinity® ID Breathing Circuit Heated	MP00345	21	

INDEX

Infinity® ID Breathing Circuit Heated (N)	MP00343	21, 218	Jar DU-O-VAC, reusable, 500 ml (16.9 fl oz.)	MU10169	196
Infinity® ID Breathing Circuit Smoothbore	MP00340	18	Lamp 23 W, 120 V, for BabyTherm® 8004/8010	2M30160	189
Infinity® ID Breathing Circuit Smoothbore 300	MP01325	19	Lamp 9 W, 120 V, for BabyTherm® 8004/8010	2M30161	189
Infinity® ID Breathing Circuit Watertrap (P) 180	MP01341	18	Latex breathing bag, 0.5 l (17.5 fl oz.)	2165686	24, 25, 43, 239
Infinity® ID Breathing Circuit Watertrap 180	MP01326	18	Latex breathing bag, 1.5 l (52.8 fl oz.)	2165953	43, 239
Infinity® ID Breathing Circuit Dual Heated	MP00344	21	Latex breathing bag, 2 l (70 fl oz.)	2165694	43
Infinity® ID CLIC Absorber 800+	MX50004	295	Latex breathing bag, 2.3 l (81 fl oz.)	2165708	43
Infinity® ID CLIC Absorber Free	MX50120	295	Latex breathing bag, 3 l (105.5 fl oz.)	2165716	43
Infinity® ID expiratory valve, single use	MP01060	68	Latex breathing bag, 5 l (176 fl oz.)	2165724	43
Infinity® ID Flowsensor	6871980	287	Latex breathing bag, 0.5 l (17.5 fl oz.), with hole	2165763	43, 239
Infinity® ID WaterLock® 2	6872020	143	Latex breathing bag, 1.5 l (52.8 fl oz.), with hole	2165775	43, 239
Infinity® PICCO Pod	MS17441	127	Latex breathing bag, 2.5 l (88 fl oz.), with hole	2165783	43
Infinity® R 50 recording paper, 10 rolls	4711201	146, 255	Lever-type clamp	M25739	371
Infinity® SC 9000 battery module	4319344	150	Lever-type clamp, incl. set of screws	2M85049	371
Infinity® Trident (NMT) SmartPod®	MS15007	132	LiteStar® anesthesia face mask, disposable, without hook ring, size 1, neonate	MP01501	56, 234
Infinity® Trident (NMT) SmartPod®	7876910	132	LiteStar® anesthesia face mask, disposable, without hook ring, size 2, infant	MP01502	56, 234
Infusion bottle holder	2M16520	189	LiteStar® anesthesia face mask, disposable, without hook ring, size 3, toddler	MP01503	56
Infusion bottle holder	G12985	374	LiteStar® anesthesia face mask, disposable, without hook ring, size 4, small adult	MP01504	56
Infusion bottle holder	M20719	281, 373	LiteStar® anesthesia face mask, disposable, without hook ring, size 5, medium adult	MP01505	56
Infusion holder, complete	2M21514	191	LiteStar® anesthesia face mask, disposable, without hook ring, size 6, large adult	MP01506	56
Inhalation mask	M11015	79, 325	Lithium battery	3361164	150, 169
Inhalation unit	2M85912	312, 315, 317	LNCS Intermediate cable, 3 m (9.8 ft)	MS17522	104
Inhalette S	2M85674	324	LNOP Intermediate cable, 1.2 m (3.3 ft)	MS18680	99, 247
Inhalette Vario CS	2M85692	324	LNOP Intermediate cable, 3 m (9.8 ft)	MS17041	99, 247
Inhalette Vario Rail	2M85693	325			
Injector, 30/40/50% by vol. O ₂ adjustable	2M14190	189			
Intermediate plate	MX00013	295			
Iris port sleeve, disposable	MU03876	201, 204, 206, 208			
Iris port sleeve, soft, disposable	MU06571	201			
ISO-22 double connector	M25647	23, 24, 25, 26, 27, 28, 29, 30, 35, 42			
J Jar cap and ring with overflow safeguard	2M85011	343			
Jar cap with safety valve	2M85012	343			
Jar DU-O-VAC, disposable, 200 ml (6.8 fl oz.)	MU10175	196			

INDEX

	Locking screw for immersion pipe	MP00596	363		
	LuerLock angled probe for neonates	M34568	24, 25, 42, 233		
	LuerLock connector	AM00202	27		
	LuerLock elbow connector	AM00201	27		
M	Magnetic clips for NovaStar® headgear	MP01585	65		
	Masimo accessory clothing clip	7496883	101, 165, 172, 178		
	Masimo adapter cable LNCS-LNOP	MP00798	176, 181		
	Masimo adhesive square	7496875	101, 165, 172, 178, 244		
	Masimo cable LNCS	MP00797	176		
	Masimo Cleanshield wrap for LNOP YI	5702218	100, 164, 172, 177, 244		
	Masimo Foam wrap, neonatal	5702551	164, 172, 178		
	Masimo Foam wrap, neonatal	7496891	100, 244		
	Masimo Intermediate cable, LNCS, 1.2 m (3.3 ft)	MS24303	104		
	Masimo Multisite wrap for SpO ₂ LNOP YI	7496917	100, 164, 172, 178, 244		
	Masimo Petite wrap for SpO ₂ LNOP YI	7496909	100, 164, 172, 178, 244		
	Masimo Posey wrap	7496933	101, 165, 244, 245		
	Masimo Posey wrap for NeoPt	5701935	103, 167, 173, 179		
	Masimo Posey wrap NeoPt-L	5702888	174, 180, 245		
	Masimo SpO ₂ pack LNOP Adt + Pt	7496941	103, 167, 175, 181		
	Masimo SpO ₂ pack LNOP Neo + NeoPt	7496958	103, 167, 175, 181, 245		
	Masimo SpO ₂ sensor LNCS Adt	MP00790	105, 175, 181		
	Masimo SpO ₂ sensor LNCS DCI	MP00796	105, 171, 177		
	Masimo SpO ₂ sensor LNCS DCIP	MP00795	105, 171, 177		
	Masimo SpO ₂ sensor LNCS Inf	MP00791	105, 175, 181		
	Masimo SpO ₂ sensor LNCS Neo	MP00792	105, 175, 181, 245		
	Masimo SpO ₂ sensor LNCS NeoPt	MP00794	105, 175, 181, 245		
	Masimo SpO ₂ sensor LNCS Pt	MP00793	105, 175, 181, 245		
	Masimo SpO ₂ sensor LNOP Adt	7496990	102, 166, 173, 179		
	Masimo SpO ₂ sensor LNOP Adt-L	5702877	174, 180		
	Masimo SpO ₂ sensor LNOP DCI	7270312	100, 164, 171, 177		
	Masimo SpO ₂ sensor LNOP DCIP	7270304	100, 164, 171, 177		
	Masimo SpO ₂ sensor LNOP DCSC	5702056	171, 177		
	Masimo SpO ₂ sensor LNOP Inf-L	5702876	174, 180		
	Masimo SpO ₂ sensor LNOP Neo	7496974	102, 166, 173, 179, 245		
	Masimo SpO ₂ sensor LNOP Neo-L	5702879	174, 180, 245		
	Masimo SpO ₂ sensor LNOP NeoPt	7496966	102, 166, 173, 179, 245		
	Masimo SpO ₂ sensor LNOP NeoPt-L	5702878	174, 180, 245		
	Masimo SpO ₂ sensor LNOP Pt	7496982	102, 166, 173, 179		
	Masimo SpO ₂ sensor LNOP TI	7497006	101, 165, 172, 178		
	Masimo SpO ₂ sensor LNOP YI	7497014	100, 164, 171, 177, 244		
	Masimo tapes for NeoPt	7496925	101, 103, 165, 167, 174, 180, 244, 245		
	Masimo tapes Neo-L	5702889	174, 180, 245		
	Mattress	MU10833	208		
	Mattress, BRW	MU09945	198		
	Mattress, disposable	MU06010	205, 206		
	Mattress, foam	MU12249	201		
	Mattress, reusable	MU06009	205, 206		
	Mattress, size 51 x 64 x 2.5 cm (20.1 x 25.2 x 1 in)	MU09579	195, 197		
	Mattress, size 52 x 65 x 2.5 cm (20.5 x 25.6 x 1 in)	MU09577	195, 197		
	Mattress, size 53 x 67 x 2.5 cm (20.9 x 26.4 x 1 in)	MU09390	195		
	Mattress, size 58 x 74 x 2.5 cm (22.8 x 29.1 x 1 in)	MU09580	195		
	Mattress, size 60 x 76 x 2.5 cm (23.6 x 29.9 x 1 in)	MU09578	195		
	Measuring hose	8410929	34		
	Measuring hose	8413293	34		
	Medbag, 0.25 l (8.7 fl oz)	MX50030	22, 240		
	Medbag, 3 l (105.5 fl oz.)	MX50034	22		
	Medical aspirator, TI 5400	2M22315	194		
	MGM maintenance kit	5206854	144		
	Micro volume suction bottle kit, 40 ml (1.4 fl oz.) ⁷	MU10916	19		
	Micro volume suction bottle, 40 ml (1.4 fl oz.)	MU10917	198		
	MicrO ₂ transmitter connection cable, 20 cm (7.9 in)	1270318	169		
	MicrO ₂ +® AC power adapter, switchable 110/220 V AC	7492106	169		
	Microbial filter 654	6733895	67		

INDEX

MiniOx 3000 Oxygen monitor	2M22464	215	Nellcor® Oxiband sensor A/N	8201013	159, 246
Mini-Set	MP00062	340	Nellcor® Oxiband sensor P/I	2170205	159
Mixing unit with mixing chart	2M85728	309	Nellcor® Oxiband wrap A/N	8201012	106, 159, 246
Module holder, Incubator 7520	8410536	72	Nellcor® Oxiband wrap P/I	2170221	106, 159
and non Dräger			Nellcor® SpO ₂ sensor	7262764	106, 157, 168
Module holder, Incubator 8000	8410535	72	DURA DS-100A		
Monitor shelf 5035, without drawer	2M85003	370	Nellcor® SpO ₂ sensor, Oximax®	MX50065	107, 157, 168
Monitor shelf 5450, with drawer	M24692	370	Max-A		
Mounting	2M20684	194	Nellcor® SpO ₂ sensor, Oximax®	MX50071	107, 157, 168
Mounting bracket for poles	2M22462	215	Max-AL		
Mounting bracket for rail	2M22460	215	Nellcor® SpO ₂ sensor, Oximax®	MX50070	107, 158
Mounting bracket MiniOx 3000/TI	2M22478	194, 215	Max-Fast		
Mounting bracket, Fisher & Paykel	MP01002	74, 257	Nellcor® SpO ₂ sensor, Oximax®	MX50067	107, 158,
Mounting Fisher & Paykel	8411074	74, 257	Max-I		168, 246
Mouthpiece	M12394	79, 325	Nellcor® SpO ₂ sensor, Oximax®	MX50068	107, 158,
MRI flow extension cable	8306370	288	Max-N		168, 246
MultiMed 12 Pod	5589663	86	Nellcor® SpO ₂ sensor, Oximax®	MX50066	107, 158, 168
MultiMed 12 Pod mounting band	5202747	86	Max-P		
MultiMed 5 Pod, 1.5 m (4.9 ft)	5950196	85	Nellcor® SpO ₂ sensor, Oximax®	MX50069	158
MultiMed 5 Pod, 2.5 m (8.2 ft)	3368391	85	Max-R		
MultiMed 6 Pod, 2.5 m (8.2 ft)	5191221	85	NeoMed Pod, 2.5 m (8.2 ft)	5590539	85, 146, 243
MultiMed plus OR, 2.5 m (8.2 ft)	MS20094	85	Neonatal flow sensor insert	8410179	233, 282, 287
MultiMed plus, 2.5 m (8.2 ft)	MS20093	85	Neonatal flow sensor ISO 15	8411130	233, 282, 287
MultiMed Pod holder	MP00721	85	Neonatal flow sensor Y-piece	8410185	233, 282, 287
			Neonatal mask, size L (large)	8418619	228
N "Novotrans II" pressure	8500348	162	Neonatal mask, size M (medium)	8418490	228, 231
accessories set			Neonatal mask, size S (small)	8418491	228, 231
"Novotrans II" pressure	8500347	162	NIBP connecting hose, adt.,	MP00953	111
transducer set			3.7 m (12.1 ft)		
Nasal cannula	5730354	312, 318	NIBP connection hose neonatal,	M36039	249
NCL examination lamp	2M85657	280, 368	1.5 m (4.92 ft)		
Neat-Clips, adhesive,	MU06560	196, 200, 203,	NIBP connection hose neonatal,	2870298	111, 249
Ø 2.5 cm (1 in)		205, 207, 210,	2.4 m (7.9 ft)		
		211	NIBP connection hose neonatal,	M36040	249
Neat-Clips, adhesive,	MU06558	196, 200, 203,	3 m (9.84 ft)		
Ø 9.6 mm (0.38 in)		205, 207, 210,	NIBP cuff adapter	MP00945	111
		211	NIBP cuff, XXS, infant, reusable	MP00911	112
Nebulizer	8411030	77, 260, 323	NIBP cuff, XS, child, reusable	MP00912	112
Nebulizer assembly with bottle	MU10384	196	NIBP cuff, S, small adult, reusable	MP00913	112
Nebulizer chamber	2M85796	272, 329	NIBP cuff, M, adult, reusable	MP00915	112
Nebulizer chamber lid	2M85795	271, 329	NIBP cuff, M+, adult long, reusable	MP00916	113
Nebulizer connector	2M85853	310	NIBP cuff, M++, adult extra long,	MP00917	113
Nebulizer element	2M85571	325	reusable		
Nebulizer unit with filler cap	MP01030	78, 260	NIBP cuff, L, large adult, reusable	MP00918	113
Nebulizer, white	8412935	77, 260, 323	NIBP cuff, L+, large adult long,	MP00919	113
Needle electrode cable	8601321	163	reusable		
Nellcor® DURA-Y ear clip	MX01005	157	NIBP cuff, XL, thigh, reusable	MP00921	113
Nellcor® DURA-Y SpO ₂ sensor,	MX01004	106, 157, 168	NIBP cuff, XXS, infant,	MP00924	114
D-YS			single patient use		

INDEX

NIBP cuff, XS, child, single patient use	MP00925	114	O ₂ CS hose 1.5 m (4.9 ft) NIST EN BS	M35389	379
NIBP cuff, S, small adult, single patient use	MP00926	114	O ₂ CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398	380
NIBP cuff, M, adult, single patient use	MP00928	114	O ₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489	375
NIBP cuff, M+, adult long, single patient use	MP00929	114	O ₂ CS hose 1.5 m (4.9 ft) NIST EN NF	M35416	377
NIBP cuff, M++, adult extra long, single patient use	MP00930	114	O ₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004	376
NIBP cuff, L, large adult, single patient use	MP00931	115	O ₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434	378
NIBP cuff, L+, large adult long, single patient use	MP00932	115	O ₂ CS hose 3 m (9.8 ft) NIST EN AGASSg straight	M35376	381
NIBP cuff, XL, thigh, single patient use	MP00934	115	O ₂ CS hose 3 m (9.8 ft) NIST EN BS	M35390	379
NIBP double hose, 1.5 m (4.9 ft) with Infinity® LuerLock connector	MP00740	162	O ₂ CS hose 3 m (9.8 ft) NIST EN BS straight	M35399	380
NIBP double hose, 3 m (9.8 ft) with Infinity® LuerLock connector	MP00741	162	O ₂ CS hose 3 m (9.8 ft) NIST EN DIN	M35490	375
NIBP hose adult, 1.5 m (4.9 ft) with Luer Slip connector	M36039	162	O ₂ CS hose 3 m (9.8 ft) NIST EN NF	M35417	377
NIBP hose adult, 3 m (9.8 ft) with Luer Slip connector	M36040	162	O ₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005	376
NIBP Set adult, 1.5 m (4.9 ft)	MP00743	162	O ₂ CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435	378
NIBP Set adult, 3 m (9.8 ft)	MP00742	162	O ₂ CS hose 5 m (16.4 ft) NIST EN AGASSg straight	M35377	381
NMT Accelerometer	MS15085	132	O ₂ CS hose 5 m (16.4 ft) NIST EN BS	M35333	379
NMT accessory cable	7872174	133	O ₂ CS hose 5 m (16.4 ft) NIST EN BS	M35339	380
NMT clip accessory	MS15087	133	O ₂ CS hose 5 m (16.4 ft) NIST EN BS straight	M35491	375
NMT electrode cable	MS13218	133	O ₂ CS hose 5 m (16.4 ft) NIST EN DIN	M35330	377
NMT hand adapter	MS15086	133	O ₂ CS hose 5 m (16.4 ft) NIST EN NF	M36006	376
NMT Thermistor	MS15053	132	O ₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M35436	378
NMT thumb adapter, disposable	MS15084	133	O ₂ distributor for rail fixation	2M18810	189, 311
Notebook holder	2M22171	191, 193	O ₂ external Flowmeter 16 l, rail, neutral colour	MP01198	302
NovaStar® AAV, full-face mask for non-invasive ventilation, size S	MP01576	55	O ₂ Flowmeter 16 l, CS	2M86553	299
NovaStar® AAV, full-face mask for non-invasive ventilation, size M	MP01577	55	O ₂ Flowmeter 16 l, CS, 6 cm (2.4 in)9	2M86563	29
NovaStar® AAV, full-face mask for non-invasive ventilation, size L	MP01578	55	O ₂ Flowmeter 16 l, CS, 9/16"	2M86562	299
NovaStar® SE, full-face mask for non-invasive ventilation, size S	MP01579	55	O ₂ Flowmeter 16 l, CS, British Standard	MP01260	300
NovaStar® SE, full-face mask for non-invasive ventilation, size M	MP01580	55			
NovaStar® SE, full-face mask for non-invasive ventilation, size L	MP01581	55			
O O ₂ cell with O-ring	9004979	146, 251			
O ₂ CS hose 1.5 m (4.9 ft) NIST EN AGASSg straight	M35375	381			

INDEX

O ₂ Flowmeter 16 l, CS, Norm Francaise (Frensh Standard)	MP01261	300	P	Oxygen sensor, O ₂ capsule	6850645	283, 289
O ₂ Flowmeter 16 l, rail	2M86551	301		OxyLine®	MP00100	313
O ₂ Flowmeter 16 l, rail 90°, neutral colour	MP01196	302		OxyLine® with flowmeter	MP01104	316
O ₂ Flowmeter 16 l, rail, 90°	2M86571	302		OxyLine® with NIST	MP01105	316
O ₂ Flowmeter 16 l, rail, neutral colour1	MP01192	30		Oxytrace VE	MX01049	289
O ₂ Flowmeter 16 l, rail, NIST	MP01201	264, 303		Patient adapter	8290285	42
O ₂ Flowmeter 32 l, CS	2M86567	300		Patient part for Aquapor EL, complete	8405029	71
O ₂ Flowmeter 32 l, rail	2M86568	301		Pediatric hose set	M33681	24
O ₂ Flowmeter 32 l, rail, neutral colour	MP01194	301		PEEP valve (10 mbar)	8407475	33, 45
O ₂ Flowmeter 4 l, CS	2M86517	261, 299		PEEP valve with holder	8409646	45
O ₂ Flowmeter 4 l, rail	2M86516	263, 301		Pneumatic medicament nebulizer	8405000	323
O ₂ Flowmeter 4 l, rail, 90°	2M86575	264, 302		Pneumatic nebulizer	8405000	77
O ₂ Flowmeter 4 l, rail, 90°, neutral colour	MP01197	264, 302		Pod connection cable, 3 m (9.8 ft)	3368425	86, 117
O ₂ Flowmeter 4 l, rail, neutral colour	MP01191	263, 301		Pod connection cable, 30 cm (11.8 in)	7257988	86
O ₂ Flowmeter, 90° angled	2M86249	303		Pod connection cable, 5 m (16.4 ft)	5195198	86
O ₂ Flowmeter, 90°, neutral colour	MP01199	303		Pod mount	5598128	86
O ₂ Flowmeter, standard	2M86248	302		Positioning Aid "Hug it", size M (medium): up to 1,500 gr (3.3 lbs)	MP01416	212
O ₂ hood	2M19250	189		Positioning Aid "Hug it", size S (small): up to 800 gr (1.8 lbs)	MP01415	212
O ₂ hood, oxydome	MU08394	196, 200, 203, 205, 207, 210, 211		Positioning Aid Nesting	MP01417	212
O ₂ sensor housing, Anemone	6850720	283, 289		Positioning Aid Set	MP01418	212
O ₂ sensor MiniOx 3000	2M22461	215		Pouch tele transmitter, disposable	MS22905	149, 169
O ₂ sensor OxyTrace	MX01050	191		Pour Spout Caps, Dew-ette® 2, disposable	MU06668	210
O ₂ Twin Flowmeter 16 l, CS	2M86561	262, 300		Pressure difference flow sensor	8412034	34, 287
O ₂ Twin Flowmeter 16 l, CS, 9/16"	2M86564	262, 300		Pressure gauge -100 kPa	MP00578	345
O ₂ /Air connecting hose	M17716	325		Pressure gauge -16 kPa	MP00579	362
O ₂ /Air connecting hose	M17717	325		Pressure measurement connection set	8411354	216
Oxator 2 trolley	2M85493	321		ProCal + intermediate cable, 1.5 m (4.9 ft)	MS13926	99, 247
Oxator top, choosable from OxyLine®	MP00100	320, 321, 322		ProCal + intermediate cable, 2 m (6.6 ft)	7492601	99, 247
Oxatorhead	MP01103	316		Prong L (large)	8418531	228, 231
Oxett basic unit	2M86204	319		Prong M (medium)	8418416	228, 231
Oxett top, choosable from OxyLine®2	MP00100	319, 32		Prong S (small)	8418605	228
Oxetthead with flowmeter	MP01101	316	Prong XL (extra large)	8418417	228, 231	
Oxetthead with flowregulator	MP01102	316	Prong XS (extra small)	8418415	228, 231	
Oxydig sensor housing	6850250	283, 289	Protection jar	2M86758	331, 343, 347, 350	
Oxygen cell	MU13223	203	Pulsion to 10-pin cable	MS16920	127	
Oxygen mask with tubing (2.1 m/6.9 ft) and reservoir, high concentration, adult	MX30108	62, 312, 315, 318	Pump aggregate, complete	8409840	72	
Oxygen mask with tubing (2.1 m/6.9 ft), medium concentration, adult	MX30101	62, 312, 315, 318				

INDEX

Q	Quartz oscillator	2M85794	271, 329		
	Quickstop hinged arm 1	2M85705	364		
	Quickstop hinged arm 2	2M85706	279, 364		
	Quickstop hinged arm for Pod	2M86464	85, 118, 364		
	Quickstop hinged arm short	2M86463	279, 364		
	Quickstop Set MultiMed Pod	MP00653	85, 118, 367		
R	Rail attachment set	MP01207	270, 327		
	Rail bracket	2M86757	347, 350		
	Rail holder catheter, receptacle	MP00652	281, 372		
	Rail holder with clamp	M26842	278, 320, 331, 338, 353, 371		
	Rail Trolley Sorty	MP00090	373		
	Rail, 40 cm (15.8 in) for 38 mm (1.5 in) tube	2M86185	322		
	Rainbow bag, 0.5 l (17.5 fl oz.)	MX50031	22, 240		
	Rainbow bag, 1 l (35 fl oz.)	MX50032	22, 240		
	Reading lamp	2M86199	369		
	Rechargeable battery, 12 V	MU16052	206		
	Recording paper, 10 rolls, S342R	4529038	146		
	Referential lead block converter	5954859	130		
	Rendell-Baker face mask, reusable, size 0, neonate	M22764	60, 236		
	Rendell-Baker face mask, reusable, size 1, newborn	M14631	60, 236		
	Rendell-Baker face mask, reusable, size 2, toddler	M14632	60, 236		
	Rendell-Baker face mask, reusable, size 3, infant (with hook ring)	M14633	60		
	Replacement air filter	MU12504	202		
	Replacement filter	MU03891	208		
	Replacement filter	MU04472	206		
	Replacement filter and tube	MU10923	197		
	Replacement filter, hydrophobic	MU10915	197		
	Reservoir, Nipple fill, Dew-ette® 2, disposable	MU06664	209		
	Reservoir, Nipple fill, Dew-ette® 2, reusable	MU06666	209		
	Reservoir, Pour spout, Dew-ette® 2, disposable	MU06665	209		
	Reservoir, Pour spout, requires disposable pour spout	MU06667	209		
	Caps (below), Dew-ette® 2, reusable				
	Respiration valve	2M86800	33		
	Respiratory mechanics combined flow/CO ₂ sensor, adult/pediatric	5957126	138		
	Respiratory mechanics combined flow/CO ₂ sensor, neonatal	5957118	138, 252		
	Respiratory mechanics combined flow/CO ₂ sensor, pediatric	5957142	138		
	Respiratory mechanics flow sensor, adult/pediatric	5957134	138		
	Respiratory mechanics flow sensor, neonatal	5957100	138, 252		
	Restraint strap	MU06011	207		
	Resuscitator Child MR-100	5702321	240		
	Resuscitator Infant MR-100	5702322	240		
	Reusable EEG lead, 0.6 m (2 ft)	5947804	130		
	Reusable ventilation hose set Zeus® for children	MK04249	27		
	Reusable ventilation hose set Zeus® for neonates	MK02935	27		
	Reusable ventilation hose set Zeus® for youth and adults	MK04248	26		
	RS 232 cable, 2 m (6.6 ft), sub-D, 9-pole, f/m, 1:1	8601474	163		
	Rubber plug	2M85139	362		
S	Sample gas return kit for Fabius®	M32692	143		
	Sampleline set, disposable	8290286	143, 144		
	Sampling line, 1.5 m (4.9 ft)	1276075	144		
	Savina® expiratory valve, single use	MP01061	68		
	Screw-type clamp	M20650	371		
	Sealing plug for All-Round masks	M14737	59		
	Sealing plug for Y-piece	8411024	79, 260		
	Secretion jar 0.3 l	2M86207	277, 331, 344		
	Secretion jar 0.7 l	2M85594	277, 331, 344, 347		
	Secretion jar 4 l	2M85442	347, 349		
	Secretion jar 4 l	M25742	350		
	Secretion jar 4 l, reserve	2M85443	347, 349		
	Secretion jar set	2M85056	273, 320, 331, 337, 353		
	Secretion jar set with protection jar	2M85607	273, 331, 337, 353		
	Secretion jar unit, 0.7 l	2M85163	353, 359, 362		
	SelfTestLung	MP02400	45		
	SelfTestLung – spare part set	MP02401	45		
	Sensor	6871500	69, 226		
	Sensor	6871950	69, 226		
	Sensor Cuff, large	MS15896	117		
	Sensor Cuff, medium	MS15895	117		
	Sensor Cuff, small	MS15894	117		
	Servo humidity sensor filter, Dew-ette® 2	MU06732	209		
	Set of caps	8402918	30		
	Set of caps	8402953	24, 25		

INDEX

Set of clamps for Aquapor EL	8403345	71	Silicone breathing hose (pediatric)	2165678	24, 25, 27,
Set of connectors for tracheal tube	8403684	216	with standard sleeves 22 mm (0.9 in)		29, 40
Set of connectors for tracheal tube, adult, size 6-12.5	8403685	30, 33, 35	on both sides and 10 mm (0.4 in)		
Set of litter bags	M26240	281, 373	inner diameter, 1.1 m (3.6 ft)		
Shower pouch, reusable	MS18630	149, 169	Silicone breathing hose (pediatric)	2165902	40
Shut-off valve	MP00570	331, 344	with standard sleeves 22 mm (0.9 in)		
Silicone breathing bag, 0.5 l (17.5 fl oz.)	2166054	43, 239	on both sides and 10 mm (0.4 in)		
Silicone breathing bag, 1.5 l (52.8 fl oz.)	2166127	43, 239	inner diameter, 60 cm (23.6 in)		
Silicone breathing bag, 2.3 l (81 fl oz.)	2166062	23, 26, 43	Silicone breathing hose (pediatric)	2165651	36, 37, 40, 219,
Silicone breathing bag, 3 l (105.5 fl oz.)	2166070	43	with standard sleeves with one 10 mm		224, 225, 232
Silicone breathing hose (adult) with long sleeves 22 mm/22 mm (0.9 in/0.9 in), 1.1 m (3.6 ft)	2166038	23, 26, 28, 39	(0.4 in) and one 22 mm (0.9 in) sleeve		
Silicone breathing hose (adult) with long sleeves 22 mm/22 mm (0.9 in/0.9 in), 1.5 m (4.9 ft)	2166046	23, 39	and 10 mm (0.4 in) inner diameter,		
Silicone breathing hose (adult) with long sleeves 22 mm/22 mm (0.9 in/0.9 in), 60 cm (23.6 in)	2166011	26, 28, 39	1.1 m (3.6 ft)		
Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in), 1.1 m (3.6 ft)	2165635	35, 39	Silicone breathing hose (pediatric)	2165961	24, 25, 40, 232
Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in), 1.5 m (4.9 ft)	2165643	32, 34, 39	with standard sleeves with one 10 mm		
Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in), 35 cm (13.8 in)	2165619	30, 35, 39	(0.4 in) and one 22 mm (0.9 in) sleeve		
Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in), 60 cm (23.6 in)	2165627	30, 35, 39	and 10 mm (0.4 in) inner diameter,		
Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in), 85 cm (33.5 in)	8603839	39	40 cm (15.8 in)		
Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter, 1.1 m (3.6 ft)2	2165600	40, 23	Silicone breathing hose (pediatric)	2165821	27, 29, 31, 36,
Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter, 60 cm (23.6 in)	2165848	27, 31, 36, 40,	with standard sleeves with one 10 mm		40, 223, 224,
		223, 224,	(0.4 in) and one 22 mm (0.9 in) sleeve		225, 232
		225, 232	and 10 mm (0.4 in) inner diameter,		
			60 cm (23.6 in)		
			Silicone face mask, reusable,	MP01610	61, 237
			size 0, small infant		
			Silicone face mask, reusable,	MP01611	61, 237
			size 1, large infant		
			Silicone face mask, reusable,	MP01612	61
			size 2, small child		
			Silicone face mask, reusable,	MP01613	61
			size 3, large child		
			Silicone face mask, reusable,	MP01614	61
			size 4, small adult		
			Silicone face mask, reusable,	MP01615	61
			size 5, large adult		
			Silicone face mask, reusable,	2121018	61, 237
			size 0, small infant		
			Silicone face mask, reusable,	2121026	61, 237
			size 1, large infant		
			Silicone face mask, reusable,	2121034	61, 237
			size 2, small child (round form)		
			Silicone face mask, reusable,	2120194	61
			size 2, small adult (teardrop form)		

INDEX

Silicone face mask, reusable, size 5, large adult	2120186	61	SoftBed IICS-90 LB, size 61 x 77 x 4 cm (24 x 30.3 x 1.6 in)	MP01403	195
Silicone hose, 5 x 2	1203606	277, 343	SoftBed Isolette® 8000/C2000/ C2000e, size 38 x 74 x 3 cm (15 x 29.1 x 1.2 in)	MP01401	201
Silicone hose, pediatric, 35 cm (13.8 in)	8403070	37, 219, 221	SoftBed Resuscitaire with Scale, size 52 x 65 x 4 cm (20.5 x 25.6 x 1.6 in)	MP01404	195, 198
Silicone hose, pediatric, 50 cm (19.7 in)	8418458	37, 219	SoftBed Resuscitaire, size 54 x 67 x 4 cm (21.3 x 26.4 x 1.6 in)	MP01402	195, 198
Silicone hose, pediatric, 60 cm (23.6 in)	8403073	221	Spacer	M26391	370
Silicone hose, pediatric, 1 m (3.3 ft)	8403080	37, 219, 221	Spare part set bolts	8403944	216
Silicone hoses with Connectors	8418414	227	SpiroLife® Flowsensor	MK01900	287
Simulation test lung, neonatal	8418077	240	Spirolog® Flowsensor	8403735	287
Sizing gauge for ClassicStar® (non-vented and vented), nasal masks for non-invasive ventilation	MP01632	64	SpO ₂ basic cable, 1.5 m (4.9 ft)	M35371	155, 247
Sizing gauge for ClassicStar® (SE), full-face masks for non-invasive ventilation	MP01592	64	SpO ₂ basic cable, 2.4 m (7.9 ft)	M35370	155, 247
Sizing gauge for NovaStar® (SE and AAV), full-face masks for non-invasive ventilation	MP01591	64	SpO ₂ sensor extension cable, 1.3 m (4.3 ft)	8201015	155
Skin temperature probe 1, disposable	MU06933	208	SpO ₂ sensor extension cable, 2.6 m (8.5 ft)	8600859	155
Skin temperature probe 1, reusable	MU06951	196, 207, 208	Standard connector, size 2.5, plastic	M19334	24
Skin temperature probe 3, disposable	MU11228	197	Standard connector, size 3, plastic	M19335	24
Skin temperature probe 3, reusable	MU11225	197	Standard connector, size 3.5, plastic	M19336	24
Skin temperature probe 4, disposable	MU12525	202	Standard connector, size 4.5, plastic	M19338	24
Skin temperature probe 5, disposable, long cable for Kangaroo Care, 1.5 m (4.9 ft)	MU12551	202	Starter Package C2000/ Isolette® 8000	MP01427	212
Skin temperature probe 5, reusable	MU12533	202	Starter Package Caleo®	MP01426	212
SmartLung	MP02405	45	Starterkit WaterLock® 2	6872160	143
SoftBed Caleo®, size 68 x 48 x 4 cm (26.8 x 18.9 x 1.6 in)	MX17012	190	Suction hose	M25780	277, 343
SoftBed Dräger BabyTherm® 8004, size 75 x 49 x 4 cm (29.5 x 19.3 x 1.6 in)	2M21012	187	Suction hose holder	2M85239	278, 331, 338, 347, 350, 353, 371
SoftBed Dräger Incubator 8000, size 64.8 x 35 x 4 cm (25.5 x 13.8 x 1.6 in)	2M20907	193	Supply tubing set Caleo®	MX17018	192
SoftBed Dräger TI 5400, size 91.5 x 31 x 4 cm (36 x 12.2 x 1.6 in)	2M21023	194	Support rail set	G13768	374
SoftBed IICS-90 LB with Scale, size 59 x 75 x 4 cm (23.2 x 29.5 x 1.6 in)	MP01405	195	Swivel table for 38 mm (1.5 in) pole	2M21186	192
			System workplace for CS hoses	8601697	381
			T Table-top accessory set	MP01209	270, 327
			T-adapter with plug, 12 mm (0.5 in)	MP01037	79, 260
			T-adapter with plug, for adults	MP01031	78
			T-adapter with plug, for neonates	MP01032	78, 260
			TCC	MP00722	145
			T-connector, disposable, 15-10 mm (0.6-0.4 in)	MU10902	198
			Telemetry lead adapter	MS14681	88, 95, 149
			Telescopic arm	MP00498	373

INDEX

Temp adapter cable	5198333	109
Temperature probe, adult, 1.5 m (4.9 ft)	4329889	110
Temperature probe, adult, 3 m (9.8 ft)	5201327	110
Temperature probe, adult, 3 m (9.8 ft)	5204644	110
Temperature probe, adult, 5 m (16.4 ft)	5201319	110
Temperature probe, pediatric, 1.5 m (4.9 ft)	4329848	110
Temperature probe, pediatric, 3 m (9.8 ft)	5201343	110
Temperature probe, pediatric, 3 m (9.8 ft)	5204651	110
Temperature probe, skin, 1.5 m (4.9 ft)	4329822	110, 250
Temperature probe, skin, 3 m (9.8 ft)	5204669	110, 250
Temperature probe, skin, 3 m (9.8 ft)	5201335	110
Temperature protective cover	7014616	110, 163, 250
Temperature sensor	M35373	163
Temperature sensor adapter	8410019	221, 222
Temperature sensor adapter 900 MR 532	MP01007	35, 41, 76
Temperature sensor for Aquapor EL	8405371	72
Temperature sensor for rectal measurement	M35372	163
Temperature sensor for rectal measurement	M35374	163
Temperature Y-cable, for MultiMed 5/6 Pod	5592154	109
Temperature-/Flow sensor for MR 850, 1.1 m (3.6 ft)	8414989	75, 258
Temperature-/Flow sensor for MR 850, 1.5 m (4.9 ft)	8414966	75, 258
Test lung	8403208	216
Test lung, bag	8403201	45
Test lung, complete (bellows)	8409742	36, 37, 38, 45, 219, 220, 221, 222, 224, 225, 240
Thermometer	2M13259	72
ThermoPad	MX11002	188, 190, 193, 194, 200
ThermoTrace Core	MX11000	188, 190, 193, 194

ThermoTrace Peripheral	MX11001	188, 190, 193, 194
T-piece adapter	8411044	36, 37, 219, 224, 225
T-piece adapter	8418405	38, 220
T-piece for sample gas	8600224	27, 42, 143
tpO ₂ + tpCO ₂ solid state electrode	4529988	145, 255
tpO ₂ /tpCO ₂ Pod	5592535	145, 255
Transducer kit Ohmeda, disposable	4528741	12
Transmitter analog ECG cable	4316621	95, 149
TransWarmer® Infant	MP01414	213
WarmingDevice with WarmGel®		
Tray 3020	M24678	370
Trend output PC connection cable	7486991	169
Trolley accessory set	MP01206	270, 327
Trolley for OR aspirator	2M85441	347, 349
Tropic plus nebulizer set	MP00006	271, 328
Tropic plus ultrasonic nebulizer	MP01205	269, 326
Tube port	2M20434	193
Tubing grommet, large	2M50385	192
Tubing port	2M50412	192
Two-sided pumpball for air management	MP01590	65, 238
Universal hose clip	MP00692	367
Universal Pole Mount	MS19705	117
Universal pole/clamp mount	7871093	86
Universal tube holder plate for ball mounting	2M86465	279, 366
VAC CS hose 1.5 m (4.9 ft)	M35404	380
NIST BS straight		
VAC CS hose 1.5 m (4.9 ft)	M35386	381
NIST EN AGASSg straight		
VAC CS hose 1.5 m (4.9 ft)	M35395	379
NIST EN BS		
VAC CS hose 1.5 m (4.9 ft)	M35498	375
NIST EN DIN		
VAC CS hose 1.5 m (4.9 ft)	M35422	377
NIST EN NF		
VAC CS hose 1.5 m (4.9 ft)	M36013	376
NIST NEUTRAL DIN		
VAC CS hose 1.5 m (4.9 ft)	M35455	378
NIST NEUTRAL NF		
VAC CS hose 3 m (9.8 ft)	M35405	380
NIST BS straight		
VAC CS hose 3 m (9.8 ft)	M35387	381
NIST EN AGASSg straight		

INDEX

VAC CS hose 3 m (9.8 ft)	M35396	379	VarioAir® T Rail WV	MP00544	353, 357
NIST EN BS			VarioSafe	MP00555	331, 342, 347, 353, 361
VAC CS hose 3 m (9.8 ft)	M35499	375	VarioVac® B AFNOR	MP00503	331, 332
NIST EN DIN			VarioVac® B AGA	MP00504	331, 332
VAC CS hose 3 m (9.8 ft)	M35423	377	VarioVac® B BS	MP00502	331, 332
NIST EN NF			VarioVac® B compact	MP00506	331, 335
VAC CS hose 3 m (9.8 ft)	M36014	376	VarioVac® B DIN	MP00501	331, 332
NIST NEUTRAL DIN			VarioVac® B/OR Rail	MP00505	331, 332, 347, 348
VAC CS hose 3 m (9.8 ft)	M35456	378	VarioVac® D AFNOR	MP00509	353, 354
NIST NEUTRAL NF			VarioVac® D AGA	MP00510	353, 354
VAC CS hose 5 m (16.4 ft)	M35406	380	VarioVac® D BS	MP00508	353, 354
NIST BS straight			VarioVac® D caps black	MP00497	362
VAC CS hose 5 m (16.4 ft)	M35388	381	VarioVac® D caps ISO	MP00495	362
NIST EN AGASSg straight			VarioVac® D DIN	MP00507	353, 354
VAC CS hose 5 m (16.4 ft)	M35397	379	VarioVac® D Rail	MP00511	276, 353, 354
NIST EN BS			VarioVac® D Rail WV	MP00512	353, 355, 359
VAC CS hose 5 m (16.4 ft)	M36000	375	Velcro straps	5206227	151
NIST EN DIN			Vent Set Basic	MP00300	9
VAC CS hose 5 m (16.4 ft)	M35424	377	Vent Set Coax	MP00315	11
NIST EN NF			Vent Set Coax with holder	MP00316	11
VAC CS hose 5 m (16.4 ft)	M36015	376	Vent Set Flex	MP00305	11
NIST NEUTRAL DIN			Ventilation circuit, manual, reusable	MU04765	204
VAC CS hose 5 m (16.4 ft)	M35457	378	Ventilation circuit, reusable,	MU04767	204
NIST NEUTRAL NF			for Biomed MVP-10		
VacuSmart® Gel, 700 ml	MX23025	275, 331, 339	Ventilation hose holder BT	2M21191	188
VacuSmart® Tube (2 m (6.6 ft))	MX23026	275, 331, 339	Ventilation hose holder Caleo®,	8411075	191
VacuSmart®, 700 ml	MX23023	275, 331, 339	complete		
Vacuum Mattress, size 58 x 32 cm	2M17909	194	Ventilation hose set for Zeus®	MK02933	28
(22.8 x 12.6 in)			Ventilation hose set for Zeus®,	MK02934	29
Vacuum nozzle	M30574	344	pediatric		
Vacuum nozzle	M30606	344	Ventilation hose with flow	8412068	34
Vario Vac® B/OR caps black	MP00496	345	measurement hose, 1.5 m (4.9 ft)		
Vario Vac® B/OR caps ISO	MP00494	345	Ventilation hose with flow	8412913	34
VarioAir® B AFNOR	MP00532	331, 333	measurement hose, 3 m (9.8 ft)		
VarioAir® B AGA	MP00533	331, 334	Ventilation hose, 1.5 m (4.9 ft)	2M86511	33
VarioAir® B BS	MP00531	331, 333	Ventilation hose, 3 m (9.8 ft)	2112760	33, 34
VarioAir® B compact	MP00536	331, 335	Ventilation system with PEEP valve,	MU04776	204, 240
VarioAir® B DIN	MP00530	331, 333	manual, disposable		
VarioAir® B UNI	MP00534	331, 334	Ventilation valve, complete	8412001	34
VarioAir® B/OR Rail	MP00535	331, 334, 347, 348	VentStar® Anesthesia (N)	MP00333	13
VarioAir® D AFNOR	MP00539	353, 356	VentStar® Anesthesia (P)	MP00331	13
VarioAir® D AGA	MP00540	353, 357	without LuerLock		
VarioAir® D BS	MP00538	353, 356	VentStar® Anesthesia	MP00330	13
VarioAir® D DIN	MP00537	353, 356	without LuerLock		
VarioAir® D Rail	MP00542	353, 357	VentStar® Bag Set	MP00222	12
VarioAir® D UNI	MP00541	353, 357	VentStar® Bag Set (N) 110	MP00383	12
VarioAir® P compact	MP00547	331, 336	VentStar® Bag Set (P) 110	MP00384	12
VarioAir® P Rail	MP00545	331, 334			

INDEX

VentStar® Bag Set 120	MP00380	12	Watertrap close to patient, 10	8404760	31, 223
VentStar® Bag Set 150	MP00381	12	Watertrap MGM	MS13826	144
VentStar® Basic (P) 150	MP00338	9	Watertrap WaterLock® 2	6872130	143
without LuerLock					
VentStar® Basic (P) 180	MP00351	9	Y Y-connector, 5 mm (0.2 in)	2M12754	24
VentStar® Basic 180	MP00349	9	Y-piece	8412888	26, 32, 35, 41
VentStar® Basic 250	MP00350	9	Y-piece for Dräger temperature sensor	8405435	30, 41
VentStar® Carina® ExpV	MP00313	17	Y-piece, 15 mm (0.6 in)	AM00209	27, 41
VentStar® Carina® LeakV	MP00312	17	Y-piece, 22 mm (0.9 in)	AM00203	41
VentStar® Coax 180	MP00356	11	Y-piece, 90°	8403077	41, 216, 233
VentStar® dual heated	MP00306	14	Y-piece, adult, 90°	M25682	41
VentStar® Flex 220	MP00355	11	Y-piece, adult, straight	M25650	41
VentStar® heated	MP00307	14	Y-piece, adult, with angled LuerLock	M33278	23, 41
VentStar® heated (N)	MP00308	14, 218	Y-piece, child, 90°	8403075	24, 25, 31, 36, 42, 223, 224, 225, 233
VentStar® heated (N) Basic	MP00309	14, 218	Y-piece, child, straight	M27077	25, 27, 41, 233
VentStar® humidifier chamber	MP00234	14, 218	Y-piece, with temperature tap	M30543	41
VentStar® MRI (N) 300	MP00329	11	Z Zinc-air battery cover	2878564	169
VentStar® MRI 300	MP00327	11			
VentStar® Oxylog® 1000, 180	2M86837	15	3 3-lead grabber set,	7863728	95, 148
VentStar® Oxylog® 3000+ (P) 190	5704964	16	Infinity® Telemetry,		
VentStar® Oxylog® 3000F 2000+, 150	5703041	15, 16	IEC1 European (European color code)		
VentStar® Oxylog® 3000F 2000+, 300	MP00335	15, 16	3-lead grabber set,	7863710	95, 148
VentStar® Resuscitaire	MP00311	17, 199	Infinity® Telemetry,		
VentStar® Resuscitaire CEU	MP00310	17, 199	IEC2 AHA/US (AHA/US color code)		
VentStar® Watertrap (N) 180	MP00363	10	3-lead grabber set,	7499804	94, 148
VentStar® Watertrap (P) 180	MP00361	10	TruST™ Telemetry,		
VentStar® Watertrap (P) 180	MP00362	10	IEC1 European (European color code)		
without LuerLock			3-lead grabber set,	7499812	94, 148
VentStar® Watertrap 180	MP00337	10	TruST™ Telemetry,		
VentStar® Watertrap 180	MP00334	10	IEC2 AHA/US (AHA/US color code)		
without LuerLock					
Vital connection cable	MS15421	149, 169			
W Wall holder	M26859	278, 331, 338, 353	5 5-lead grabber set,	5956367	95, 148
Water container	M16394	362	Infinity® Telemetry,		
Water container	M20668	362	IEC1 European (European color code)		
Water container with thread	MP00565	363	5-lead grabber set,	5956359	95, 148
Water hose for Aquamod	8418289	71, 221, 222	Infinity® Telemetry,		
Water supply level controller	2M22130	193	IEC2 AHA/US (AHA/US color code)		
Water vacuum gauge	MP00518	353, 360	5-lead grabber set,	7499820	94, 148
Waterbags mount 900 MR 290	MP01008	74	TruST™ Telemetry,		
Watertrap	8404985	26, 28, 30, 35	IEC1 European (European color code)		
Watertrap 10	8409627	27, 29, 31, 36, 37, 38, 219, 220, 221, 222, 223, 224, 225	5-lead grabber set,	7499838	94, 148
			TruST™ Telemetry,		
			IEC2 AHA/US (AHA/US color code)		

INDEX

6	6-lead grabber set,	7499846	94, 148
	TruST™ Telemetry,		
	IEC1 European (European color code)		
	6-lead grabber set,	7499853	94, 148
	TruST™ Telemetry,		
	IEC2 AHA/US (AHA/US color code)		

HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany

www.draeger.com

REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Medical GmbH
Moislinger Allee 53–55
23558 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE SOUTH

Dräger Médical S.A.S.
Parc de Haute Technologie d'Antony 2
25, rue Georges Besse
92182 Antony Cedex, France
Tel +33 1 46 11 56 00
Fax +33 1 40 96 97 20
dlmfr-contact@draeger.com

REGION MIDDLE EAST, AFRICA, CENTRAL AND SOUTH AMERICA

Dräger Medical GmbH
Branch Office Dubai
Dubai Healthcare City
P.O. Box 505108
Dubai, United Arab Emirates
Tel + 971 436 24 762
Fax + 971 436 24 761
contactuae@draeger.com

REGION ASIA / PACIFIC

Draeger Medical South East Asia Pte Ltd
25 International Business Park
#04-27/29 German Centre
Singapore 609916, Singapore
Tel +65 6572 4388
Fax +65 6572 4399
asia.pacific@draeger.com

Manufacturer:

Dräger Medical GmbH
23542 Lübeck, Germany
The quality management system at
Dräger Medical GmbH is certified
according to ISO 13485, ISO 9001
and Annex II.3 of Directive
93/42/EEC (Medical devices).